

*Complying with
MS832 : 2022*



ARCHITECTURAL
HARDWARE

■ QUALITY ■ DURABILITY ■ INNOVATIVE



INTRODUCTION

Vimax Trading Sdn Bhd is an Architectural Ironmongery Specialist and premier importer of aluminium and glass accessories for Malaysia market since year of 2009. We are supplying innovative architectural hardware such as doors and windows accessories with professional standards and apply the basic values of quality and design in the conception.

In line with architectural hardware objective and co-operate mission, the company is pooled by a team of professional individual with its own profession is all in concern for fine tune in productivity, quality and service. The company continued to be a model employer and maintain a highly skilled, motivated and responsive staff force with high ethical standard and skill on architectural hardware.

In a concerted effort to prepare for productivity, good quality and services. The company also continue to concentrate on enhancing and upgrading its management skill. In-house training program will also focus as a guide to upgrade their management skill, staffs are also encouraged to take up professional courses to enhance their capability.

After years of rapid development, VIMAX own a high-quality range of Glass & Aluminium Accessories products named "VSP". With the excellent workmanship, innovative design & superior quality, VSP has become one of the recognized and reputable brands in the market.

TRADEMARKS & COPYRIGHTS

- You acknowledge Vimax Trading Sdn Bhd's exclusive right, title, and interest in and to the trademarks rights. In the logos below; You agree that you shall not acquire any right of any kind in the logos as a result of your use of it, and you agree that all.

YOU AGREE THAT YOU SHALL NOT :

- (i) Use the logos in any manner likely to diminish its commercial value;
- (ii) Knowingly use any name, logo or icon likely to cause confusion with the logos;
- (iii) Make any representation to the effect that the logos is owned by you rather than Vimax Trading Sdn Bhd;
- (iv) Challenge either the validity or Vimax Trading Sdn Bhd ownership of any trademark rights which incorporate the logos; or
- (v) Attempt to register, register or own in any country:
 - a) The logos;
 - b) Any domain name incorporating in whole or in part the logos or
 - c) Any name, domain name, keyword or mark confusingly similar to the logos.

- As between Vimax Trading Sdn Bhd and you, you acknowledge Vimax Trading Sdn Bhd exclusive right, title and interest in and to the copyright in the logos, and you agree that you will not contest or assist another in contesting that copyright or Vimax Trading Sdn Bhd's ownership of it.

- All materials, if any, provided by Vimax Trading Sdn Bhd to you under this agreement, and all proprietary rights in and to all such materials shall remain the exclusive property of Vimax Trading Sdn Bhd, subject only to the non-exclusive rights granted to you under this agreement.

COMMITMENT TO QUALITY



We tend to be leading supplier for all type of aluminium and glass accessories. We promise to provide excellent service and quality with a very competitive price. Also, to expand our products to all asian countries.

- Total team commitment & involvement in achieving quality policy.
- Systematic management approach for effective quality.
- Systematic integrated technology.
- Focusing on flexible converting system for production & short lead-time adaptability.
- Establishing synchronised converter for competitive pricing to meet customer requirement.
- Establishing quality management to meet "customer satisfaction".

Compliance With Sirim & Intertek Standards :



- BS EN 13126-6 : 2008 (PC002071) for Friction Stay
- BS EN 13126-15 : 2008 (PC002243) for Folding Door Roller
- ANSI/BHMA A 156.13 : 2005 (PC02072) for Mortise Lock
- BS EN 1935 : 2002 (PC000411) For Shower Hinge
- BS EN 13126-3 : 2011 (PC002262) for Multipoint Handle
- BS EN 1154 : 1997 (PC003360) for Floor Spring
- BS EN 1154 : 1997 (PC003359) for Door Closer
- INTERTEK 0359-CPR-000534 For Floor Spring (EN 1154 : 1996/A1 : 2002/AC : 2006)
- INTERTEK Test Report No.230522083GZU-001 (Sliding Flush Lock Compying With BS EN 13126-1)
- INTERTEK Test Report No.230522083GZU-002 (Sliding Flush Lock Compying With BS EN 13126-1)
- MS832 : 2022 (PC01342) Aluminium Alloy Windows
- MS1017 : 2022 (PC013431) Aluminium Framed Sliding Doors
- Reagent S/S Potion (2023CE3075)
- ISO 3506-1 : 2020 Fasteners Drilling (2023MT1561)
- ISO 3506-1 : 2020 Fasteners Tapping (2023MT1562)

SIRIM & INTERTEK STANDARD



PROJECT REFERENCE



Trion 2 @ Sg Besi



Edusphere @ Cyberjaya



Elmina @ Shah Alam



Menara Felcra @ Ampang



Axon @ Bukit Bintang



Sky Awani 4 @ KL



Majestic Maxim @ KL



Citizen 2 @ KL



Millerz Square @ KL



Uthant Residence @ KL



Malton @ Jalan Ipoh



Malton Dutapark @ Jalan Kuching



Henna Residence @ Wangsa Maju



Villa Avenue @ Kepong



Lamansari @ Kepong



Lemanja @ Kepong



Sofiya Residensi @ Kepong



Serene @ Mont Kiara



Pentamont @ Mont Kiara



Arte @ Mont Kiara



Seresta @ Damansara



Atwater @ PJ Section 13



Megah Rise @ PJ



Sunway International School @ USJ



The Glenz @ Glenmarie



Eco Ardence @ Klang



Tropicana Aman @ Klang



MKH Boulevard @ Kajang



Bali Residence @ Melaka



Padang Temu @ Melaka



Apple 99 @ Melaka



Parkland Terrace @ Kluang



Parkland Shoplot @ Kluang




One Medini @ JB




Multimax @ JB

MULTIPOINT LOCKING SYSTEM

► **Single Fork Series**



► **Double Fork Series**



PRODUCT RANGE


 Euro Window Hinge	 Friction Stay	 Multipoint Handle
 Multipoint Accessories	 Polyamide Rod (Slide Bar)	

ADVANTAGE

- ✓ Enhanced safety & security.
- ✓ Multiple locking system configurations.
- ✓ Aluminium profiles compatible.
- ✓ Variety of handles for aesthetic.

ACCESSORIES COMPATIBLE DIAGRAM

PERFORMANCE SLIDING DOOR



PRODUCT RANGE

Advantage

- ✓ Range of product choices from diagram.
- ✓ Excellent combination options.
- ✓ Aluminium profiles compatible.
- ✓ Roller series base on weight requirement.

Noble Door Lock (600VS)



VSP 602 VSP 6900
VSP 603 VSP 604
VSP 605 VSP 606
VSP 6100 VSP 6400

Water Guide (200VS)



PVC-333

Stopper (200VS)



120-EOS

Roller (500VS)



MR-21
MR-22

Sliding Door Lock (600VS)



MSL 1030
HESL-26J
HESL-16A

Locking Bar (200VS)



SL-300

Corner Bracket (200VS)



MB-911A
MB-5017

Sliding Door Keeper (200VS)



SDH-131


Interlock Cover (200VS)




VSP-161

ACCESSORIES COMPATIBLE DIAGRAM

PERFORMANCE SLIDING WINDOW - LB SERIES




PERFORMANCE SLIDING WINDOW - PMB SERIES



ACCESSORIES COMPATIBLE DIAGRAM

SWING AND FOLDING LOCKING SYSTEM



LATCH BOLT SELECTION

400VS-ML80



400VS-FD5560-BIG



400VS-15T78-HVD



400VS-15L80-HVD



200VS-MPS-19702



400VS-ET78





200VS-MSW-8112
200VS-MSW-121



200VS-MP-923



SLIDING DOOR LOCKING SYSTEM



01



MULTIPOINT HANDLE

Rainforced multi-point handles provide durability and security strenghtened. Designed for style and class.

Advantage


- ☑ The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- ☑ To be used in inward opening, outward opening, tilt, turn and sliding.
- ☑ Attractive lines and design.
- ☑ Ergonomic handle makes it comfortable to use daily.
- ☑ A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- ☑ Sufficient circumference to distribute the force comfortably and safely over the hand.
- ☑ Easy to install and maintain.



100VS-MH-001
Sentura Multipoint Handle



100VS-MH-002
Seresta Multipoint Handle




100VS-MH-021
Artesa Multipoint Handle



100VS-MLH-2000
Distino Multipoint Handle

MAX KAVEN





CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-001	Single 30mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	
100VS-MH-001	Double 25mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	
100VS-MH-002 (2pcs Key)	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	
100VS-MH-002 (2pcs Key)	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	
100VS-MH-021	Single 30mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-021	Double 25mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MLH-2000	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	
100VS-MLH-2000	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	
100VS-SF-135 / SF-002 / SF-77 / SF-249	Single 30mm	Zinc Alloy	Silver	300 pcs / ctn	
100VS-DF-135 / DF-002 / DF-78 / DF-249	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	

01

100VS-MH-035
Curvo Multipoint Handle



100VS-MLH-1000
Altair Multipoint Handle



SF-135



DF-135



MS 832 Compliance
Report No : 2023MA1325





SF-135



DF-135

100VS-MH-013
Awani Multipoint Handle

100VS-MH-033
Lexxa Multipoint Handle



SF-013



SF-033




MS 832 Compliance
Report No : 2023MA0825

CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-035	Single 30mm	Aluminium	White / Black / Silver	50 pcs / ctn	
100VS-MH-035	Double 25mm	Aluminium	White / Black / Silver	50 pcs / ctn	
100VS-MLH-1000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MLH-1000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MH-013	Single 25mm	Zinc Alloy / Aluminium	White / Black / Silver	50 pcs / ctn	
100VS-MH-033	Single 25mm	Aluminium	White / Black / Silver	100 pcs / ctn	
100VS-SF-135 / SF-013 / SF-033	Single 25mm / 30mm	Zinc Alloy	Silver	300 pcs / ctn	
100VS-DF-135	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	

100VS-MH-004


Sufiya Multipoint Handle



SF-877

100VS-MH-039

Terra Multipoint Handle




SF-249



DF-249

100VS-MH-024

Axxon Multipoint Handle



SF-249




DF-249



MS 832 Compliance
Report No : 2023MA1324

100VS-MH-037

Petakon Multipoint Handle



SF-249




DF-249

CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-004	Single 25mm / 30mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-039	Single 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	
100VS-MH-024	Single 30mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	
100VS-MH-024	Double 25mm	Zinc Alloy / Aluminium	White / Black	50 pcs / ctn	
100VS-MH-037	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MH-037	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-SF-877 / SF-249	Single 25mm / 30mm	Zinc Alloy	Silver	300 pcs / ctn	
100VS-DF-249	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	

01

100VS-MH-223
Mijumi Multipoint Handle




SF-77

DF-78

100VS-MLH-3000
Nover Multipoint Handle

MAX KAVEN




SF-135

DF-135

100VS-MLH-4000
Linea Multipoint Handle

MAX KAVEN




SF-249

DF-249

100VS-MLH-5000
Pitagora Multipoint Handle

MAX KAVEN



SF-135

DF-135

CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-223	Single 30mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-223	Double 25mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MLH-3000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MLH-3000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MLH-4000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MLH-4000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MLH-5000	Single 30mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MLH-5000	Double 25mm	Zinc Alloy	White / Black	50 pcs / ctn	
100VS-MH-77 / SF-135 / SF-249	Single 30mm	Zinc Alloy	Silver	300 pcs / ctn	
100VS-MH-78 / DF-135 / DF-249	Double 25mm	Zinc Alloy	Silver	300 pcs / ctn	


100VS-MH-8200
Emiyo Multipoint Handle




100VS-MH-8100
Emego Multipoint Handle



100VS-MH-9800
Elisia Multipoint Handle



100VS-MH-7700
Elivia Multipoint Handle




100VS-MH-8800
Elora Multipoint Handle




CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-8200	Single 25mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-8200	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-8100 (2pcs Key)	Single 25mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-8100 (2pcs Key)	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-9800	Single 25mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-9800	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-7700 (2pcs Key)	Single 25mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-7700 (2pcs Key)	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-8800	Single 25mm	Aluminium	White / Black	50 pcs / ctn	
100VS-MH-8800	7 x 7 Spindle	Aluminium	White / Black	50 pcs / ctn	
100VS-SF-877	Single 25mm	Zinc Alloy	Silver	300 pcs / ctn	
100VS-7 x 7 Spindle - 60mm	7 x 7 Spindle	Iron	Silver	300 pcs / ctn	

01


100VS-ML-1616
Multipoint Handle




100VS-ML-1618
Multipoint Handle



100VS-ML-1615
Multipoint Handle



100VS-EH-8400
Multipoint Handle



CODE	ACCESSORIES TYPE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-ML-1616 (2pcs Key)	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	
100VS-ML-1617	7 x 7mm	Zinc Alloy	White / Black	30 pcs / ctn	
100VS-ML-1618 (2pcs Key)	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	
100VS-ML-1619	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	
100VS-ML-1615	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	
100VS-EH-8400 (88mm)	7 x 7mm	Aluminium	White / Black	50 pcs / ctn	





01

EURO WINDOW HINGE

Enabling one or both to swing open and shut. The hinges often feature decorative detailing.


Advantage

- Impressive weight loading capability.
- Corrosion resistances.
- Suitable for inner and outer wood, iron, aluminium or steel windows and doors.
- Easy to install and maintain.




01


100VS-MH-367
Euro Window Hinge




100VS-MH-532
D-Hinge with Handle




100VS-MH-533
Mid & Side Hinge



100VS-MH-715
With Euro Hinge (Exposed)



100VS-MH-805
Light Duty Euro Hinge (Exposed)



100VS-MH-999
Heavy Duty Euro Hinge (Exposed)



CODE	MAX. WEIGHT CAPACITY FOR 2 HINGES / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-367	30 kg	Aluminium	White / Black / Silver	200 sets / ctn	
100VS-MH-532	40 kg	Aluminium	White / Black / Silver	60 sets / ctn	
100VS-MH-533	40 kg	Aluminium	White / Black / Silver	80 sets / ctn	
100VS-MH-715	50 kg	Aluminium	White / Black	100 sets / ctn	
100VS-MH-805	35 kg	Aluminium	White / Black	200 sets / ctn	
100VS-MH-999	50 kg	Aluminium	White / Black	100 sets / ctn	


100VS-MH-916

Light Duty Euro Hinge (Concealed)




100VS-MH-888

Heavy Duty Euro Hinge (Concealed)




100VS-MH-812

Euro Hinge (Exposed)




100VS-MH-891

Euro Hinge (Exposed)



100VS-MH-9822

Concealed Hinge



MS 832 Compliance
Report No : 2024MA0510



CODE	MAX. WEIGHT CAPACITY FOR 2 HINGES / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-916	35 kg	Aluminium	White / Black	200 sets / ctn	
100VS-MH-888	50 kg	Aluminium	White / Black	100 sets / ctn	
100VS-MH-812	35 kg	Aluminium	White / Black / Silver	200 sets / ctn	
100VS-MH-891	35 kg	Aluminium	White / Black / Silver	200 sets / ctn	
100VS-MH-9822	40 kg	Aluminium	White / Black	200 sets / ctn	

01

100VS-CW-M4
Casement Handle R/L




MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627

100VS-CW-M4-KEY
Casement Handle with Key R/L



MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627

100VS-CW-M5
Curtain Wall Handle R/L



MS SIRIM
MS 832 Compliance
Report No : 2023MA0826

100VS-CW-M7
Casement Handle R/L



100VS-MH-015
Casement Handle R/L



MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627

100VS-MH-015-S
Casement Handle R/L




MS SIRIM
BS EN 13126-3 Compliance
Report No : 2015MA0627

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-CW-M4	Aluminium	White / Black / Silver	300 pcs / ctn	
100VS-CW-M4-Key (1pc Key)	Aluminium	White / Black / Silver	200 pcs / ctn	
100VS-CW-M5	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	
100VS-CW-M7	Aluminium	White / Black / Silver	200 pcs / ctn	
100VS-MH-015	Aluminium	White / Black / Silver	100 pcs / ctn	
100VS-MH-015-S	Aluminium	White / Black / Silver	200 pcs / ctn	

100VS-CW-M3
Casement Handle R/L




100VS-CW-M10
Casement Handle R/L




MS 832 Compliance
Report No : 2023MA0827

100VS-CW-608
Casement Handle R/L




100VS-CW-708
Casement Handle R/L



BS EN 13126-3 Compliance
Report No : 2015MA0627

100VS-SPH-111
Goha Casement Handle Without Key R/L



100VS-SPH-111-KEY
Goha Casement Handle With Key R/L




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-CW-M3	Aluminium	White / Black / Silver	200 sets / ctn	
100VS-CW-M10	Aluminium	White / Black / Silver	400 pcs / ctn	
100VS-CW-608	Aluminium	White / Black / Silver	600 pcs / ctn	
100VS-CW-708	Aluminium	White / Black / Silver	400 pcs / ctn	
100VS-SPH-111	Zinc Alloy	White / Black	200 sets / ctn	
100VS-SPH-111-Key (1pc Key)	Zinc Alloy	White / Black	200 sets / ctn	

01



100VS-MH-012
Casement Handle R/L

100VS-SPH-121
Caretta Casement Handle R/L



100VS-CL-350-SMALL
Crescent Lock R/L



100VS-ML-817
Ambidextrous Crescent Lock



MS 832 Compliance
Report No : 2023MA0828

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
100VS-MH-012	Aluminium	White / Black	100 pcs / ctn	
100VS-SPH-121	Zinc Alloy	White / Black	100 pcs / ctn	
100VS-CL-350-Small	Aluminium	White / Black / Silver	600 pcs / ctn	
100VS-ML-817	Aluminium / S.Steel SUS 304	White / Black / Silver	300 pcs / ctn	



**MULTIPOINT
ACCESSORIES**


Advantage

- ☑ The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- ☑ To be used in inward opening, outward opening, tilt, turn and sliding.
- ☑ Attractive lines and design.
- ☑ Ergonomic handle makes it comfortable to use daily.

02


200VS-MP-2606

Catches 6mm (Exposed)




200VS-MP-2610

Catches 10mm (Concealed)




200VS-MP-804

Catches 6mm (Exposed)




200VS-MP-8524

Catches 10mm (Concealed)



200VS-MP-806-B / MP-8206-S

Catches : Flan Big / Small




200VS-MP-814-N

Catches : Nylon




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-2606	6mm	Aluminium	Chrome	1000 pcs / ctn	
200VS-MP-2610	10mm	Aluminium	Chrome	1000 pcs / ctn	
200VS-MP-804	6mm	Aluminium	Chrome	1000 pcs / ctn	
200VS-MP-8524	10mm	Aluminium	Chrome / Black	1000 pcs / ctn	
200VS-MP-806-B	11mm	Zinc Alloy	Silver	1000 pcs / ctn	
200VS-MP-8206-S	11mm	Zinc Alloy	Silver	1000 pcs / ctn	
200VS-MP-814-N	12mm	PVC	Black	1000 pcs / ctn	


200VS-MP-810
Catches 11mm / 14mm




200VS-MP-809
Aluminium U Slide Gear & Slide Fork



200VS-MP-807
Lock Cam : 10mm / 12.5mm / 14mm / 16mm




200VS-MP-808
Push Rod : 15mm / 20mm / 25mm / 30mm / 35mm / 53mm



200VS-MP-812
Push Rod : 30mm



200VS-MSW-114
Adjustable Lock Cam : 6.5mm / 8.5mm / 10.5mm / 12.5mm




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-810	11mm	SUS304	SS	2000 pcs / ctn	
	14mm			2000 pcs / ctn	
200VS-MP-809	30mm	Aluminium	SS	1000 pcs / ctn	
200VS-MP-807	10mm / 12.5mm	SUS304	SS	2500 pcs / ctn	
	14mm / 16mm			2000 pcs / ctn	
200VS-MP-808	15mm / 20mm / 25mm	SUS304	SS	2000 pcs / ctn	
	30mm / 35mm			2000 pcs / ctn	
	53mm			2000 pcs / ctn	
200VS-MP-812	30mm	SUS304	SS	1000 pcs / ctn	
200VS-MSW-114	6.5mm	Brass	SS	2000 pcs / ctn	
	8.5mm			2000 pcs / ctn	
	10.5mm			2000 pcs / ctn	
	12.5mm			1000 pcs / ctn	

02


200VS-MSW-113

End Transmission (6.5mm / 8.5mm / 12mm)




200VS-MSW-116

Euro Corner Transmission



200VS-MSW-121 R/L

Latch Bolt R/L




- 2 x 18.6mm
- 2 x 19.5mm

- BLK
- WH

200VS-MSW-8112

Latch Bolt




- 2 x 18.6mm
- 2 x 19.5mm

- BLK
- WH


200VS-11201-CD2

End Cap Cover R/L




200VS-MSW-2149

Push Rod




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MSW-113	6.5mm	Zinc Alloy	Silver	500 pair / ctn	
	8.5mm				
	12mm				
200VS-MSW-116	8mm	Zinc Alloy	Silver	200 pcs / ctn	
200VS-MSW-121 R/L	18.4mm	Zinc Alloy	Black / White	50 pair / ctn	
200VS-MSW-8112	18.4mm	Zinc Alloy	Black / White	100 pair / ctn	
200VS-H-11201-CD2	-	Nylon	Black	500 pair / ctn	
200VS-MSW-2149	30mm	Zinc Alloy / SUS304	Silver	2000 pcs / ctn	

200VS-SDH-124
Sliding Door Keeper




Thickness = 1.2mm

200VS-SDH-151
Sliding Door Keeper




Thickness = 1.2mm

200VS-SDH-126
Sliding Door Striker



Thickness = 2.0mm

200VS-SDH-131
Sliding Door Striker




Thickness = 1.5mm

200VS-SDH-143
Sliding Door Striker



Thickness = 1.8mm

200VS-SDH-122
Sliding Door Striker




Thickness = 1.5mm

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-SDH-124	SUS304	SS	2000 pcs / ctn	
200VS-SDH-151	SUS304	SS	2000 pcs / ctn	
200VS-SDH-126	SUS304	SS	2000 pcs / ctn	
200VS-SDH-131	SUS304	SS	2000 pcs / ctn	
200VS-SDH-143	SUS304	SS	2000 pcs / ctn	
200VS-SDH-122	SUS304	SS	2000 pcs / ctn	


02

200VS-SDH-127
Sliding Door Hook




Thickness = 1.2mm

200VS-SDH-123
Sliding Door Striker



Thickness = 1.8mm

200VS-SDH-133
Sliding Door Striker




Thickness = 1.0mm

200VS-SDH-135
Sliding Door Striker




SIL BLK WH

200VS-SDH-139
Casement Handle Hook




SIL BLK WH

200VS-SDH-1377
Sliding Door Stopper (for PMB)




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-SDH-127	Stainless Steel 201	SS	2000 pcs / ctn	
200VS-SDH-123	Stainless Steel 201	SS	300 pcs / ctn	
200VS-SDH-133	Stainless Steel 201	SS	300 pcs / ctn	
200VS-SDH-135	Aluminium	White / Black / Silver	2000 pcs / ctn	
200VS-SDH-139	Aluminium	White / Black / Silver	250 pcs / ctn	
200VS-SDH-1377	PVC	Transparent	500 sets / ctn	


200VS-SDH-136
Sliding Door Hook 37mm / 40mm




200VS-350 STEEL PLATE
Sliding Door Hook



200VS-25001
Sliding Door Hook 37mm




200VS-161
Interlock Cover



200VS-163
Interlock Cover




200VS-LF-103
Lifting Block




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-SDH-136	37mm	Stainless Steel 201	SS	1000 pcs / ctn	
	40mm	Stainless Steel 201	SS	1000 pcs / ctn	
200VS-350 Steel Plate	40mm	Steel	White / Black / Silver	2000 pcs / ctn	
200VS-25001	37mm	Stainless Steel 201	SS	1000 pcs / ctn	
200VS-161 Interlock Cover	17mm	PVC	Black	1000 pcs / ctn	
200VS-163 Interlock Cover	17.5mm / 19mm / 16.5mm	PVC	Black	2000 pcs / ctn	
200VS-LF-103	11mm x 25mm	PVC	Black	2000 pcs / ctn	


200VS-T-162 / T-164
Skider




200VS-110-EOS / 120-EOS
Sliding Stopper




200VS-MPE-1805
Inverted Exposed Window Cam Lock



200VS-MPC-1916
Inverted Concealed Window Cam Lock



200VS-MPS-19702
Inverted Sliding Door Cam Lock




200VS-MP-919
Weep Holes Cover




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-T-162 Skider	5mm	PVC	Black	500 pcs / ctn	
200VS-T-164 Skider	16mm	PVC	Black	3000 pcs / ctn	
200VS-110-EOS	36mm	Zinc Alloy	White / Black	200 pcs / ctn	
200VS-120-EOS	59mm	Zinc Alloy	White / Black	200 pcs / ctn	
200VS-MPE-1805	-	SUS304	SS	200 set / ctn	
200VS-MPC-1916	-	SUS304	SS	200 set / ctn	
200VS-MPS-19720	-	SUS304	Black	200 set / ctn	
200VS-MP-919-S	3 x 35mm	Nylon	Black	200 pcs / ctn	
200VS-MP-919-M	4,5 x 45mm	Nylon	Black	200 pcs / ctn	
200VS-MP-919-L	7 x 45mm	Nylon	Black	200 pcs / ctn	


200VS-MP-924
Side Stopper - LB




200VS-MP-925
Top Stopper - LB




200VS-MB-802
Inner Corner Bracket : LB




200VS-MB-803
Corner Bracket : LB



200VS-MB-942
LB Inner Sliding Door Bracket




200VS-MB-943
LB Outer Sliding Door Bracket




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-924	Nylon	White	2000 pcs / ctn	
200VS-MP-925	Nylon	White	2000 pcs / ctn	
200VS-MB-802	Aluminium Die-Cast	Silver	512 pcs / ctn	
200VS-MB-803	Aluminium Die-Cast	Silver	400 pcs / ctn	
200VS-MB-942	Aluminium Die-Cast	Silver	256 pcs / ctn	
200VS-MB-943	Aluminium Die-Cast	Silver	512 pcs / ctn	

02


200VS-MP-920
Water Guide




200VS-MP-921
Latch Keeper




200VS-MP-923-SMALL (18.5MM)
Latch Bolt




200VS-MP-926
Center Bracket R/L (Concealed)



200VS-MP-927
Latch Stopper (Concealed)



200VS-PVC-333
Water Guide



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MP-920	PVC	Black	4000 set / ctn	
200VS-MP-921	PVC / Stainless Steel	Black	400 pair / ctn	
200VS-MP-923-Small (18.5mm)	PVC / Stainless Steel	White / Black	500 pair / ctn	
200VS-MP-926	Nylon	Black	1000 pair / ctn	
200VS-MP-927	PVC	White / Black	400 pair / ctn	
200VS-PVC-333	Nylon	Black	2000 pcs / ctn	

CORNER JOINT

A metal plate mounted on the corners of the window casement / sash to strengthen it.



02



200VS-MB-913






200VS-LB-7057



200VS-MB-9133

CODE	WIDTH (MM)	THICKNESS	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-MB-913	15.6mm	1.5mm	SUS304	SS	2000 pcs / ctn	
	16.3mm	1.5mm	SUS304	SS	2000 pcs / ctn	
200VS-LB-7057	8.5mm	1.0mm	SUS304	SS	2000 pcs / ctn	
200VS-MB-9133	8.8mm	1.0mm	SUS304	SS	5000 pcs / ctn	
	13mm	1.0mm	SUS304	SS	2500 pcs / ctn	
	17.5mm	1.0mm	SUS304	SS	2000 pcs / ctn	
	20.4mm	1.0mm	SUS304	SS	2000 pcs / ctn	

200VS-POLYAMIDE ROD (SLIDE BAR)




Polyamide Punching Machine
Ø6mm, Ø10mm

CODE	WIDTH (MM)	PACKING	MATERIAL	FINISHING	(RM) / UNIT
200VS-Polyamide Rod (Slide Bar)	18.6mm / 150m (Length)	1 log	Nylon	Black	
	19.5mm / 150m (Length)			Black	
200VS-Polyamide Punching Machine	Ø6mm & Ø10mm	1 unit	Steel	SS	


02

200VS-MB-ALUMINIUM BRACKET

Aluminium Corner Bracket



MB-5011



PROFILE SW946D

MB-5014




PROFILE PMB0946

MB-5015



MB-5016



MB-5017




PROFILE SD957



CODE	MATERIAL	A = SIZE	B = SIZE	PACKING	(RM) / UNIT
200VS-MB-5011	Aluminium	19.5mm	8.5mm	500 pcs / ctn	
200VS-MB-5012	Aluminium	30.5mm	8.5mm	500 pcs / ctn	
200VS-MB-5013	Aluminium	36.5mm	8.5mm	500 pcs / ctn	
200VS-MB-5014	Aluminium	26.5mm	10mm	500 pcs / ctn	
200VS-MB-5015	Aluminium	30.5mm	10mm	500 pcs / ctn	
200VS-MB-5016	Aluminium	36.5mm	10mm	500 pcs / ctn	
200VS-MB-5017	Aluminium	29mm	14mm	500 pcs / ctn	

200VS-WIN-MESH 2 IN 1

Security Window System



100VS-MH024
Multipoint Handle



200VS-MSW-118
Center Transmission



200VS-MB Bracket
MB-911 Series



200VS-MB-913
Corner Joint



300VS-Wind Resistance Stay
Wind Resistance Bar Hinge



200VS-MP-808
Push Rod 35mm



200VS-MP-216
2 in 1 Window Buckle



100VS-MH-883 L/R
2 in 1 Euro Hinge




200VS-MP-217
Lock Cam 17mm



200VS-MB-215
Keeper




200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 9mm




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9057	26mm x 9mm	1000 pcs / ctn	
200VS-MB-91A	28mm x 9mm	1000 pcs / ctn	
200VS-MB-9055A	31.5mm x 9mm	1000 pcs / ctn	
200VS-MB-9060	34mm x 9mm	1000 pcs / ctn	
200VS-MB-9011A	36.5mm x 9mm	1000 pcs / ctn	
200VS-MB-911A	37.5mm x 9mm	1000 pcs / ctn	
200VS-MB-5590	40mm x 9mm	1000 pcs / ctn	

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 11mm




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9012	30.5mm x 11mm	1000 pcs / ctn	
200VS-MB-9058	31.5mm x 11mm	1000 pcs / ctn	
200VS-MB-912	37.5mm x 11mm	1000 pcs / ctn	
200VS-MB-9061	36mm x 11mm	1000 pcs / ctn	
200VS-MB-9066	25mm x 11mm	1000pcs/ctn	

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 9mm (Concealed)




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-911B	34mm x 9mm	1000 pcs / ctn	
200VS-MB-9013B	38mm x 9mm	1000 pcs / ctn	

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 9mm (T4)




CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9056	36.5mm (T4) x 9mm	1000 pcs / ctn	
200VS-MB-9054	31.5mm (T4) x 9mm	1000 pcs / ctn	
200VS-MB-9065	24mm (T4) x 9mm (46867)	1000 pcs / ctn	

200VS-MB-ALUMINIUM BRACKET
Aluminium Corner Bracket x 8mm



CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-9059	31.5mm x 8mm	1000 pcs / ctn	
200VS-MB-9062	36.5mm x 8mm	1000 pcs / ctn	

200VS-MB-900
Corner Top Bracket



CODE	A = SIZE	PACKING	(RM) / UNIT
200VS-MB-900	11.5mm x 10mm	1000 pcs / ctn	

* Note : All bracket standard punching hole distance 27MM

THE BENEFITS OF WEATHER STRIP

☑ Silicone + UV

TYPE	Silicone + UV Wool Pile Strip		
COLOUR	Grey, Black		
APPLY	All kinds of aluminium doors and windows, UPVC profile windows and doors, sliding door, wood door, furniture door and etc		
FUNCTION	<ul style="list-style-type: none"> • Anti-aging • Anti-water 	<ul style="list-style-type: none"> • Anti-noise • Dust-proof 	<ul style="list-style-type: none"> • Wind-proof • Anti-collision
FEATURE	1. High Resilience fibers with silicone and UV treatment. 2. No shedding, good straightness, smooth and delicate. 3. Long lasting.		



Silicone + UV Wool Pile Strip

☑ 3M Glue

TYPE	3M Glue Adhesive Wool Pile		
SIZE	7*8M		
COLOUR	Grey		
APPLY	All kinds of aluminium doors and windows, UPVC profile windows and doors, sliding door, wood door, furniture door and etc		
FUNCTION	<ul style="list-style-type: none"> • Anti-noise • Dust-proof 	<ul style="list-style-type: none"> • Wind-proof • Anti-collision 	
FEATURE	1. High Resilience fibers. 2. No shedding, good straightness, smooth and delicate. 3. Good adhesiveness, easy to install.		



Wool Pile with PP Fin

3M Glue Adhesive Wool Pile

☑ PP Fin

TYPE	Wool Pile with PP Fin		
SIZE	5*7M		
COLOUR	Grey		
APPLY	All kinds of aluminium doors and windows, UPVC profile windows and doors, sliding door, wood door, furniture door and etc		
FUNCTION	<ul style="list-style-type: none"> • Padding gap • Anti-noise 	<ul style="list-style-type: none"> • Dust-proof • Wind-proof 	<ul style="list-style-type: none"> • Anti-collision
FEATURE	1. High Resilience fibers. 2. No shedding, good straightness, smooth and delicate.		


Weather Resistance	Wind Resistance	Noise Resistance	Insect Resistance	UV Protection

HOW TO INSTALL WEATHER STRIP?




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
0.48(W) x 4.5mm(H)	550 meters	Siliconezed	Grey	4 roll / ctn	
0.48(W) x 5mm(H)	500 meters	Siliconezed	Black / Grey	4 roll / ctn	
0.48(W) x 6mm(H)	450 meters	Siliconezed	Grey	4 roll / ctn	
0.48(W) x 7mm(H)	400 meters	Siliconezed	Black / Grey	4 roll / ctn	
0.48(W) x 8mm(H)	350 meters	Siliconezed	Grey	4 roll / ctn	
0.48(W) x 10mm(H)	225 meters	Siliconezed	Black / Grey	4 roll / ctn	
0.58(W) x 8mm(H)	300 meters	Siliconezed	Grey	4 roll / ctn	
0.68(W) x 8mm(H)	300 meters	Siliconezed	Grey	4 roll / ctn	
0.98(W) x 12mm(H)	150 meters	Siliconezed	Grey	4 roll / ctn	
0.48(W) x 7mm(H)	400 meters	Siliconezed / PP	Grey	3 roll / ctn	
0.68(W) x 8mm(H)	300 meters	Siliconezed Self-Adhesive	Grey	4 roll / ctn	
8(W) x 8mm(H)	230 meters	Siliconezed	Grey	4 roll / ctn	
0.65(W) x 5mm(H)	500 meters	Siliconezed	Grey	4 roll / ctn	


200VS-VF ALUMINIUM FLAT BAR




200VS-VS STAINLESS STEEL BAR



200VS-WLD CURTAIN WALL FLAT BAR



200VS-SL SLIDING DOOR LOCKING BAR



02

CODE	LENGTH (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS-VF-300 (2 point)	300	Aluminium	Silver	100 pcs / ctn	
200VS-VF-600 (2 point)	600	Aluminium	Silver	100 pcs / ctn	
200VS-VF-1000 (2 point)	1000	Aluminium	Silver	50 pcs / ctn	
200VS-VF-1200 (4 point)	1200	Aluminium	Silver	50 pcs / ctn	
200VS-VS-300 (2 point)	300	SUS304	SS	50 pcs / ctn	
200VS-VS-600 (2 point)	600	SUS304	SS	50 pcs / ctn	
200VS-VS-1000 (2 point)	1000	SUS304	SS	50 pcs / ctn	
200VS-VS-1300 (4 point)	1300	SUS304	SS	50 pcs / ctn	
200VS-WLD-300 (2 point)	300	Aluminium	Silver	50 pcs / ctn	
200VS-WLD-600 (2 point)	600	Aluminium	Silver	50 pcs / ctn	
200VS-WLD-1000 (2 point)	1000	Aluminium	Silver	50 pcs / ctn	
200VS-SL-300 (2 point)	300	SUS304	SS	50 pcs / ctn	
200VS-SL-600 (2 point)	600	SUS304	SS	50 pcs / ctn	
200VS-SL-1000 (2 point)	1000	SUS304	SS	50 pcs / ctn	
200VS-SL-1500 (4 point)	1500	SUS304	SS	50 pcs / ctn	

200VS-PP 4" ADJUSTABLE LOUVER

02



Louwer window is a window blind or shutter with horizontal slats that are angled to admit light and air, but to keep out rain and direct sunshine. The angle of the slats may be adjustable, usually in blinds and windows, or fixed.

Advantage


- Excellent vision and ventilation.
- Lever action handle firmly locks the blades in the closed position.
- Top quality accessories for better movement of roller and heavier load.
- Strong material carriage for better life-cycle.
- Easy to install and maintain.



CODE	SIZE		CONTROL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
	LENGTH (MM)	CLIP					
200VS-WLA-PP6	560 mm	4"	Single	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP9	827 mm	4"	Single	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP13	1183 mm	4"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP14	1272 mm	4"	Triple	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP15	1361 mm	4"	Triple	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP16	1450 mm	4"	Triple	PP	White / Black	10 pairs / ctn	

200VS-ALUMINIUM LOUVER PANEL

The main function of aluminium louvers is control of air, ventilation and light control. As well as this, louvers often need to provide weather protection too. Aluminium louvre types usually come in either a direct fix type with a perimeter frame. There are also louvers designed to glaze directly into doors or windows.




OPEN VIEW



CLOSE VIEW

200VS-WEATHER STRIPS EXTENSION AND INSERT



CODE	SIZE		CONTROL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
	LENGTH (MM)	CLIP					
200VS-Aluminium Panel	2900 mm	6"	Fixed	Aluminium	Silver	10 pcs / ctn	
200VS-Weather Strips Extension and Insert (2.9m)				Aluminium / PVC	Black	10 pcs / ctn	



200VS-ALUMINIUM ALLOY ADJUSTABLE LOUVER




200VS-PP ADJUSTABLE LOUVER




200VS-PVC FIXED GLASS CLIP



200VS-ALUMINIUM FIXED GLASS CLIP



200VS-WEATHER STRIPS EXTENSION AND INSERT



CODE	SIZE		CONTROL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
	LENGTH (MM)	CLIP					
200VS-PVC Glass Clip	155 mm	6"	Fixed	PP	White / Black	200 pairs / ctn	
200VS-Aluminium Glass Clip	155 mm	6"	Fixed	Aluminium	Silver	1000 pairs / ctn	
					Brown	1000 pairs / ctn	
					White / Black	1000 pairs / ctn	
200VS-WLA-04	580 mm	6"	Single	Aluminium	Black	10 pairs / ctn	
200VS-WLA-08	1140 mm	6"	Double	Aluminium	Black	10 pairs / ctn	
200VS-WLA-04	580 mm	6"	Single	Aluminium	Silver	10 pairs / ctn	
200VS-WLA-08	1140 mm	6"	Double	Aluminium	Silver	10 pairs / ctn	
200VS-WLA-PP3	445 mm	6"	Single	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP4	585 mm	6"	Single	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP5	725 mm	6"	Single	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP6	865 mm	6"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP7	1005 mm	6"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP8	1145 mm	6"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP9	1285 mm	6"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP10	1425 mm	6"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP11	1565 mm	6"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP12	1705 mm	6"	Double	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP13	1845 mm	6"	Triple	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP14	1985 mm	6"	Triple	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP15	2125 mm	6"	Triple	PP	White / Black	10 pairs / ctn	
200VS-WLA-PP16	2265 mm	6"	Triple	PP	White / Black	10 pairs / ctn	
200VS-King Kong-08	1140 mm	6"	Single	Metal	Grey	10 pairs / ctn	
200VS-Weather Strips Extension and Insert				Aluminium / PVC	Black	10 pcs / ctn	

200VS-SECURITY SCREEN MESH NET DOOR & WINDOW

The Stainless Steel Screen Mesh security system has been researched, designed and developed by VSP® to set a new standard in security doors and windows. With advanced engineering technology, researchers have achieved a unique and stylish design that also exceeds all relevant standards.

02



STAINLESS STEEL NETTING CUTTER



PULLER FOR DIAMOND MESH



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900mm x 2400mm x 0.9mm	SUS304	Black	60 pcs / pallet	
1200mm x 2400mm x 0.9mm	SUS304	Black	60 pcs / pallet	
1500mm x 3000mm x 0.9mm	SUS304	Black	60 pcs / pallet	
200VS - Stainless Steel Netting Cutter	Stainless Steel	Silver	10 pcs / ctn	
200VS - Puller for Diamond Mesh	Stainless Steel	Silver	10 pcs / ctn	

200VS-FIBERGLASS SCREENING



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - Fibreglass Screening	1.2m x 30 meter	Fibre	Black / Grey	1 roll / ctn	
	1.5m x 30 meter		Grey	1 roll / ctn	
	1.8m x 30 meter			1 roll / ctn	

200VS-ALUMINIUM INSECT NETTING



MADE IN THAILAND

Aluminium Insect Net is our coloured aluminium insect netting using advanced technology from the U.S.A. The material is greatly durable, designed to keep out small insects and tends to reduce glare for allowing an improved outward visibility.

WIRE MESH PER INCH (MESH)	18 x 14
WIRE DIAMETER	0.24 mm
LENGTH	24 meter (NA)
MATERIAL	Aluminium


02

200VS-STAINLESS STEEL NETTING




WIRE MESH PER INCH (MESH)	20 x 20
WIRE DIAMETER	0.23 mm
LENGTH	30 meter
MATERIAL	SUS304

200VS-INSECT GASKET DOUBLE ROLLER



200VS-INSECT GASKET DOUBLE ROLLER (PVC NYLON)



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - Aluminium Insect Netting	48" x 30 meter	Aluminium	Black	1 roll / ctn	
200VS - Aluminium Insect Netting	36" x 24 meter	Aluminium	Silver	1 roll / ctn	
	48" x 24 meter			1 roll / ctn	
200VS-Stainless Steel Netting	48" x 30 meter	SUS304	Silver	1 roll / ctn	
200VS-Insect Gasket Double Roller	40mm x 235mm	Mix Steel	Silver	50 pcs / ctn	
	30mm x 195mm	PVC Nylon	White	50 pcs / ctn	

02

200VS-PROTECTION TAPE



• NIKEE



• WONDER



PHYSICAL PROPERTIES :

ITEM	SPECIFICATION	DETECTION VALUE	TEST METHOD
Backing	SPVC Rubber -Base Adhesive (non-corrosive)	-	-
Colour	Black	-	-
Thickness	0.100 ~ 0.124	0.118	ASTM-D1000
Width	1200mm	-	-
Adhesive	0.30~0.60kg/25mm	0.36	ASTM-D1000
Tensile Strength	4.7kg / 25mm	5.92	ASTM-D1000
Elongation	150% (min)	178	ASTM-D1000

✓ PHYSICAL USAGE :

- It is use to protect surface against dirt, scratches during production handling, transporting and storing, specially for Aluminium, Stainless Steel, Plastic windows and door frame.

✓ MATERIAL SURFACE APPLICATION :

- Surface to be applied must be clean, dry and do not have chemical and water marks. The film must applied without bubbles and excessive tension.

✓ STORAGE :

- The tape must be apply within 6 months from date of delivery.

* All statements, technical information and recommendations contained in our literature are base on test we believe to be reliable.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - NIKEE 42 Meter	PVC	Black	1 log / ctn	
200VS - Wonder 65 Meter	PVC	Black	1 log / ctn	

200VS-GLASS SURFACE PROTECTION BLUE TAPE



• 1200MM X 200METER
• 50 MICRON

200VS-L216 FROSTED FILM



• 1200MM X 15METER

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
200VS - Glass Blue Tape	UV / PVC	Blue	1 log / ctn	
200VS - L216	PVC	Sandblast	3 log / ctn	

300VS-18 SQUARE GROOVE SIDE / TOP HUNG

Stainless Steel Friction Stay - SUS304


03



Side Hung



Top Hung



Unique
6mm Pivot



Quality Stainless
Steel Slide Pallet
with PVC Coating



Safety Edge
Circumference
on Supporting
Arms



BS EN 13126-6:2008
PC 002071

SIDE HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
8" / 2.0mm	4	18	55° ± 2°	400	1200	14 ± 0.5	10
12" / 2.0mm	4	18	88° ± 2°	600	1200	14 ± 0.5	16
16" / 2.5mm	4	18	88° ± 2°	650	1500	15 ± 0.5	22
16" / 2.5mm	5	18	80° ± 2°	700	1500	15.5 ± 0.5	26

TOP HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
8" / 2.0mm	4	18	34° ± 2°	700	700	14 ± 0.5	14
12" / 2.0mm	4	18	35° ± 2°	1000	1000	14 ± 0.5	30
16" / 2.5mm	4	18	34° ± 2°	1200	1100	15 ± 0.5	35
18" / 2.5mm	4	18	31° ± 2°	1300	1200	15 ± 0.5	45
20" / 3.0mm	5	18	28° ± 2°	1400	1200	16.5 ± 0.5	50
24" / 3.0mm	6	18	25° ± 2°	1500	1300	16.8 ± 0.5	60

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-Side Hung 8" 4 Bar	SUS304	SS	100 pairs / ctn	
300VS-Side Hung 12" 4 Bar	SUS304	SS	100 pairs / ctn	
300VS-Side Hung 16" 4 Bar	SUS304	SS	50 pairs / ctn	
300VS-Side Hung 16" 5 Bar	SUS304	SS	50 pairs / ctn	
300VS-Top Hung 8" 4 Bar	SUS304	SS	50 pairs / ctn	
300VS-Top Hung 12" 4 Bar	SUS304	SS	50 pairs / ctn	
300VS-Top Hung 16" 4 Bar	SUS304	SS	25 pairs / ctn	
300VS-Top Hung 18" 4 Bar	SUS304	SS	25 pairs / ctn	
300VS-Top Hung 20" 5 Bar	SUS304	SS	25 pairs / ctn	
300VS-Top Hung 24" 6 Bar	SUS304	SS	25 pairs / ctn	

300VS-18 SQUARE GROOVE RESTRICT PLATE

Portable Aluminium Restrict Plate



Aluminium Restrict Plate



ARP-65mm

Aluminium Restrict Plate



ARP-45mm

03

SIDE HUNG - 45MM RESTRICT PLATE

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
12" / 2.0mm	4	18	15° / 30°	650	1200	14 ± 0.5	16
16" / 2.5mm	4	18	25° / 40°	700	1500	15 ± 0.5	22
16" / 2.5mm	5	18	25° / 40°	750	1500	15 ± 0.5	26


SIDE HUNG - 65MM RESTRICT PLATE

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
12" / 2.0mm	4	18	10° / 20°	650	1200	14 ± 0.5	16
16" / 2.5mm	4	18	10° / 20°	700	1500	15 ± 0.5	22
16" / 2.5mm	5	18	15° / 30°	750	1500	15 ± 0.5	26

* Note : Above specification are recommended to install lifting block at window sash.

300VS-19 ROUND GROOVE - SIDE HUNG

Stainless Steel Friction Stay - SUS304



MS 832 Compliance
Report No : 2024MA0508 & 2024MA0509



Pivot diameter
5mm



Safety Edge
Circumference on
Supporting Arms

STAINLESS STEEL WITH PVC COATING SLIDE PALLET



18 Square Groove



22 Square Groove



19 Round Groove



21 Round Groove

SIDE HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
8" / 2.0mm	4	19	55° ± 2°	500	800	13 ± 0.5	10
12" / 2.0mm	4	19	88° ± 2°	550	1200	13 ± 0.5	14

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-ARP-45mm	Aluminium	SS	500 pcs / ctn	
300VS-ARP-65mm	Aluminium	SS	500 pcs / ctn	
300VS-Side Hung 8" 4 Bar	SUS304	SS	100 pairs / ctn	
300VS-Side Hung 12" 4 Bar	SUS304	SS	100 pairs / ctn	

300VS-22 SQUARE GROOVE SIDE / TOP HUNG

Heavy Duty Stainless Steel Friction Stay - SUS304



03



Side Hung



Top Hung



Unique 6mm Pivot



Quality Stainless Steel Slide Pallet with PVC Coating



Safety Edge Circumference on Supporting Arms

SIDE HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
10" / 3.0mm	4	22	86° ± 2°	400	1200	16.8 ± 0.5	17
12" / 3.0mm	4	22	86° ± 2°	650	1350	16.8 ± 0.5	23
16" / 3.0mm	4	22	88° ± 2°	700	1500	16.8 ± 0.5	30
18" / 3.0mm	4	22	80° ± 2°	750	1500	16.8 ± 0.5	35

TOP HUNG

SIZE / THICKNESS	BAR	ARM BASE WIDTH (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	STACK HEIGHT (MM)	MAX WEIGHT (KG)
16" / 3.0mm	4	22	30° ± 2°	1200	1200	16.8 ± 0.5	50
18" / 3.0mm	4	22	30° ± 2°	1300	1400	16.8 ± 0.5	58
20" / 3.0mm	5	22	29° ± 2°	1400	1500	16.8 ± 0.5	68
24" / 3.0mm	6	22	27° ± 2°	1500	1600	16.8 ± 0.5	75


CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-Side Hung 10" 4 Bar	SUS304	SS	50 pairs / ctn	
300VS-Side Hung 12" 4 Bar	SUS304	SS	25 pairs / ctn	
300VS-Side Hung 16" 4 Bar	SUS304	SS	25 pairs / ctn	
300VS-Side Hung 18" 4 Bar	SUS304	SS	25 pairs / ctn	
300VS-Top Hung 16" 4 Bar	SUS304	SS	50 pairs / ctn	
300VS-Top Hung 18" 4 Bar	SUS304	SS	25 pairs / ctn	
300VS-Top Hung 20" 5 Bar	SUS304	SS	25 pairs / ctn	
300VS-Top Hung 24" 6 Bar	SUS304	SS	25 pairs / ctn	

300VS-SUS304 - EXPOSED RL 2 BAR HINGE




	Size / Thickness	11" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	13

300VS-SUS304 - CONCEALED RL 2 BAR HINGE



	Size / Thickness	11" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	17

300VS-SUS304 - RL SINGLE BAR HINGE




	Size / Thickness	10" x 2.5mm
	Width (mm)	19
	Stack Height (mm)	20

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-11" Exposed RL 2 Bar Hinge	SUS304	SS	50 pairs / ctn	
300VS-11" Concealed RL 2 Bar Hinge	SUS304	SS	50 pairs / ctn	
300VS-10" RL Single Bar Hinge	SUS304	SS	50 pairs / ctn	


03

300VS-SUS304 - RS 2 BAR HINGE (ROUND)




	Size / Thickness	10" x 2.0mm
	Width (mm)	19
	Stack Height (mm)	13

300VS-SUS304 - RS 2 BAR HINGE (SQUARE)



	Size / Thickness	10" x 2.0mm
	Width (mm)	18
	Stack Height (mm)	15

300VS-SUS304 - RS ADJUSTABLE ARM 2 BAR HINGE



	Size / Thickness	10" x 2.0mm
	Width (mm)	13.5
	Stack Height (mm)	13

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-10" RS 2 Bar Hinge (Round)	SUS304	SS	50 pairs / ctn	
300VS-10" RS 2 Bar Hinge (Square)	SUS304	SS	50 pairs / ctn	
300vs-10" RS Adjustable Arm 2 Bar Hinge	SUS304	SS	50 pairs / ctn	

300VS-SUS304 - RS MULTI LOCKING 2 BAR HINGE




	Size / Thickness	10" x 2.0mm
	Width (mm)	13.5
	Stack Height (mm)	15

300VS-SUS304 - RS STOPPER ARM 2 BAR HINGE






	Size / Thickness	10" x 2.0mm
	Width (mm)	13.5
	Stack Height (mm)	15

300VS-SUS304 - 8" / 10" CONCEALED RS SINGLE BAR HINGE



	Size / Thickness	8" x 3.0mm	10" x 3.0mm
	Width (mm)	19	19
	Stack Height (mm)	14.5	14.5

300VS-SUS304 - 4" RL SAFETY HINGE R/L




	Size / Thickness	4" x 2.0mm
	Width (mm)	15.5
	Stack Height (mm)	10

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-10" RS Multi Locking 2 Bar Hinge	SUS304	SS	50 pairs / ctn	
300VS-10" RS Stopper Arm 2 Bar Hinge	SUS304	SS	50 pairs / ctn	
300VS-8" Concealed RS Single Bar Hinge	SUS304	SS	50 pairs / ctn	
300VS-10" Concealed RS Single Bar Hinge	SUS304	SS	50 pairs / ctn	
300VS-4" RL Safety Hinge R/L	SUS304	SS	50 pairs / ctn	



03

300VS-SUS304 - 4" LM SAFETY HINGE R/L





	Size / Thickness	4" x 2.0mm
	Width (mm)	15.5
	Stack Height (mm)	16

300VS-SUS304 - 4" LM KRT SAFETY HINGE



	Size / Thickness	4" x 2.0mm
	Width (mm)	15.5
	Stack Height (mm)	14

300VS-SUS304 - 4" LM KRT SAFETY HINGE WITH KEY



	Size / Thickness	4" x 2.0mm
	Width (mm)	16
	Stack Height (mm)	14

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-4" LM Safety Hinge R/L	SUS304	SS	50 pairs / ctn	
300VS- 4" LM KRT Safety Hinge	SUS304	SS	50 pairs / ctn	
300VS-4" LM KRT Safety Hinge With Key	SUS304	SS	50 pairs / ctn	

300VS-KLC CURTAIN WALL STAY - TOP HUNG



SIZE / THICKNESS	
13" x 2.0mm	20" x 2.0mm

WIDTH (MM)	
22	22

STACK HEIGHT (MM)	
12	12




300VS-KLC Curtain Wall Stay-Top Hung

- ✓ Supports window weight up to 40kg
- ✓ Supports windows height up to 1.5m
 - ✓ Stay Thickness 2.0mm
 - ✓ Stay width 22mm more endurance
- ✓ Material aluminium with no sliding channels
- ✓ Black powder coated finishing
- ✓ Provides compression for weather seal
- ✓ Suitability for projected top hung windows


Size / Thickness	13" x 2.0mm	20" x 2.0mm
Width (mm)	22	22
Stack Height (mm)	12	12
Window Height (mm)	1000	1500
Window Weight (kg)	30	40

300VS-SUPPORTING ARM (ROUND) R/L Supporting Arm (Round) SUS304



	Size / Thickness	10" x 3.0mm
	Width (mm)	27.5
	Stack Height (mm)	10.5

300VS-SUPPORTING ARM (SQUARE) R/L Supporting Arm (Square) SUS304



	Size / Thickness	10" x 3.0mm
	Width (mm)	28.5
	Stack Height (mm)	14.5

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-13" KLC Curtain Wall Stay	Aluminium	Black	50 pairs / ctn	
300VS-20" KLC Curtain Wall Stay	Aluminium	Black	50 pairs / ctn	
300VS-10" Supporting Arm (Round)	SUS304	SS	50 pairs / ctn	
300VS-10" Supporting Arm (Square)	SUS304	SS	50 pairs / ctn	

03




300VS-WIND RESISTANCE STAY (CONCEALED)

WR-13" SUS304 - Double Slider



PI - 2018702904




	Size / Thickness	13" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	25

300VS-WIND RESISTANCE STAY (EXPOSED)

WR-13" SUS304 - Double Slider



PI - 2018702904



	Size / Thickness	13" x 2.5mm
	Width (mm)	13.5
	Stack Height (mm)	17.5

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
300VS-WR-13" 3 Bar Hinge (Concealed)	SUS304	SS	50 pairs / ctn	
300VS-WR-13" 3 Bar Hinge (Exposed)	SUS304	SS	50 pairs / ctn	

300VS-FEATURES FRICTION STAY INFORMATION



Perfect fitted nose when it is closed for weather seal & draught proof.



* Left & Right position fixing.



Top Hung Window



Side Hung Window

03

VALOR 18SG SIDE HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
12" / 2.0mm	86° ± 2°	600	1200	18kg	14 ± 0.2	
16" / 2.0mm	88° ± 2°	650	1500	22kg	14 ± 0.2	

VALOR 18SG TOP HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
10" / 2.0mm	32° ± 2°	1000	600	20kg	14 ± 0.2	
14" / 2.5mm	33° ± 2°	1200	1000	32kg	15.8 ± 0.2	
16" / 2.5mm	32° ± 2°	1200	1100	35kg	15.8 ± 0.2	
18" / 2.5mm	32° ± 2°	1300	1200	45kg	15.8 ± 0.2	
20" / 3.0mm	33° ± 2°	1400	1200	50kg	16.8 ± 0.2	
24" / 3.0mm	25° ± 2°	1500	1300	60kg	16.8 ± 0.2	

VENTANA 22SG SIDE HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
12" / 3.0mm	86° ± 2°	650	1350	23kg	16.8 ± 0.2	
16" / 3.0mm	88° ± 2°	700	1500	30kg	16.8 ± 0.2	
18" / 3.0mm	80° ± 2°	750	1500	35kg	16.8 ± 0.2	


VENTANA 22SG TOP HUNG L/R

SIZE / THICKNESS (MM)	OPENING DEGREE	WIDTH (MM)	HEIGHT (MM)	WEIGHT	STACK HEIGHT (MM)	RM / UNIT
12" / 2.5mm	30° ± 2°	1000	1000	40kg	15.8 ± 0.2	
16" / 2.5mm	30° ± 2°	1200	1200	50kg	15.8 ± 0.2	
20" / 3.0mm	30° ± 2°	1400	1500	68kg	16.8 ± 0.2	
24" / 3.0mm	27° ± 2°	1500	1600	75kg	16.8 ± 0.2	
36" / 3.0mm	20° ± 2°	2000	2000	130kg	17 ± 0.2	

04



**FOLDING DOOR
OPENING DIRECTION**



**MULTI FOLDING
DOOR**

Manufactured from quality materials, our rollers and guide ensure that the door system will consistently track in a smooth manner, with support for both the top and bottom of the system.

Advantage

- ☑ Ride smoothly and quiet on rails with precision single point contact.
- ☑ Easy mounting or dismounting of door panels.
- ☑ Top quality wheel bearing for better durability.
- ☑ Up to 6 wheels for smoother operation.



EXPOSED FOLDING DOOR GUIDE

The FD88 Multi Fold Door System is developed to satisfy most requirements of a flexible door access with superior performance functionality and good aesthetics.

Architectural grade alloy 6063-T5 aluminium extrusions are used to fabricate the aluminium frames which allow options to latest finishing including wood grain finishes.

The roller assembly being fabricated from either plated brass or special nylon with bearings, fitted to a stainless steel carriage designed lock pin which is mounted to the top roller shaft is preventing a loosening of the carriage assembly.

We are committed to improve and widen our range of products and services to cater to customers' needs, with the best.

TYPE	CLASS	PANEL SIZE < H X W (MM)	< WEIGHT (KG) PER PANEL
91TR-B	Super Durable	< 3000 x 800	90
744TR-N	Heavy Duty	< 3000 x 800	90
84TR-N	Light Duty	< 2400 x 600	60

FD88 Multi Fold Door System are using stainless steel, high quality ball bearing, nylon & brass material for smooth, silent, durable in fold and slide operation.



BS EN 13126-15 : 2008
PC 002243


Rollers for horizontal sliding and sliding folding windows and doors.

EXPOSED FOLDING DOOR CONFIGURATION




EXPOSED	0+2	0+3	0+4	0+5	1+2	1+3	1+4	1+5	2+2	3+3	4+4	5+5	2+3	2+4	2+5	3+5	
81SH	3	3	3	4	6	6	6	8	6	6	6	8	6	6	8	8	
82MH	2	3	5	6	2	3	5	6	4	6	10	12	5	7	8	9	
83MH	1	1	2	2	1	1	2	2	2	2	4	4	2	3	3	3	
84TR		1	1			1	1			2	2		1	1			
85BG	L																
	R		1	1	2		1	1	2		2	2	4	1	1	2	3
87BG	L																
	R	1		1		1		1		2		2		1	2	1	
86TR	1		1		1		1		2		2		1	2			
T28	1	1	2	2	1	1	2	2	2	2	4	4	2	3	3	3	
T29	1	1	2	2	1	1	2	2	2	2	4	4	2	3	3	3	
ET78		1	2	2	3	1	3	3	4	2	4	4	6	3	3	4	5
	ML80																
744TR				2				2							2	3	
766TR																1	
LOCK		1		1	1	2	1	2		2		2	1		1	2	


VERTICAL SECTIONAL VIEWS




Bottom Track




Inside View
85BG / 87BG



Bottom Track




Bottom Track





Inside View
88BG / 89BG

EXPOSED FOLDING DOOR

04




OPTIONAL LOCK COMBINATION



Advantage


- ☑ Range of product choices from diagram.
- ☑ Excellent combination options.
- ☑ Aluminium profiles compatible.
- ☑ Variety of door handles for aesthetic.



- Stainless steel grade mount body ensure corrosion resistance and higher load strength.
- Used of nylon and brass washer, hinge are utilized more quiet and smooth.
- Brass wheels extreme high-durability. Wear-resistant wheels and improved carriage operation.
- A large diameter of rotary shaft is more steady, greater strength and rigidity compare with normal 8mm shaft.


400VS-81SH

Heavy Duty Side Hinge




400VS-82MH

Mid Hinge




400VS-83DH

D-Hinge with Handle




400VS-84TR

Top Roller




400VS-85BG

Bottom Guide R/L



400VS-86TR

Top Roller




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-81SH	Aluminium	White / Black	200 pcs / ctn	
400VS-82MH	Aluminium	White / Black	200 pcs / ctn	
400VS-83DH	Aluminium	White / Black	100 pcs / ctn	
400VS-84TR	Nylon / Zinc Alloy	White / Black	50 pcs / ctn	
400VS-85BG	Aluminium / SUS304	White / Black	100 pcs / ctn	
400VS-86TR	Nylon / Zinc Alloy	White / Black	50 pcs / ctn	

04

400VS-87BG


Bottom Guide R/L (Concealed)



Inside View (R)

400VS-88BG


Bottom Guide R/L



Inside View (R)

400VS-89BG


Bottom Guide R/L



Inside View (R)


400VS-J761

Magnet Door Stopper




400VS-PL01

Latch Bolt Lock



400VS-POLO-JY-125 / JY-150

Security Bolt Lock



400VS-SLBL-11T / SBSL-11K


Door Bolt Lock




SLBL-11K Door bolt lock with unique key

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-87BG	Aluminium / SUS304	White / Black	100 pcs / ctn	
400VS-88BG	Aluminium / SUS304	White / Black	100 pcs / ctn	
400VS-89BG	Aluminium / SUS304	White / Black	100 pcs / ctn	
400VS-J761	PVC	White / Black	100 pairs / ctn	
400VS-PL01 (2pcs Key) KA	Zinc Alloy	White / Black	200 pcs / ctn	
400VS-JY-125 (2pcs Key) KA	Zinc Alloy / SUS304	White / Silver / Black	50 set / ctn	
400VS-JY-150 (2pcs Key) KA	Zinc Alloy / SUS304	White / Silver / Black	50 set / ctn	
400VS-SLBL-11T	Zinc Alloy / SUS304	Silver / Black	50 set / ctn	
400VS-SLBL-11K (2pcs Key) KA	Zinc Alloy / SUS304	Silver / Black	50 set / ctn	


400VS-822MH-HVD
Heavy Duty Mid Hinge




400VS-833DH-HVD
Heavy Duty D-Hinge with Handle




400VS-744TR-N-HVD
Heavy Duty Top Roller with Nylon Wheels




400VS-766TR-N-HVD
Heavy Duty Top Roller with Nylon Wheels



400VS-91TR-B
Durable Top Roller with Brass Wheels



400VS-94TR-B
Durable Top Roller with Brass Wheels




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-822MH-HVD	Aluminium	White / Black	200 pcs / ctn	
400VS-833DH-HVD	Aluminium	White / Black	100 pcs / ctn	
400VS-744TR-N-HVD	SUS304 / Nylon	White / Black	50 pcs / ctn	
400VS-766TR-N-HVD	SUS304 / Nylon	White / Black	50 pcs / ctn	
400VS-91TR-B	SUS304 / Brass	White / Black	50 pcs / ctn	
400VS-94TR-B	SUS304 / Brass	White / Black	50 pcs / ctn	

04


400VS-T31

Concealed Door Handle



400VS-MBD0015

Lock Case - 25mm




400VS-T22022-HVD

Stainless Steel Collapsible Door Handle




Stainless Steel




400VS-T27

Lock Case - 25mm




400VS-T28

Collapsible Door Handle



400VS-T29


Lock Case - 20mm



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-T31	Zinc Alloy	White / Black	100 pcs / ctn	
400VS-MBD-0015	Zinc Alloy	White / Black	50 pcs / ctn	
400VS-T22022-HVD	Zinc Alloy / SUS304	White / Black	80 pcs / ctn	
400VS-T27	Zinc Alloy	Silver	40 pcs / ctn	
400VS-T28	Zinc Alloy	White / Black / Silver	100 pcs / ctn	
400VS-T29	Zinc Alloy	Silver / Black	100 pcs / ctn	

400VS-15T78-HVD


Heavy Duty Square Latch Bolt



Recommended Bottom Rail

400VS-ET78


Square Latch Bolt



Recommended Bottom Rail

400VS-15L80-HVD


Heavy Duty Oval Latch Bolt



Recommended Bottom Rail

400VS-ML80


Oval Latch Bolt



Recommended Bottom Rail


400VS-MK79

Single Bolt Keeper




400VS-J195

Single Bolt Keeper



400VS-J961-K2

Double Bolt Keeper



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-15T78-HVD	SUS304	SS	180 pairs / ctn	
400VS-ET78	Zinc Alloy	White / Black	250 pairs / ctn	
400VS-15L80-HVD	SUS304	SS	300 pairs / ctn	
400VS-ML80	Aluminium	White / Black	240 pairs / ctn	
400VS-MK79	PVC	White / Black	50 pcs / pkt	
400VS-J195	PVC	White / Black	50 pcs / pkt	
400VS-J961-K2	PVC	White / Black	50 pcs / pkt	

CONCEALED FOLDING DOOR GUIDE

This system uses a aluminium concealed profile. The hanging wheel and bottom wheel combination are completely hidden inside the aluminium, and the hinges are also hidden in the middle of the aluminium. All in this system only handle is exposed, and the exterior facade is grand and beautiful.

TYPE	CLASS	PANEL SIZE < H X W (MM)	< WEIGHT (KG) PER PANEL
CFD-33	Light Duty	< 2400 x 600	60kg
CFD-55	Heavy Duty	< 3000 x 800	90kg
CFD-66	Super Durable	< 3000 x 800	90kg

CONCEALED FOLDING DOOR CONFIGURATION


04



CONFIGURATION	2+0	3+0	4+0	5+0	6+0	2+1	3+1	4+1	5+1	2+2	3+3	4+4	5+5	2+3	2+4	3+4
FD33-HD310-N		1					1				2			1		
FD33-HD320		1	1	2	2		1	1	2		2	2	4	1		1
FD55-HD03-N	1					1				2				1	3	
FD55-HD04	1		1		1	1		1		2		2		1	3	1
MH-5580	12	20	28	36	44	16	24	32	40	24	40	56	72	32	40	48
FD-5560	1	2	2	3	3	2	3	3	4	2	4	4	6	3	3	4
T-21031	1	1	2	2	3	1	1	2	2	2	2	4	4	2	3	3
T-21029	1	1	2	2	3	1	1	2	2	2	2	4	4	2	3	3
T-20133	1	1	2	3	3	1	1	2	2	2	2	4	4	2	3	3
MB-5590	8	12	16	20	24	12	16	20	24	16	24	32	40	20	24	28
229DH+C70S+TML-395		1		1		1	2	1	2		2		2	1		1
FD66-HD01-N-HVD			1	2	2			1	2			2	4			1
FD66-HD03-N-HVD			1		1			1				2				1





CONCEALED FOLDING DOOR



04

OPTIONAL COMBINATION



Advantage

- ✓ Range of product choices from diagram.
- ✓ Excellent combination options.
- ✓ Aluminium profiles compatible.
- ✓ Roller series base on weight requirement.



10MM DIAMETER SHAFT

A large diameter of rotary shaft is more steady, greater strength and rigidity compare with normal 8mm shaft.



STAINLESS STEEL ROLLER MOUNT BODY

Stainless steel grade mount body ensure corrosion resistance and higher load strength.



CORROSION RESISTANT BEARING

Built in high precision bearing ensure corrosion resistance and smooth quiet effortless move.




SUPER DURABLE


Extreme high durable wear resistance function movement.

04


400VS-FD33-HD310-N
Top Roller with Nylon Wheels




400VS-FD55-HD03-N
Top Roller with Nylon Wheels




400VS-FD33-HD320
Bottom Guide with Bearing Rollers - 16.8mm / 19mm




400VS-FD55-HD04
Bottom Guide with Bearing Roller - 16.8mm / 19mm



400VS-T-21028
Transmission Lock Box (Concealed)




400VS-MH-5580
Concealed Heavy Duty Hinge with Cover



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-FD33-HD310-N	Aluminium / Nylon	SS / Black	50 pcs / ctn	
400VS-FD55-HD03-N	Zinc / Aluminium / Nylon	SS / Black	50 pcs / ctn	
400VS-FD33-HD320-19mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	
400VS-FD33-HD320-16.8mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	
400VS-FD55-HD04-19mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	
400VS-FD55-HD04-16.8mm	Aluminium / Nylon	SS / Black	100 pcs / ctn	
400VS-T-21028	Zinc Alloy	SS	50 pcs / ctn	
400VS-MH-5580	Aluminium / Brass	White / Black	100 pcs / ctn	


400VS-FD66-HD310-N-HVD

Heavy Duty Top Roller with Nylon Wheels



400VS-FD66-HD03-N-HVD

Heavy Duty Top Roller with Nylon Wheels




400VS-FD-5560-BIG

Concealed Flush Bolt




400VS-FD-5560-SMALL

Concealed Flush Bolt




400VS-FD55-HD01-B

Durable Top Roller with 4 Brass Wheels



400VS-FD55-HD330-B

Durable Top Roller with 4 Brass Wheels




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-FD66-HD310-N-HVD	SUS304 / Nylon	SS / Black	50 pcs / ctn	
400VS-FD66-HD03-N-HVD	SUS304 / Nylon	SS / Black	50 pcs / ctn	
400VS-FD-5560-Big	Zinc Alloy	Black	180 pair / ctn	
400VS-FD-5560-Small	Zinc Alloy	Black	180 pair / ctn	
400VS-FD55-HD01-B	SUS304 / Brass	SS / Black	50 pcs / ctn	
400VS-FD55-HD330-B	SUS304 / Brass	SS / Black	50 pcs / ctn	


400VS-T-21029

Lock Case

04




INSTALLATION GUIDE




400VS-T-21031

Concealed Door Handle




400VS-T-20133

Concealed Door Handle



400VS-SS36C

Stainless Steel Cover




* For product usage, please refer to Page 55 & Page 62.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-T-21029	Zinc Alloy	White / Black	120 pcs / ctn	
400VS-T-21031	Zinc Alloy / SUS304	White / Black	60 pcs / ctn	
400VS-T-20133	Zinc Alloy	White / Black	50 pcs / ctn	
400VS-SS36C	SUS304	SS	160 pcs / ctn	

FD LEVER MULTIPOINT LOCK CONFIGURATION

INSTALLATION GUIDE



04

400VS-ML1615-FULLSET
Door Lockset Single Key with Thumbturn

400VS-ML1617-FULLSET
Door Lockset Single Key with Thumbturn


400VS-ML1619-FULLSET
Door Lockset Single Key with Thumbturn




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
400VS-ML1615-Fullset (w/o Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	
400VS-ML1616-Fullset (Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	
400VS-ML1617-Fullset (w/o Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	
400VS-ML1618-Fullset (Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	
400VS-ML1619-Fullset (w/o Key)	Zinc Alloy / SS	White / Black	12 sets / ctn	

PERFORMANCE FOLD-UP WINDOW SYSTEM

04



CLOSE



OPEN

PRODUCT SECTION

Specification

Min. Size : 600mm(W) x 900mm(H)
 Max. Size : 3000mm(W) x 2100mm(H)
 Max Weight : 85kg
 Accessories : Coil Spring
 Max Glass Thickness : 5mm

Features


Modern & Contemporary Design
 Smooth Operation
 Durability & Secure
 Corrosion Resistance

Material

Aluminium Alloy

CODE	WIDTH	HEIGHT	MATERIAL	FINISHING	RM/UNIT
Fold Up Window	1200mm	1200mm	Aluminium Alloy	Matt Black	
Fold Up Window	1500mm	1500mm	Aluminium Alloy	Matt Black	
Fold Up Window	1800mm	1500mm	Aluminium Alloy	Matt Black	
Fold Up Window - Custom Size	Special Size Custom Size				

PERFORMANCE SLIDE-UP WINDOW SYSTEM



PRODUCT SECTION

Specification

Min. Size : 350mm(W) x 550mm(H)
 Max. Size : 2200mm(W) x 2000mm(H)
 Max. Weight : 60kg
 Accessories : Coil Spring
 Max Glass Thickness : 5mm

Features


Modern & Contemporary Design
 Smooth Operation
 Durability & Secure
 Corrosion Resistance

Material

Aluminium Alloy


CODE	WIDTH	HEIGHT	MATERIAL	FINISHING	RM/UNIT
Slide Up Window	Special Size Custom Size				

500VS-TYPICAL ELEVATIONS - 4 SLIDING PANELS
Vertical Sectional Details




05

Designed for ease of operation, optimum security and maximum durability. The ease of operation is also a result of our silent heavy duty roller assemblies.



Advantage


- ☑ Quality rollers ensure great durability.
- ☑ Smooth and quiet operation.
- ☑ Strong assembly.
- ☑ Easy to install.
- ☑ Corrosion resistance.



Stainless Steel Rail




Horizontal Sectional Details




05

500VS-MR-001-N
Sliding Door Roller Standard




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0880

500VS-MR-001-B
Sliding Door Roller Standard




500VS-MR-002-N / MR-002-HVD
Sliding Window Roller




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0882


500VS-MR-002-B
Sliding Window Roller



500VS-MR-004-N
Sliding Door Roller Economy




500VS-MR-004-B
Sliding Door Roller Economy



CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-001-N	40 kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	
500VS-MR-002-N	15 kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	
500VS-MR-004-N	40 kg	Mix Steel / Nylon	Mill Finish	300 pcs / ctn	
500VS-MR-001-B	50 kg	Mix Steel / Brass	Mill Finish	150 pcs / ctn	
500VS-MR-002-B	25 kg	Mix Steel / Brass	Mill Finish	500 pcs / ctn	
500VS-MR-004-B	50 kg	Mix Steel / Brass	Mill Finish	150 pcs / ctn	
500VS-MR-002-HVD	40 kg	Mix Steel / Nylon	Mill Finish	1000 pcs / ctn	
500VS-Matex MT-001	50 kg	Mix Steel / Nylon	Mill Finish	100 pcs / ctn	
500VS-Matex MT-002	16 kg	Mix Steel / Nylon	Mill Finish	100 pcs / ctn	
500VS-Matex MT-004	50 kg	Mix Steel / Nylon	Mill Finish	100 pcs / ctn	

500VS-MR-001-DB / MR-001-DB-HVD


Sliding Door Double Roller Standard



MS SIRIM
MS 1017 Compliance
Report No : 2023MA0635


500VS-MR-006-N-DB

Sliding Door Double Roller Economy



500VS-SC003 (MADE IN THAILAND)

Showcase Roller with Bearing



RED BOX


S/Steel

BLUE BOX

Brass


500VS-SC162

Showcase Roller with Bearing



500VS-MR-007-N


Sliding Top Roller



80kg

500VS-MR-13-N / MR-13-HVD

Sliding Window Roller - LB




CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-001-DB	60 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	
500VS-MR-001-DB-HVD	90 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	
500VS-MR-006-N	60 kg	Mix Steel / Nylon	Mill Finish	150 pcs / ctn	
500VS-SC003 (M.I. Thailand Red)	10 kg	Stainless Steel	SS	100 pcs x 25 box / ctn	
500VS-SC003 (M.I. Thailand Blue)	5 kg	Brass	SS	100 pcs x 25 box / ctn	
500VS-SC162	13 kg	Mix Steel / Zinc	SS	100 pcs x 10 box / ctn	
500VS-MR-007-N	80 kg	Mix Steel / Nylon	SS	50 pairs / ctn	
500VS-MR-13-N	25 kg	PVC / Nylon	White	1000 pcs / ctn	
500VS-MR-13-HVD	35 kg	PVC / Nylon	White	1000 pcs / ctn	

05


500VS-MR-17

Performance Sliding Door Roller




500VS-MR-21

Performance Sliding Door Roller




500VS-MR-22

Performance Sliding Door Roller




500VS-MR-39

Performance Sliding Door Roller




500VS-MR-28-V

Performance Sliding Door Roller



500VS-MR-28-U

Performance Sliding Door Roller




MS 1017 Compliance Report No : 2023MA0881

MS 1017 Compliance Report No : 2023MA0881

CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-17-U	200 kg	Stainless Steel / Nylon	SS	50 pcs / ctn	
500VS-MR-17-V	200 kg	Stainless Steel / Nylon	SS	50 pcs / ctn	
500VS-MR-21-U	150 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	
500VS-MR-22-U	100 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	
500VS-MR-39-U	80 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	
500VS-MR-28-U	100 kg	Stainless Steel / Nylon	SS	200 pcs / ctn	
500VS-MR-28-V	100 kg	Stainless Steel / Nylon	SS	200 pcs / ctn	
500VS-1605 Spacer	-	Aluminium	Silver	200 pcs / ctn	
500VS-2528 Spacer	-	Aluminium	Silver	200 pcs / ctn	


500VS-MR-36

Sliding Window Roller with MP928 Stopper




500VS-5311-TE

FAPIM Sliding Door Roller




500VS-MR-40-MD

Sliding Door Roller




500VS-MR-41-HD

Sliding Door Roller




500VS-MR-434-HVD

Sliding Door Roller



500VS-MR-46

Sliding Door Roller




CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-36	36 kg	Stainless Steel / Nylon	SS	400 set / ctn	
500VS-5311-TE	150 kg	PVC / Nylon	Black	50 pcs / ctn	
500VS-MR-40-MD	100 kg	Stainless Steel / Nylon	SS	200 pcs / ctn	
500VS-MR-41-HD	150 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	
500VS-MR-434	250 kg	Stainless Steel / Nylon	SS	100 pcs / ctn	
500VS-MR-46	150 kg	Stainless Steel / Nylon	SS	50 pcs / ctn	
500VS-7062 Spacer	-	Aluminium	Silver	200 pcs / ctn	

MR-59 SERIES SLIDING DOOR ROLLER




05

500VS-MR-59-S-52
Sliding Door Roller




MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-53
Sliding Door Roller




MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-55
Sliding Door Roller




MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-58
Sliding Door Roller




MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM

500VS-MR-59-S-59
Sliding Door Roller



MS MS 1017 Compliance
Report No : 2023MA0879
SIRIM



MR-59 Series - 625ZZ 5x16x5 millimeter shielded miniature ball bearing has deep groove geometry for high speeds and supporting both radial and axial loads. Its chrome steel construction makes it durable and resistant to deformity under heavy loads.



CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-MR-59-S-52	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	
500VS-MR-59-S-53	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	
500VS-MR-59-S-55	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	
500VS-MR-59-S-58	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	
500VS-MR-59-S-59	110 kg	Aluminium / Nylon	Black	200 pcs / ctn	

500VS-2100

Sliding Door Top Roller



- 2 Roller Set
- 2 End Stopper
- 1 Nylon Bottom Guide

500VS-2200


Sliding and Folding Door Top Roller



- 2 Roller Set
- 2 End Stopper
- 1 Nylon Bottom Guide


500VS-2300

Wall Mount Bracket



500VS-SG-2000

Aluminium Top Track




CODE	MAX. WEIGHT CAPACITY FOR 2 ROLLERS / PANEL	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-2100	100 kg	Zinc Alloy / Nylon	Silver	30 sets / ctn	
500VS-2200	50 - 80 kg	Zinc Alloy / Nylon	Silver	30 sets / ctn	
500VS-2300	-	Steel	SS	50 pcs / ctn	

CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
500VS-SG-2000	2 meter	Aluminium	Silver	-	
	3 meter				
	4 meter				
	5 meter				

600VS-601

Sliding Lock with Double Key



MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :

600VS-602

Sliding Lock with Thumbturn & Key




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :

600VS-603

Sliding Lock with Thumbturn




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :

600VS-604

Sliding Dummy Handle



600VS-605

Sliding Lock with Thumbturn & Key




MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :

600VS-606

Sliding Dummy Handle




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-601	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-602	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-603	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-604	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-605	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-606	Zinc Die-Cast	White / Black	20 sets / ctn	

06

600VS-6100

Sliding Lock with Thumbturn




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-6400

Sliding Dummy Handle




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-6300 / 600VS-6200 KEY

Sliding Lock with Thumbturn / Key



MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-6900

Sliding Lock with Thumbturn




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-607

Sliding Lock with Thumbturn & Key




MS 1017 Compliance
Report No : 2023MA0705

Strike Plate Options :



600VS-609

Sliding Lock with Single Side Thumbturn



MS 1017 Compliance
Report No : 2023MA0705


Strike Plate Options :



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-6100	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-6400	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-6200 Key	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-6300	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-6900	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-607	Zinc Die-Cast	White / Black	20 sets / ctn	
600VS-609	Zinc Die-Cast	White / Black	20 sets / ctn	

600VS-6500

Mortise Lockcase Backset 28mm / 37mm



600VS-601-KEY SET




For 601



MS 1017 Compliance
Report No : 2023MA0705


600VS-6800-SP

Striker Plate C-Shape




600VS-6801-SP

Striker Plate U-Shape




600VS-6802-SP

Striker Plate Flat Shape




600VS-6803-SP

Striker Plate V-Shape




600VS-6804-SP

Striker Plate Semi-Circle Shape



600VS-6805-SP

Striker Plate C-Shape




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-6500-28mm	SUS304	SS	50 pcs / ctn	
600VS-6500-37mm	SUS304	SS	50 pcs / ctn	
600VS-601-Key Set	Brass	PB	50 pcs / ctn	
600VS-6800-SP	SUS304	SS	100 pcs / ctn	
600VS-6801-SP	SUS304	SS	100 pcs / ctn	
600VS-6802-SP	SUS304	SS	100 pcs / ctn	
600VS-6803-SP	SUS304	SS	100 pcs / ctn	
600VS-6804-SP	SUS304	SS	100 pcs / ctn	
600VS-6805-SP	SUS304	White / Black	50 pcs / ctn	

06

600VS-SD-1

Sliding Door Lock Single with Key / without Key




MS 1017 Compliance
Report No : 2023MA0706

Strike Plate Options :



600VS-SD-2

Sliding Door Lock Double with Key / without Key




MS 1017 Compliance
Report No : 2023MA0706

Strike Plate Options :



600VS-SD-3

Sliding Door Lock Single with Key / without Key



CODE

MATERIAL

FINISHING

PACKING

(RM) / UNIT

600VS-SD-1 with Key

Aluminium

White / Black

10 sets / ctn

600VS-SD-2 with Key

Aluminium

White / Black

10 sets / ctn

600VS-SD-3 with Key

Zinc Alloy

White / Black

10 sets / ctn

600VS-SD-4 with Key

Zinc Alloy

White / Black

10 sets / ctn

600VS-SD-1 without Key

Aluminium

White / Black

10 sets / ctn

600VS-SD-2 without Key

Aluminium

White / Black

10 sets / ctn

600VS-SD-3 without Key

Zinc Alloy

White / Black

10 sets / ctn

600VS-SD-4 without Key


Zinc Alloy

White / Black

10 sets / ctn

600VS-THL-0013

Mortise Lockcase Backset 26.5mm



MS SIRIM
MS 1017 Compliance
Report No : 2023MA0705


600VS-SD1-KEY SET



For SD-1


600VS-VSD-1002-SP

Striker Plate V-Shape




600VS-SD-1004-SP

Striker Plate Flat Shape




600VS-SD-1005-SP

Striker Plate Semi-Circle Shape



600VS-SDH-141

Sliding Door Keeper with (SD1 / SD2)




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SD-1002-SP	SUS304	SS	100 pcs / ctn	
600VS-SD-1003-SP	SUS304	SS	100 pcs / ctn	
600VS-SD-1-Key Set	Brass	PB	100 pcs / ctn	
600VS-SD-1004-SP	SUS304	SS	100 pcs / ctn	
600VS-SD-1005-SP	SUS304	SS	100 pcs / ctn	
600VS-THL-0013	SUS304	SS	40 pcs / ctn	
600VS-SDH-141	Zinc Alloy	Black / White	100 pcs / ctn	


06





600VS-HE-220Y
Sliding Door Handle





600VS-HE-3A
Sliding Door Handle





600VS-HE-1E
Sliding Door Handle



600VS-HE-2A
Sliding Door Handle




600VS-HE-4R
Sliding Door Handle




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-HE-3A	Aluminium	White / Black	20 pairs / ctn	
600VS-HE-1E	Zinc Alloy	White / Black	50 pcs / ctn	
600VS-HE-2A	Aluminium / Solid	White / Black	50 pcs / ctn	
600VS-HE-4R	Aluminium	White / Black	50 pcs / ctn	
600VS-HE-220Y	Aluminium	White / Black	50 pcs / ctn	

600VS-DS-2322

Sliding Door Flush Pull with Lock Case



INSTALLATION DIAGRAM





600VS-HE-L3

Multi Lock Hook

600VS-HE-L4

Multi Lock Hook





600VS-SDH-150C-32mm / 36mm / 40mm

Sliding Door Hook

600VS-SDH-150-32mm / 36mm

Sliding Door Hook



Thickness = 2.5mm

Thickness = 2.5mm

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-2322	Zinc Alloy	SN	36 sets / ctn	
600VS-HE-L3	Aluminium	Silver	1000 pcs / ctn	
600VS-HE-L4	Aluminium	Silver	1000 pcs / ctn	
600VS-150-32mm	Stainless Steel 201	SS	1000 pcs / ctn	
600VS-150C-32mm	Stainless Steel 201	SS	1000 pcs / ctn	
600VS-150-36mm	Stainless Steel 201	SS	1000 pcs / ctn	
600VS-150C-36mm	Stainless Steel 201	SS	1000 pcs / ctn	
600VS-150C-40mm	Stainless Steel 201	SS	1000 pcs / ctn	

06


600VS-HESL-13S

Sliding Door Single Door Lock




600VS-HESL-15A

Sliding Door Lock without Key 32mm / 38mm




600VS-HESL-16A

Sliding Door Lock with Key 32mm / 38mm



600VS-HESL-156D

Sliding Dummy Handle



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-HESL-13S	-	Zinc Alloy	White / Black / Silver	100 pcs / ctn	
600VS-HESL-15A	32 mm	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	
	38 mm				
600VS-HESL-16A	32 mm	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	
	38 mm				
600VS-HESL-156D	-	Aluminium / Zinc Alloy	White / Black / Silver	100 pcs / ctn	

600VS-A-7 (NO KEY)

Sliding Door Lock 25mm / 32mm



600VS-A-8 (KEY)

Sliding Door Lock 25mm / 32mm




600VS-A-6 (KEY)

Sliding Door Lock 25mm / 32mm



600VS-MSL-1010AB / MSL-1010AC / MSL-1010AD

Multi Sliding Door Lock




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-A-7	25 mm	Aluminium	White / Black / Silver	100 pcs / ctn	
	32 mm				
600VS-A-8	25 mm	Aluminium	White / Black / Silver	100 pcs / ctn	
	32 mm				
600VS-A-6	25 mm	Zinc Alloy	White / Black / Silver	100 pcs / ctn	
	32 mm				
600VS-PT-02	32 mm	PVC	Black	200 pcs / ctn	
600VS-PT-01	32 mm	Zinc Alloy	SS	200 pcs / ctn	
600VS-MSL-1010AB-with Key	-	Aluminium	Black / Silver	20 sets / ctn	
600VS-MSL-1010AC- without Key	-	Aluminium	Black / Silver	20 sets / ctn	
600VS-MSL-1010AD- with Dummy	-	Aluminium / Zinc Alloy	Black / Silver	20 sets / ctn	

06


600VS-MSL1030

Multi Sliding Door Lock




600VS-HE-7D

Sliding Door Lock without Key




600VS-HE-8D

Sliding Door Lock with Key




600VS-HE-78D

Sliding Dummy Handle



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-1030-without Key	32 mm-45 mm	Aluminium	White / Black	20 pcs / ctn	
600VS-1030-with Key	32 mm-45 mm	Aluminium	White / Black	20 pcs / ctn	
600VS-HE-7D	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	
600VS-HE-8D	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	
600VS-HE-78	32 mm-45 mm	Zinc Alloy	White / Black	50 pcs / ctn	

600VS-HESL-28S
Sliding Door Single Door Lock




600VS-SDH-150C
32mm / 36mm / 40mm

600VS-HE-L4


intertek
Total Quality Assured.
230522083GZU-001

600VS-HESL-27D
Sliding Dummy Handle



Door Thickness
32 - 38

600VS-HESL-25J
Sliding Door Lock without Key 32mm / 38mm





600VS-SDH-150C
32mm / 36mm / 40mm

600VS-HE-L4

intertek
Total Quality Assured.
230522083GZU-001

600VS-HESL-26J
Sliding Door Lock with Key 32mm / 38mm



600VS-SDH-150C
32mm / 36mm / 40mm


600VS-HE-L4

intertek
Total Quality Assured.
230522083GZU-001

CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-HESL-28S	-	Zinc Alloy	White / Black	50 pcs / ctn	
600VS-HESL-27D	32 mm	Zinc Alloy	White / Black	50 pcs / ctn	
600VS-HESL-25J	32 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	
	38 mm				
600VS-HESL-26J	32 mm	Zinc Alloy	White / Black / Silver	50 pcs / ctn	
	38 mm				

06

600VS-232-DH
Lever Mortise Handle




600VS-233-DH
Lever Mortise Handle (CNC Cut)




600VS-218-DH
Lever Dummy Handle




600VS-228-DH
Lever Mortise Handle



600VS-229-DH
Lever Mortise Handle




600VS-238-DH
Lever Mortise Handle



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-232-DH	Aluminium	White / Black	20 sets / ctn	
600VS-233-DH	Aluminium	White / Black	20 sets / ctn	
600VS-218-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	
600VS-228-DH	Zinc / Aluminium	White / Black / Silver	20 sets / ctn	
600VS-229-DH	Aluminium	White / Black	20 sets / ctn	
600VS-238-DH	Zinc / Aluminium	White / Black	20 sets / ctn	
600VS-8 x 8 Spindel 70mm	Iron	SS	300 pcs / ctn	


600VS-GL-01-F33

Lever Handle & Escutcheon




600VS-GL-03-F33

Lever Handle & Escutcheon



600VS-GL-04-F33

Lever Handle & Escutcheon




600VS-GL-33-F33

Lever Handle & Escutcheon




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-GL-01-F33	SUS304	SS	20 sets / ctn	
600VS-GL-03-F33	SUS304	SS	20 sets / ctn	
600VS-GL-04-F33	SUS304	SS	20 sets / ctn	
600VS-GL-33-F33	SUS304	SS	20 sets / ctn	
600VS-GL-01-F33	SUS304	Black	20 sets / ctn	
600VS-GL-03-F33	SUS304	Black	20 sets / ctn	
600VS-GL-04-F33	SUS304	Black	20 sets / ctn	
600VS-GL-33-F33	SUS304	Black	20 sets / ctn	

06





600VS-LH-230
Entrance Handle Set

600VS-LML-2570-60D
Lever Mortise Handle with 25mm x 70mm Mortise Lock
60D Double Key Profile Cylinder



600VS-LH-231
Entrance Handle Set



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-LH-230	SUS304	SS	12 sets / ctn	
600VS-LH-231	SUS304	SS	12 sets / ctn	
600VS-LML-2570-60D	Zinc Alloy	SN	20 sets / ctn	
600VS-LML-2570-60D	Zinc Alloy	AB	20 sets / ctn	



MORTISE LOCK

Our range of mortise locks feature advanced design concept for extreme reliability where the Latch, the Dead Bolt and the Strike Plate are manufactured using high quality material grade for exceptional durability.

Advantage


- ✓ Excellent durability.
- ✓ Tested and certified.
- ✓ Double-turn door locks for better safety.
- ✓ Easy to install and maintain.
- ✓ Manufactured with the highest quality of material.



600VS-SGSL-85

25mm / 30mm / 35mm

06



SUS304 Forend Plate & Striker Plate



SUS304



SUS304



SUS304

CODE	J	K	L	M	N	O	P	Q
25 x 85	25	85	42	172	240	23	15	3
30 x 85	30	85	47	172	240	23	15	3
35 x 85	35	85	52	172	240	23	15	3

- | | |
|---------------------------------------|-------------------------------|
| A - Forend Plate | I - Spring |
| B - Latch Bolt | J - Backset |
| C - Dead Bolt | K - Distance |
| D - Screw Channel for Cylinder | L - Lockcase Width |
| E - Lockcase | M - Lockcase Height |
| F - Action-Arm | N - Forend Length |
| G - Follower | O - Forend Width |
| H - Turning Device | P - Lockcase Thickness |
| | Q - Forend Thickness |

Specification

- Stainless Steel SUS304 3mm thickness forend plate (Square).
- Stainless Steel SUS304 1.5mm thickness striker plate (Square).
- Stainless Steel SUS304 1 x Curve design latch bolt.
- Stainless Steel SUS304 1 x Square dead bolt.
- Electrolytic steel 1.2mm lockcase.
- 8mm x 8mm follower.

Features

- 25, 30, 35, 40 Backset of door.
- 85mm center distance of lock.
- Sash lock function.
- Reversible latch lock.




ANSI/BHMA A 156.13 : 2005
PC 002072

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SGSL-85 25mm	SUS304 / Brass	SS	20 pcs / ctn	
600VS-SGSL-85 30mm	SUS304 / Brass	SS	20 pcs / ctn	
600VS-SGSL-85 35mm	SUS304 / Brass	SS	20 pcs / ctn	

600VS-SGSL-85

40mm / 45mm / 50mm / 60mm



SUS304 Forend Plate & Striker Plate



SUS304



SUS304



SUS304

CODE	J	K	L	M	N	O	P	Q
40 x 85	40	85	67	172	240	23	15	3
45 x 85	45	85	72	172	240	23	15	3
50 x 85	50	85	76	172	240	23	15	3
60 x 85	60	85	87	172	240	23	15	3

- A - Forend Plate
- B - Latch Bolt
- C - Dead Bolt
- D - Screw Channel for Cylinder
- E - Lockcase
- F - Action-Arm
- G - Follower
- H - Turning Device
- I - Spring
- J - Backset
- K - Distance
- L - Lockcase Width
- M - Lockcase Height
- N - Forend Length
- O - Forend Width
- P - Lockcase Thickness
- Q - Forend Thickness

Specification

- Stainless Steel SUS304 3mm thickness forend plate (Square).
- Stainless Steel SUS304 1.5mm thickness striker plate (Square).
- Stainless Steel SUS304 1 x Curve design latch bolt.
- Stainless Steel SUS304 1 x Square dead bolt.
- Electrolytic steel 1.2mm lockcase.
- 8mm x 8mm follower.

Features

- 45, 50, 60 Backset of door.
- 85mm center distance of lock.
- Sash lock function.
- Reversible latch lock.



ANSI/BHMA A 156.13 : 2005
PC 002072


CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SGSL-85 40mm	SUS304 / Brass	SS	20 pcs / ctn	
600VS-SGSL-85 45mm	SUS304 / Brass	SS	20 pcs / ctn	
600VS-SGSL-85 50mm	SUS304 / Brass	SS	20 pcs / ctn	
600VS-SGSL-85 60mm	SUS304 / Brass	SS	20 pcs / ctn	

06


600VS-MLDS-500 / MLDS-510
Mortise Hook Lock




600VS-ML-182
Mortise Hook Lock



600VS-TSL-183
Sliding Mortise Lock - Twin Hook




600VS-TSL-188
Sliding Mortise Lock - Twin Hook (35mm)




CODE	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-MLDS-500 / MLDS-510	40	Zinc Alloy	SS	50 pcs / ctn	
600VS-ML-182	30	SUS304	SS	20 pcs / ctn	
600VS-TSL-183	30	SUS304	SS	20 pcs / ctn	
600VS-TSL-188	35	SUS304	SS	20 pcs / ctn	


600VS-SML-177
Sliding Mortise Single Hook Lock




600VS-SML-119
Sliding Mortise Single Hook Lock



600VS-SLC-185
Swing Mortise Dead Lock (Backset 30mm)




600VS-SLC-184
Swing Mortise Dead Lock 45mm / 100mm




CODE	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-SML-177	27.5	SUS304	SS	20 pcs / ctn	
600VS-SML-119	30	SUS304	SS	40 pcs / ctn	
600VS-SLC-185	45	SUS304	SS	40 pcs / ctn	
600VS-SLC-184	100	SUS304	SS	40 pcs / ctn	
600VS-SLC-184	45	SUS304	SS	40 pcs / ctn	

06


600VS-TML-394
Twin Multi Lock




600VS-TML-395
Twin Multi Lock



600VS-TML-3591
Twin Multi Lock - 35mm




600VS-TML-1123
Twin Multi Lock




CODE	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-TML-394	35	SUS304	SS	40 pcs / ctn	
600VS-TML-394	35	SUS304	Matt Black	40 pcs / ctn	
600VS-TML-395	35	SUS304	SS	20 pcs / ctn	
600VS-TML-395	35	SUS304	Matt Black	20 pcs / ctn	
600VS-TML-3591 / MSW-119	35	SUS304	SS	20 pcs / ctn	
600VS-TML-1123	35	SUS304	SS	20 pcs / ctn	


600VS-3085-SP
Steel Plate




600VS-4085-SP
Steel Plate




600VS-ML-182-SP
Steel Plate




600VS-TSL-183-SP
Steel Plate




600VS-TSL-188-SP
Steel Plate




600VS-SML-177-SP
Steel Plate




600VS-SML-119-SP
Steel Plate




600VS-SLC-184-SP
Steel Plate




600VS-SLC-185-SP
Steel Plate




600VS-TML-394-SP
Steel Plate



600VS-TML-3591-SP
Steel Plate




600VS-TML-1123-SP
Steel Plate



CODE	THICKNESS	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-25/30/35-SP	1.0	SUS304	SS	40 pcs / ctn	
600VS-40/45/50/60-SP	1.0	SUS304	SS	20 pcs / ctn	
600VS-ML-182-SP	1.2	SUS304	SS	20 pcs / ctn	
600VS-TSL-183-SP	2.5	SUS304	SS	20 pcs / ctn	
600VS-TSL-188-SP	2.5	SUS304	SS	40 pcs / ctn	
600VS-SML-177-SP	1.6	SUS304	SS	20 pcs / ctn	
600VS-SML-119-SP	3.0	SUS304	SS	20 pcs / ctn	
600VS-SLC-184-SP	1.2	SUS304	SS	20 pcs / ctn	
600VS-SLC-185-SP	1.0	SUS304	SS	40 pcs / ctn	
600VS-TML-394-SP	1.0	SUS304	SS	20 pcs / ctn	
600VS-TML-3591-SP	3.0	SUS304	SS	20 pcs / ctn	
600VS-TML-1123-SP	2.5	SUS304	SS	20 pcs / ctn	


600VS-MASTER KEY TERMINOLOGIES

06




KEY ALIKE SYSTEM

All the cylinders have the same differ and be opened only by one key.




COMMON KEY

All cylinders by an individual's key system.



MASTER KEY SYSTEM


Every cylinder can be opened by its own key which cannot open any other cylinder of the system. All the cylinders can be opened by MK management key.



CONSTRUCTION KEYED SYSTEM

A system where it is necessary for contractors to gain entry to a building during construction but to prevent entry by the same contractors after the building has been occupied or handed over.

The system makes it possible to change from construction keying to normal keying.



GRAND MASTER KEY SYSTEM

Same as the management key system but in two or more groups. Every group of cylinders can be opened by its own service key. All the cylinders of the system can be opened by the GMK grand management key.

CYLINDER MUTUAL OPENING RATE:

The calculation method of the mutual opening rate of the lock core teeth is $6 \times 5 \times 5 \times 5 \times 5 \times 5 = 18750$ changes, and this is only theoretical data. It has to be deleted some adjacent teeth. For example, only one of the teeth of 123451 and 113451 can be used. Therefore, the number of teeth that can be used is about $18750 \times 0.7 = 13125$. That is to say, the probability of mutual opening rate is one in ten thousand.

VSP PRODUCTS WITH KEY:

- 100VS-Single point KA -1pc
- 100VS-Multipoint KA -2pcs
- 100VS/400VS-Folding Handle CK -2pcs
- 600VS-Profile Cylinder CK -5pcs
- 600VS-Sliding Door Lock CK -2pcs
- 600VS-Tubular Lever lock CK -3pcs
- 900VS-Pull Handle CK -5pcs

600VS-C70-D
Cylinder Double Key



600VS-C70-S
Cylinder Single Key / Thumbturn




600VS-DEAP 70-P
Emergency Slot / Thumbturn



600VS-C45-T
One Sided Thumbturn



600VS-C45-HC
One Sided Key






CODE	(L)	A	B	FUNCTION	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-C60-S/D (5pcs Key)	60	30	30	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	
600VS-C70-S/D (5pcs Key)	70	35	35	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	
600VS-C90-S/D (5pcs Key)	90	45	45	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	
600VS-C100-S/D (5pcs Key)	100	50	50	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	
600VS-C115-S/D (5pcs Key)	115	57.5	57.5	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	
600VS-C125-S/D (5pcs Key)	125	62.5	62.5	Single Key / Double Key / Thumbturn	Brass	SN	40 pcs / ctn	
600VS-DEAP 70-P	70	35	35	Privacy	Brass	SN	40 pcs / ctn	
600VS-45-T	45	10	35	Single Side Thumbturn	Brass	SN	40 pcs / ctn	
600VS-45-HC (5pcs Key)	45	10	35	Single Side Key	Brass	SN	40 pcs / ctn	
600VS-C60-D (5pcs Key)	60	30	35	Double Key	Brass	Black	40 pcs / ctn	
600VS-C70-S/D (5pcs Key)	70	35	35	Single Key / Double Key / Thumbturn	Brass	Black	40 pcs / ctn	

600VS-LOTO-ML3085 MORTISE

600VS-LOTO-S70 CYLINDER

06



Stainless Steel 201
For end Plate & Striker Plate



Mix Steel




Zinc Alloy



Mix Steel



Zinc Alloy




BACKSET	A	B	C	D	E	F
30 x 85	30	85	47.5	172.4	238	22

FUNCTION	FEATURES
Mortise Lock	<ul style="list-style-type: none"> • With latch bolt & deadbolt. • Outside cylinder retracts latch bolt & lock or unlock deadbolt. • Inside thumbturn or cylinder retracts latch bolt and lock or unlock deadbolt. • Outside and inside handle / knob always retracts latch bolt.


FUNCTION	Cylinder Lock
FEATURES	Single Key & Thumbturn
LENGTH (MM)	70
A (MM)	35
B (MM)	35
C (MM)	10

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-LOTO-ML3085	Stainless Steel 201	SS	50 pcs / ctn	
600VS-LOTO-S70	Brass	SN	50 pcs / ctn	

600VS-DUMMY COVER
Profile Cylinder Cover



600VS-F-33B
Oval Escutcheon




06


600VS-F-34R
Round Escutcheon



600VS-F-34S
Square Escutcheon



600VS-F-99C
Square Escutcheon



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-Dummy Cover	Zinc Alloy	White / Black / SS	60 pairs / ctn	
600VS-F-33B	SUS304	SS	200 sets / ctn	
600VS-F-34R	SUS304	SS	200 sets / ctn	
600VS-F-34S	SUS304	SS	200 sets / ctn	
600VS-F-99C	Zinc Alloy	White / Black	200 sets / ctn	

06



IP65
Waterproof



Pin Password
to Unlock



APP Remote
Unlock



Biological
Fingerprint Lock



Emergency
Key Unlock



Emergency
External Power
Supply. USB Charging




Card Access



600VS-TML-394

600VS-DGTL-A2

Digital Fingerprint Lock System




TECHNICAL PARAMETERS

STATIC CURRENT	≤ 50 uA
DYNAMIC CURRENT	≤ 180 mA
ADMINISTRATORS NUMBER	9
FINGERPRINT NUMBER	100
FINGERPRINT + PASSWORD + CARD CAPACITY	300
FINGERPRINT SENSOR	Semiconductor
FINGERPRINT CONTRAST TIME	≤ 0.65 Second
FINGERPRINT IDENTIFICATION ANGLE	360°
FALSE REJECTION RATE	≤ 0.1%
FALSE RECOGNITION RATE	≤ 0.0001%
REACTION TIME	≤ 0.1 Second
POWER TYPE	6V
EMERGENCY POWER	5VDC
WORKING TEMPERATURE	- 25°C ~ 60°C
WORKING RELATIVE HUMIDITY	20% ~ 90% RH
HUMAN VOICE	Yes
KEYBOARD	Touch Standard 12-Bit Keyboard
PASSWORD LENGTH	4 - 8 Digits
PHATOM PASSWORD	32 Digits
LOW VOLTAGE ALARM	4.6 ± 0.2V
UNLOCK TIME	≤ 1 Second

CODE	(RM) / UNIT
600VS-DGTL-A2	


600VS-192

Showcase Lock L/R




600VS-5128-D

Mortise Hook Lock with Double Key




600VS-41054 SINGLE / DOUBLE

Dead Lock




600VS-41055 SINGLE / DOUBLE

Hook Lock




600VS-55mm-CYL

Single Key / Thumbturn



600VS-55mm-CYL

Double Key



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-192	Stainless Steel 201	Chrome	200 box / ctn	
600VS-5128-D	Mix Steel	SN	20 pcs / ctn	
600VS-41054 Single	Brass / Zinc Alloy	SS	50 pcs / ctn	
600VS-41054 Double	Brass / Zinc Alloy	SS	50 pcs / ctn	
600VS-41055 Single	Brass / Zinc Alloy	SS	50 pcs / ctn	
600VS-41055 Double	Brass / Zinc Alloy	SS	50 pcs / ctn	
600VS-55mm-CYL (S/T)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	
600VS-55mm-CYL (D)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	
600VS-41054 Single (KA)	Brass / Zinc Alloy	SS	50 pcs / ctn	
600VS-41055 Double (KA)	Brass / Zinc Alloy	SS	50 pcs / ctn	
600VS-55mm-CYL (S/T) (KA)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	
600VS-55mm-CYL (D) (KA)	Brass / Zinc Alloy	Chrome	100 pcs / ctn	

06




TURBULAR LEVER & CYLINDER KNOB LOCK

This lock has a unique feature that allows you to turn the key on either of the knobs 360 degrees so the lock will remain unlocked at all times or if only turned to unlock for entry or exit the lock will remain locked at all times upon closing.




Advantage

- ✓ Suitable for most doors.
- ✓ Simple and precise operation.
- ✓ Precise lock cylinder system.
- ✓ Corrosion resistance.
- ✓ Deadlocking latchbolt operated by lever from either side.
- ✓ Great strength and durability.
- ✓ Turning the key in either lever locks or unlocks its own lever independently.





600VS-VTL-0600

Turbular Lever with Key & Thumbturn





600VS-VTL-8007

Turbular Lever with Key & Thumbturn





600VS-GL-08-F33

Lever Handle with Quick Lock Release



600VS-GL-09-F33

Lever Handle with Quick Lock Release



CODE	FUNCTION	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-VTL-0600	Key & Thumbturn	60 - 70	SUS304	SN	24 pcs / ctn	
				Black		
600VS-VTL-0610	Privacy	60 - 70	SUS304	SN	24 pcs / ctn	
				Black		
600VS-VTL-8007	Key & Thumbturn	60 - 70	Zinc Alloy	SN	12 pcs / ctn	
				Black		
600VS-VTL-8008	Privacy	60 - 70	Zinc Alloy	SN	12 pcs / ctn	
				Black		
600VS-GL-08-F33	Privacy	-	SUS304	SS	20 sets / ctn	
600VS-GL-09-F33	Privacy	-	SUS304	SS	20 sets / ctn	

600VS-VTL-1635-KEY

Tubular Lever Handle Lock-W/key & Thumbturn

600VS-VTL-1635-P


Tubular Lever Handle Lock-Privacy

06



600VS-DOOR LATCH

25m/35mm/40mm /50mm



SIZE	X	Y
25	25	35
35	35	48
40	40	53
50	50	63



CODE	FUNCTION	BACKSET	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-VTL-1635 w/key (3pcs Key)	Key & Thumbturn	-	Aluminium	White Black	50 set / ctn	
600VS-VTL-1635	Privacy	-	Aluminium	White Black	50 set / ctn	
600VS-VTL-Door Latch	-	25 mm 35 mm 40 mm 50 mm	Zinc Alloy	SS SS SS SS	50 set / ctn	


STAINLESS STEEL HOLLOW LEVER HANDLE & DEADBOLT LOCK



06


600VS-DB-8011

Deadbolt Lock with Double Key




600VS-DB-8013

Deadbolt Lock with Key & Thumbturn




600VS-DB-8015

One Sided Thumbturn



600VS-VSP-VCL-3870


Cylinder Knob with Key / No Key




CODE	FEATURE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DB-8011	Double Key	SUS304	SN	20 sets / ctn	
			Black		
600VS-DB-8013	With Key & Thumbturn	SUS304	SN	20 sets / ctn	
			Black		
600VS-DB-8015	One Sided Thumbturn	SUS304	SN	20 sets / ctn	
			Black		
600VS-VSP-VCL-3870	With Key & Button	SUS304	SN	24 sets / ctn	
600VS-VSP-VCL-3870	Privacy	SUS304	SN	24 sets / ctn	

06




600VS-GKY-DH-123
Door Hinge 2" / 3" / 4" / 5"



600VS-DH-130
Door Hinge





600VS-DH-131
Door Hinge



Left Right


600VS-ALM4-GH
Door Hinge



CODE	SIZE (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-GKY-DH-123 2"	50 x 40 x 1.2	SUS304	SS	30 pairs / ctn	
600VS-GKY-DH-123 3"	76 x 50 x 1.5	SUS304	SS	120 pairs / ctn	
600VS-GKY-DH-123 4"	102 x 72 x 2.0	SUS304	SS	96 pairs / ctn	
600VS-GKY-DH-123 4"	102 x 72 x 2.0	Stainless Steel 201	SS	96 pairs / ctn	
600VS-GKY-DH-123 5"	127 x 89 x 2.5	SUS304	SS	96 pairs / ctn	
600VS-DH-130	100 x 86 x 3.0	SUS304	SS	40 pairs / ctn	
600VS-DH-131	102 x 76 x 3.0	SUS304	SS	40 pairs / ctn	
600VS-ALM4-GH	100 x 83 x 3.5	Aluminium	White / Black	50 pairs / ctn	



600VS-DH-125

Bi-Fold D-Hinge with Handle





600VS-DH-126

Bi-Fold Hinge




600VS-DH-129

Door Hinge (2BB)




600VS-SS4-GH

Door Hinge





600VS-DH-1932

Door Hinge



600VS-DH-1931

Door Hinge



CODE	SIZE (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DH-125	102 x 74 x 2.5	SUS304	SS	50 pcs / ctn	
600VS-DH-126	102 x 74 x 2.5	SUS304	SS	40 pairs / ctn	
600VS-DH-129	102 x 76 x 2.0	SUS304	SS	50 pairs / ctn	
600VS-SS4-GH	102 x 76 x 2.0	SUS304	SS	50 pairs / ctn	
600VS-DH-1932	102 x 74 x 1.8	Aluminium	White / Black / Silver	120 pairs / ctn	
600VS-DH-1931-SS	102 x 74 x 2.0	Stainless Steel 201	SS	50 pairs / ctn	
600VS-DH-1931-MB	102 x 74 x 2.0	Stainless Steel 201	Black	50 pairs / ctn	

06

600VS-T-304

Flush Bolt Lever Style




600VS-T-306

Flush Bolt




600VS-T-308

Flush Bolt Lever Style



600VS-T-305

Flush Bolt



600VS-T-301

Flush Bolt



600VS-T-303


Flush Bolt



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-T-304 8"	SUS304	SS	100 pcs / ctn	
600VS-T-304 12"	SUS304	SS	100 pcs / ctn	
600VS-T-306 12"	SUS304	SS	100 pcs / ctn	
600VS-T-308	SUS304	White / Black	100 pcs / ctn	
600VS-T-305 5"	SUS304	White / Black	100 pcs / ctn	
600VS-T-305 10"	SUS304	White / Black	100 pcs / ctn	
600VS-Iron Bar 3 Meter (Diameter : 8mm)	Mix Steel	Steel	10 pcs / ctn	
600VS-Plastic Cover T-303	PVC	White / Black	100 pcs / ctn	
600VS-T-301	Zinc Alloy	White / Black / Silver	100 pcs / ctn	
600VS-T-303	Aluminium	White / Black	100 pcs / ctn	

600VS-DS-0036-S

Door Latch




600VS-DB-775-6"

Door Latch



600VS-DB-775-4"

Door Latch




600VS-DB-776-6"

Door Latch




600VS-SB-0031

Swing Bolt 2"



600VS-DB-0139 L/R


Door Latch




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0036-S	SUS304	SS	24 pcs / ctn	
600VS-DB-775 6"	Stainless Steel 201	SS	80 pcs / ctn	
600VS-DB-775 4"	Stainless Steel 201	SS	80 pcs / ctn	
600VS-DB-776 6"	Stainless Steel 201	SS	120 pcs / ctn	
600VS-DB-776 8"	Stainless Steel 201	SS	120 pcs / ctn	
600VS-SB-0031 2"	SUS304	SS	240 pcs / ctn	
600VS-DB-0139	Stainless Steel 201	SS	100 pcs / ctn	

06


600VS-DS-0024
Square Flush Pull




600VS-DS-0030
Oval Flush Pull




600VS-0055
Flush Ball Catch




600VS-VSP-777
Square Bolt 2" / 3"



600VS-VFP-132
Flush Pull Ring




600VS-VCF-133
Circle Flush Pull



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0024	SUS304	SS	200 pcs / ctn	
600VS-DS-0030	SUS304	SS	200 pcs / ctn	
600VS-DS-0055	Brass	SS	500 pcs / ctn	
600VS-VSP-777 2"	SUS304	SS	240 pcs / ctn	
600VS-VSP-777 3"	SUS304	SS	240 pcs / ctn	
600VS-VFP-132	SUS304	SS	100 pcs / ctn	
600VS-VCF-133	SUS304	SS	200 pcs / ctn	
600VS-DS-0024	SUS304	Black	200 pcs / ctn	
600VS-DS-0030	SUS304	Black	200 pcs / ctn	
600VS-VSP-777 2"	SUS304	Black	240 pcs / ctn	


600VS-DS-0035
Magnetic Door Holder




600VS-MS-019
Magnetic Door Holder




600VS-DS-0032
Dust Socket-Dia: 14mm



600VS-DS-0034
Dust Socket-Dia: 14mm



600VS-DG-0033
Door Guard Ball Bearing 3"




600VS-PH360
Heavy Duty Pivot Hinge




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0035	SUS304	SS	72 pcs / ctn	
600VS-MS-019	SUS304	SS	100 pcs / ctn	
600VS-DS-0032	SUS304	SS	100 pcs / ctn	
600VS-DS-0034	Stainless Steel 201	SS	100 pcs / ctn	
600VS-DG-0033	Zinc Alloy	SS	100 pcs / ctn	
600VS-PH360	Zinc Die-Cast	SS	150 pairs / ctn	

06


600VS-DS-0020
Dome Stopper




600VS-DS-0025
Door Stopper




600VS-DS-0026
Wall Door Stopper




600VS-DS-0027
Wall Door Stopper




600VS-DS-0028
Hat And Coat Hook Door Stopper



600VS-DS-0099
Door Stopper



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
600VS-DS-0020	SUS304	SS	100 pcs / ctn	
600VS-DS-0025	SUS304	SS	100 pcs / ctn	
600VS-DS-0026	SUS304	SS	72 pcs / ctn	
600VS-DS-0027	SUS304	SS	72 pcs / ctn	
600VS-DS-0028	SUS304	SS	72 pcs / ctn	
600VS-DS-0099	SUS304	SS	200 pcs / ctn	



DOOR CLOSER

A door closer is a mechanical device that closes a door, in general after someone opens it, or after it was automatically opened. Door closers are most commonly installed on fire doors, which need to be closed in case of fire, to help prevent the spread of fire and smoke.



Advantage

- ☑ Flexible and easy to install.
- ☑ Super aluminium alloy casting machine and the three layers of brightness painting will protect it from oxygenation.
- ☑ Adjustable tension, closing speed and latch speed.
- ☑ Non-hold open standard, hold open optional.
- ☑ Great strength and durability.
- ☑ The painting plastic moving arm can protect from eroding : The excellent closing can protect from oil leakage.




700VS-DC-062

07



BS EN 1154:1997
PC 003359







- Excellence performance.
- Maintenance-free.
- High quality O-ring gasket to prevent oil leakage.
- Strong spring to guarantee powerful closing.
- Superior quality aluminium alloy body.
- Provided with 2 coating for extra protection.
- Full hydraulic control of closing speeds with the help of adjustable valves.
- With 2 speed control, closing & latching speed.
- Highly resistant to scratches.

MODEL	700VS-DC-062		
Closing Force	EN2	EN3	EN4
Max Door Width (mm)	< 850	< 950	< 1100
Max Door Weight (kg)	< 40	< 60	< 80
Delayed Action	-		
Backcheck Function	-		
Max Open Angle	180°	130°	
Hold Open	Optional		
Closing Speed Adjustment	Speed 1 (180° - 15°)		(130° - 10°)
	Speed 2 (15° - 0°)		
Applicable Temperature	-20°C - 45°C		
Applicability	Pedestrian Access Door		
Dimension of Main Body	Length - 218		
	Overall Depth - 52		
	Height - 42.5		
Weight (kg)	0.785		
Durability Test	500,000 cycles		

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-062	Aluminium	Silver	10 sets / ctn	
700VS-DC-062	Aluminium	Black	10 sets / ctn	

700VS-DC-082




- ✓ Excellence performance.
- ✓ Maintenance-free.
- ✓ High quality O-ring gasket to prevent oil leakage.
- ✓ Strong spring to guarantee powerful closing.
- ✓ Superior quality aluminium alloy body.
- ✓ Provided with 2 coating for extra protection.
- ✓ Full hydraulic control of closing speeds with the help of adjustable valves.
- ✓ With 2 speed control, closing & latching speed.
- ✓ Highly resistant to scratches.

MODEL	700VS-DC-082
Closing Force	EN3
Max Door Width (mm)	< 950
Max Door Weight (kg)	65
Delayed Action	-
Backcheck Function	-
Max Open Angle	180°
Hold Open	Optional
Closing Speed Adjustment	Speed 1 (180° - 15°)
	Speed 2 (15° - 0°)
Applicable Temperature	-20°C - 45°C
Applicability	Pedestrian Access Door
Dimension of Main Body	Length - 200
	Overall Depth - 50.5
	Height - 37
Weight (kg)	1.4
Durability Test	500,000 cycles


CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-082	Aluminium	Silver	10 sets / ctn	
700VS-DC-082	Aluminium	Black	10 sets / ctn	

700VS-DC-051 / 700VS-DC-052

07



SIRIM
BS EN 1154:1997
PC 003359





- Excellence performance.
- Maintenance-free.
- High quality O-ring gasket to prevent oil leakage.
- Strong spring to guarantee powerful closing.
- Superior quality aluminium alloy body.
- Provided with 2 coating for extra protection.
- Full hydraulic control of closing speeds with the help of adjustable valves.
- With 2 speed control, closing & latching speed.
- Highly resistant to scratches.

MODEL	700VS-DC-052	700VS-DC-051
Closing Force	EN2	EN3
Max Door Width (mm)	< 850	< 950
Max Door Weight (kg)	< 40	< 60
Delayed Action	-	
Backcheck Function	-	
Max Open Angle	180°	
Hold Open	Optional	
Closing Speed Adjustment	Speed 1 (180° - 15°)	
	Speed 2 (15° - 0°)	
Applicable Temperature	-30°C - 40°C	
Applicability	Pedestrian Access Door	
Dimension of Main Body	Length - 179	
	Overall Depth - 41.5	
	Height - 63.5	
Weight (kg)	1.19kg	1.46kg
Durability Test	500,000 cycles	

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-051	Aluminium	Silver	10 sets / ctn	
700VS-DC-052	Aluminium	Silver	10 sets / ctn	
700VS-DC-052	Aluminium	Black	10 sets / ctn	
700VS-DC-052 (Hold)	Aluminium	Silver	10 sets / ctn	
700VS-DC-052 (Hold)	Aluminium	Black	10 sets / ctn	

700VS-DC-096 CONCEALED

07







- ✓ High quality imported gaskets to prevent oil leakage.
- ✓ Strong spring to guarantee powerful closing.
- ✓ Fine quality aluminium alloy body. Provided with 2 coating for protection.
- ✓ Full hydraulic control of closing speeds by the help of adjustable valves.
- ✓ 2 speed controls : Closing speed and latching speed.
- ✓ Closing speed adjustment range 160° - 15°.
- ✓ Door closer speed adjustment range 15° - 0°.

MODEL	700VS-DC-096		
Closing Force	EN2	EN3	EN4
Max Door Width (mm)	< 850	< 950	< 1100
Max Door Weight (kg)	< 40	< 60	< 80
Delayed Action	-		
Backcheck Function	-		
Max Open Angle	160°	130°	
Hold Open	Optional		
Closing Speed Adjustment	Speed 1 (160° - 15°)		
	Speed 2 (15° - 0°)		
Applicable Temperature	-20°C - 45°C		
Applicability	Pedestrian Access Door		
Dimension of Main Body	Length - 237		
	Overall Depth - 32		
	Height - 48		
Weight (kg)	1.58		
Durability Test	500,000 cycles		

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-VSP-DC-096	Aluminium	Silver	10 sets / ctn	

700VS-DC-042 CONCEALED

07




- ☑ High quality imported gaskets to prevent oil leakage.
- ☑ Strong spring to guarantee powerful closing.
- ☑ Fine quality aluminium alloy body. Provided with 2 coating for protection.
- ☑ Full hydraulic control of closing speeds by the help of adjustable valves.
- ☑ 2 speed controls : Closing speed and latching speed.
- ☑ Provided with 2 coating for extra protection.
- ☑ Closing speed adjustment range 180° - 15°.
- ☑ Door closer speed adjustment tange 15° - 0°.


MODEL	700VS-DC-042 Concealed
Closing Force	EN2
Max Door Width (mm)	< 850
Max Door Weight (kg)	< 60
Delayed Action	-
Backcheck Function	-
Max Open Angle	180°
Hold Open	Optional
Closing Speed Adjustment	Speed 1 (180° - 15°)
	Speed 2 (15° - 0°)
Applicable Temperature	-20°C - 45°C
Applicability	Pedestrian Access Door
Dimension of Main Body	Length - 200
	Overall Depth - 34
	Height - 60
Weight (kg)	2.15
Durability Test	500,000 cycles

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-DC-042	Aluminium	Silver	10 sets / ctn	

700VS-CD-066
Slide Arm




700VS-CD-067
Parallel Arm Bracket



700VS-CD-068
Adjustable D Arm (Hold Open Arm)



700VS-SC-040
VSP Sliding Door Closer



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-CD-066	-	Aluminium	Silver	10 sets / ctn	
700VS-CD-066	-	Aluminium	Black	10 sets / ctn	
700VS-CD-067	-	Steel	Silver	10 sets / ctn	
700VS-CD-068	-	Steel	Silver	10 sets / ctn	
700VS-SC-040	900mm	Aluminium	Black	10 sets / ctn	
	1200mm	Aluminium	Black	10 sets / ctn	

07



FLOOR SPRING



Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.

Advantage

- Proven, robust unit for heigher door weight.
- Adjustable closing speed and latching speed.
- Quality valves mechanism to prevent oil leakage.
- High durability.
- Concealed installation for maximum visual elegance.



700VS-V-84



1. Closing range 130° - 0°.
2. Closing range 130° - 25°.
3. Hold open at 90°.



TECHINCAL INFO / FUNCTION	700VS-V-84			
Spring Tension	EN2	EN3	EN4	EN5
Closing Force (N m) 0° - 4°	13-18	18-26	26-37	37-54
Max Door Width (mm)	< 800	< 900	< 1200	< 1400
Max Door Weight (kg)	< 80	< 100	< 120	< 150
Max Open Angle	130°			
Hold Open	105° / 90°			
Closing Speed Adjustment	90° / 25° (A)		25° / 0° (B)	
Applicable Temperature	- 20°C / 45°C			
Product Weight (kg)	5.1	5.2	5.3	5.4
Durability Test	500,000 Cycles			
Tested EN 1154 / CE Mark	Yes			
Dimension of Cement Box (mm)	L	305 (319)		
	W	108 (129)		
	H	40.5		
Max Glass Thickness (mm)	12			

* Note : For door width 1400mm are advisable to use framed.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V84-EN2 (A/L)	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-V84-EN3	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-V84-EN4	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-V84-EN4 (Non-Hold Open)	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-V84-EN5	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-V84-EN2 (A/L)	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	
700VS-V84-EN3	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	
700VS-V84-EN4	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	
700VS-V84-EN4 (Non-Hold Open)	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	
700VS-V84-EN5	SUS304 / Iron Casting	Matt Black	4 pcs / ctn	

700VS-V-75V

07






1. Adjustable closing speed 90° - 0°.
2. Adjustable closing speed 15° - 0°.
3. Fixed hold open at 90° or 105° optional.
4. Closing force adjustment EN2 - EN4.


TECHINCAL INFO / FUNCTION	700VS-V-75V	
Spring Tension	EN2 - EN4	
Closing Force (N m) 0° - 4°	13-37	
Max Door Width (mm)	< 1200	
Max Door Weight (kg)	< 150	
Max Open Angle	180°	
Hold Open	105° / 90°	
Closing Speed Adjustment	90° - 15° / 15° - 0°	
Applicable Temperature	-20° / 45°	
Product Weight (kg)	4.55	4.55
Durability Test	500,000 Cycles	
Tested EN 1154 / CE Mark	Yes	
Dimension of Cement Box (mm)	L	285 (309)
	W	82 (108)
	H	49.5
Max Glass Thickness (mm)	12	

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V75V-EN2-4 (ADJ)	SUS304 / Iron Casting	PSS	2 pcs / ctn	

700VS-V-80



07



1. Max opening range 180° - 0°.
2. Dual valves speed adjustment area.
3. Fixed hold open at 90° or 140° / 180° optional.
4. Adjustable closing speed 90° - 15° / 15° - 0°.

TECHINCAL INFO / FUNCTION	700VS-V-80
Spring Tension	EN6
Closing Force (N m) 0° - 4°	54-87
Max Door Width (mm)	< 1400
Max Door Weight (kg)	300
Max Open Angle	180°
Hold Open	90° / 140° / 180°
Closing Speed Adjustment	180° - 15° / 15° - 0°
Applicable Temperature	-20°C / 45°C
Product Weight (kg)	7.5
Durability Test	500,000 Cycles
Tested EN 1154 / CE Mark	Yes
Dimension of Cement Box (mm)	341 (359)
	78 (105)
	60
Max Glass Thickness (mm)	12

* Note : For door width 1400mm are advisable to use framed.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V80-EN6	SUS304 / Iron Casting	PSS	2 pcs / ctn	

07

700VS-V10

Door Bottom Fitting




700VS-V20

Door Top Fitting



700VS-V30

Door Frame Top Fitting



700VS-V40

Side Panel to over Panel Fittings with Pivot



700VS-V41

Side Panel with Fin R/L



700VS-V50


Lock Patch Fitting



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V10	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	
700VS-V20	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	
700VS-V30	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	
700VS-V40	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	
700VS-V41	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	
700VS-V50	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	
700VS-V10	SUS304 / Aluminium Alloy	Matt Black	8 pcs / ctn	
700VS-V20	SUS304 / Aluminium Alloy	Matt Black	8 pcs / ctn	
700VS-V30	SUS304 / Aluminium Alloy	Matt Black	20 pcs / ctn	
700VS-V40	SUS304 / Aluminium Alloy	Matt Black	20 pcs / ctn	
700VS-V41	SUS304 / Aluminium Alloy	Matt Black	8 pcs / ctn	
700VS-V50	SUS304 / Aluminium Alloy	Matt Black	20 pcs / ctn	

700VS-AT-18

Floor Pivot Bearing



KG 120kg

700VS-V51

Center Patch Fitting



700VS-AT-14-HVD

Oval-Panel Fitting with Pivot




700VS-AT-14

Oval-Panel Fitting with Pivot



700VS-A/L-ACCESSORIES-HVD

Frame & Wooden Fitting



700VS-A/L-ACCESSORIES-LIGHT

Frame & Wooden Fitting




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-AT-18	SUS304	PSS	10 pcs / ctn	
700VS-V51	SUS304 / Aluminium Alloy	PSS	8 pcs / ctn	
700VS-AT-14-HVD	SUS304	PSS	500 pcs / ctn	
700VS-AT-14	SUS304	PSS	800 pcs / ctn	
700VS-AT-14	SUS304	Matt Black	800 pcs / ctn	
700VS-A/L ACCS-HVD	Stainless Steel / Zinc Die-Cast	PSS	20 sets / ctn	
700VS-A/L ACCS-LIGHT	Stainless Steel / Zinc Die-Cast	PSS	20 pcs / ctn	

07

PATCH FITTINGS GUIDE


Installation Diagram

Door patch fittings and lock patch fittings are used on glass door as a kind of decorative or functional accessories. They can be used together with floor springs.




INCISION DIAGRAM


• V10, V20, V30





• V40






• V50



• V41




• V51



V10 - DOOR BOTTOM

Protective film (remove film before installing the Patch Fitting Guard).


Patch Fitting Guard



V20 - DOOR TOP

Protective film (remove film before installing the Patch Fitting Guard).


Patch Fitting Guard



V30 - DOOR FRAME TOP

Protective film (remove film before installing the Patch Fitting Guard).


Patch Fitting Guard



V40 - DOOR FRAME TOP

Protective film (remove film before installing the Patch Fitting Guard).

Patch Fitting Guard



V50 - DOOR LOCK PATCH

700VS-V360-75
Swivel Door Floor Spring




07

Features

- ✓ Heavy duty used for up to 150kg doors.
- ✓ Passed QB / T269T test.
- ✓ 360° degree opening.
- ✓ For left & right hand.
- ✓ Suitable for glass doors, wooden doors, metal doors and doors with frame.


◆ DIRECTION INDICATION



SPECIFICATIONS

Spring Tension	EN2 - EN4	
Closing Force (N m) 0° - 4°	13 - 37	
Max Door Width (mm)	< 1500	
Max Door Weight (kg)	150	
Opening Angle Degree	130° Swivel	
Opening Direction	Bi-Directional	
Hold-Open	105° / 90°	
Closing Speed Adjustment	70° - 15°	15° - 0°
Application Temperature	-20° C - 45° C	
Dimension of Cement Box (mm)	L	285
	W	83
	H	50
Dimension of Floor Spring Cover	L	309
	W	105

◆ FLOOR PLAN



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V360-75	SUS304 / Iron Casting	PSS	2 pcs / ctn	

07



HYDRAULIC FLOOR DOOR CLOSER

New innovation for self closing frameless glass door. The hydraulic closer mechanism which fits within the patch fitting, and allows closing adjustment like a floor spring.


Advantage

- Removes the need for pre-casting or cutting floor spring boxes, which creating concrete dust.
- Highly durable.
- Allows closing adjustment like a floor spring.
- Easy to install and maintain.
- Mounted directly to the floor making it more cost effective option for doors.


700VS-V3
Hydraulic Concealed Floor Door Closer





• TOP OF DOOR FRAME



• TOP OF DOOR LEAF



• BOTTOM OF DOOR LEAF




1. Open angle : 140° double action.
2. Door hold open section : 90° and 120° - 140°.
3. Two speeds adjustable.
Valve 1: 90° - 0°.
Valve 2: 30° - 0°.

◆ MODEL SELECTION

MODEL NO.	APPLICABLE DOOR SPECIFICATIONS / TYPES				
	DOOR WEIGHT (KG)	DOOR HEIGHT (MM)	DOOR WIDTH (MM)	DOOR THICKNESS (MM)	APPLICATION
700VS-V3 - Concealed	≤ 65	≤ 2400	≤ 900	≤ 43	Wooden door / framed glass door

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V3 - Concealed	SUS304 / Aluminium	SS	10 sets / ctn	


700VS-V1 & 700VS-V2 Hydraulic Floor Door Closer



Features


- ✓ No need to make cavity on the ground, easy installation and saving labor.
- ✓ Suitable for both indoor and outdoor use.
: Maximum anti-wind rating up to grade 5, maximum load capacity : 150kg.
- ✓ Re-usable and maintenance free. It can be easily uninstalled without damage to the floor.
- ✓ EN 1154 Certified.
- ✓ No water and dust accumulation, easy to clean.
- ✓ SUS304 cover plate, rust resisting.

TECHNICAL INFO / FUNCTION	700VS-V1	700VS-V2
Spring Tension	EN2	EN3
Closing Force (N m) 0° - 4°	13-18	18-26
Max Door Width (mm)	< 900	< 1200
Max Door Weight (kg)	90kg	130kg
Max Open Angle	140°	
Hold Open	90°	
Closing Speed Adjustment	90° / 30°	30° / 0°
Applicable Temperature	-30° / 60°	
Durability Test	500,000 Cycles	
Tested EN 1154 / CE Mark	Yes	
Dimension of Cement Box (mm)	L	177
	W	45
	H	94
Max Glass Thickness (mm)	12	




07


FLOOR DRILLING HOLE SIZE




PRODUCT DIMENSION




BASE DIMENSION



INCISION DIAGRAM



FUNCTIONAL DIAGRAM



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-V1 (90kg)	SUS304 / Aluminium	PSS	20 pcs / ctn	
700VS-V2 (130kg)	SUS304 / Aluminium	PSS	20 pcs / ctn	

07




VVP FLOOR SPRING FC 34





Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.

Advantage

- ✓ Applicable for wooden door, metal aluminium door and toughened glass door.
- ✓ Adjustable closing & latching speed.
- ✓ Compliant with European standards.
- ✓ High quality casting iron floor closer body with 2 layers anti-rust coating.
- ✓ Hydraulic machine oil and sealed rings keep perfect working performance.
- ✓ Polished stainless steel cover plates.
- ✓ Quality of Thailand products.



700VS-FC34



1. Closing range 130° - 0°.
2. Closing range 130° - 25°.
3. Hold open at 90°.

TECHINCAL INFO / FUNCTION	700VS-FC34			
Spring Tension	Light	Medium	Heavy	S.Heavy
Closing Force (N m) 0° - 4°	15NM	20NM	25NM	30NM
Max Door Width (mm)	800	1000	1200	1400
Max Door Weight (kg)	80	100	120	150
Max Open Angle	130°			
Hold Open	105° / 90°			
Closing Speed Adjustment	90° / 25° (A)		25° / 0° (B)	
Applicable Temperature	- 20°C / 45°C			
Product Weight (kg)	5.1	5.2	5.3	5.4
Durability Test	500,000 Cycles			
Tested EN 1154 / CE Mark	Yes			
Dimension of Cement Box (mm)	L	308 (322)		
	W	108 (131)		
	H	40		
Max Glass Thickness (mm)	12			


* Note : For door width 1400mm are advisable to use framed.

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-FC34 15NM (A/L)	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-FC34 20NM	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-FC34 20NM (Non-Hold Open)	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-FC34 25NM	SUS304 / Iron Casting	PSS	4 pcs / ctn	
700VS-FC34 30NM	SUS304 / Iron Casting	PSS	4 pcs / ctn	

07

700VS-FT-10

Bottom Patch Fitting




700VS-FT-20

Top Patch Fitting



700VS-FT-40

Side Panel to over Panel Fitting with Pivot




700VS-FT-50

Patch Lock with Cylinder




700VS-VVP-A/L-ACCESSORIES

Frame & Wooden Fitting



700VS-FT-14

Oval Panel Pivot




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
700VS-FT-10	SUS304 / Aluminium Alloy	PSS	4 pcs / ctn	
700VS-FT-20	SUS304 / Aluminium Alloy	PSS	4 pcs / ctn	
700VS-FT-40	SUS304 / Aluminium Alloy	PSS	4 pcs / ctn	
700VS-FT-50	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	
700VS-VVP-A/L	SUS304 / Aluminium Alloy	PSS	20 pcs / ctn	
700VS-FT-14	Zinc Plated Steel	PSS	500 pcs / ctn	


PATCH FITTINGS GUIDE

Installation Diagram


Door patch fittings and lock patch fittings are used on glass door as a kind of decorative or functional accessories. They can be used together with floor springs.




FT10 - DOOR BOTTOM
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard




FT20 - DOOR TOP
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard




FT30 - DOOR FRAME TOP
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard




FT40 - DOOR FRAME TOP
Protective film (remove film before installing the Patch Fitting Guard).
Patch Fitting Guard



FT50 - DOOR LOCK PATCH




Dimensions :
(A) 7 - 10 mm
(B) 2 - 4 mm
(C) 3 - 5 mm




INCISION DIAGRAM


• FT10, FT20, FT30




• FT40




• FT50



• FT50 Keeper



08



SHOWER HINGE

Increasingly for bath and shower enclosures, designers and homeowners look for a more modern, sleek and clean look in their bathroom.

Advantage

- ✓ Modern & contemporary design.
- ✓ Corrosion resistance.
- ✓ Solid build ensure higher durability.
- ✓ Easy to install and maintain.
- ✓ Designed for 90°, 135° and 180° cubicle.



BES



Beveled Edge Series



SES



Square Edge Series



TECHNICAL SPECIFICATIONS

INSTALLATION INSTRUCTIONS


- Fix up the position of the glass door hinge and mark the incision position on the glass.
- Incising the glass according to the specification of the glass door hinge (As the glass incision illustration below).
- Fill up the gap between the fixture and the active board of glass doorhinge with the asbestos cushion in turn to clamp the glass.
- Tighten the screws.

INSTALLATION STANDARDS


Max. Capacity	2 Hinge / Panel = 45KG
Glass Material	Tempered Glass MAX WIDTH = 700MM
On-off Frequency	100k times MAX HEIGHT = 2100MM
Glass Thickness	8mm to 12mm
Feature	The door returns to self-closing state while the distance between the door frame and the door is 30°
Note	Do not go beyond maximum door weight or width when choosing proper quality hinges

SHOWER HINGE GLASS CUTTING : MM


800VS-SH-01 / 02 / 03 / 04 / 05 / 06



90° Degree Wall to Glass Glass Cutting




180° & 90° Degree Glass to Glass Cutting




135° Degree Glass to Glass Cutting


- 800VS-SH-201 / 202 / 203 / 204 / 205 - PSS / MB



90° Degree Wall to Glass Cutting




180° & 90° Degree Glass to Glass Cutting




135° Degree Glass to Glass Cutting

- 800VS-SH-703 / 704



90° Degree Wall to Glass Cutting



180° & 90° Degree Glass to Glass Cutting

APPROXIMATE WEIGHT OF ARCHITECTURAL FLAT GLASS

GLASS THICKNESS (MM)	WEIGHT (KG / M ²)	WEISGHT (KG / FT ²)
3	7.5	0.696
4	10	0.928
5	12.5	1.16
6	15	1.392
8	20	1.856
10	25	2.32
12	30	2.784
15	37.5	3.48
19	47.5	4.408
25	62.5	5.8

EXAMPLE :


- For 12mm glass thickness, width 0.9 meter and height 2.1 meter.
Glass weight = 0.9 x 2.1 x 30kg /m²
- For 12mm glass thickness, width 3ft and 7ft.
Glass weight = 3 x 7 x 2.784kg / ft² = 58.4kg

REMARK :

- 1m = 3.281ft
- 1 inch = 25.4mm
- 1m² = 10.764ft²
- 1ft = 304.8mm
- 1/8 inch = 3.175mm

BLACK SERIES SHOWER ACCESSORIES

800VS-SHOWER HINGE



- 800VS-SH-201-MB (90°)
- 800VS-SH-202-MB (135°)
- 800VS-SH-203-MB (180°)
- 800VS-SH-204-MB (90°)
- 800VS-SH-205-MB (90°)

800VS-SS-901S-MB
Shower Glass Clip



800VS-SS-902S-MB
Shower Glass Clip



08

800VS-SS-903S-MB
Shower Glass Clip



800VS-SS-906S-MB
Shower Adjustable Glass Clip



800VS-S.STEEL ROUND TUBE 3M - MB
Shower Round Tube



800VS-HEADER ROUND GROOVE 3.6M - MB
Shower Header



800VS-HEADER SQUARE GROOVE 3.6M - MB
Shower Header



800VS-ALUM U CHANNEL 3M/6M - MB
Shower U Channel



800VS-WS-01-10MM-MB
PVC Sealing Strips



800VS-WS-02-10MM-MB
PVC Sealing Strips



800VS-WS-03-10MM-MB
PVC Sealing Strips



800VS-WS-05-10MM-MB
PVC Sealing Strips



800VS-WS-08-10MM-MB
PVC Sealing Strips



800VS-WS-06-10MM-MB
PVC Sealing Strips



800VS-GC-09
Shower Clip



800VS-A-17-MB
Door Handle



800VS-GC-08
Shower Clip




900VS-2513-I-MB
Shower Handle



900VS-2513-S-MB
Shower Handle



900VS-712-I-MB
Shower Handle



900VS-712-S-MB
Shower Handle



900VS-712-MB
Shower Handle



800VS-DL-02
GTG Door Lock



800VS-DL-02-A
GTW Door Lock



800VS-VSP-014
GTW Door Lock



800VS-VSP-014K
GTG Door Lock



800VS-SH-45
Hydraulic Hinge



BRASS SHOWER GLASS DOOR HINGE


800VS-SH-01
BES Glass To Glass (90°)



800VS-SH-02
BES Glass To Glass (135°)



800VS-SH-03
BES Glass To Glass (180°)



800VS-SH-04
BES Glass To Wall (90°)



800VS-SH-05
BES Glass To Wall (90°) - Offset




800VS-SH-06
BES Glass To Wall (135°)



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SH-01	Brass	CP	20 pcs / ctn	
800VS-SH-02	Brass	CP	20 pcs / ctn	
800VS-SH-03	Brass	CP	20 pcs / ctn	
800VS-SH-04	Brass	CP	20 pcs / ctn	
800VS-SH-05	Brass	CP	20 pcs / ctn	
800VS-SH-06	Brass	CP	20 pcs / ctn	

08


800VS-SH-201-PSS
SES Glass To Glass (90°)




800VS-SH-202-PSS
SES Glass To Glass (135°)



800VS-SH-203-PSS
SES Glass To Glass (180°)



800VS-SH-204-PSS
SES Glass To Wall (90°)




800VS-SH-205-PSS
SES Glass To Wall (90°) - Offset



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SH-201-S	SUS304	SS	20 pcs / ctn	
800VS-SH-202-S	SUS304	SS	20 pcs / ctn	
800VS-SH-203-S	SUS304	SS	20 pcs / ctn	
800VS-SH-204-S	SUS304	SS	20 pcs / ctn	
800VS-SH-205-S	SUS304	SS	20 pcs / ctn	
800VS-SH-201-PSS	SUS304	PSS	20 pcs / ctn	
800VS-SH-202-PSS	SUS304	PSS	20 pcs / ctn	
800VS-SH-203-PSS	SUS304	PSS	20 pcs / ctn	
800VS-SH-204-PSS	SUS304	PSS	20 pcs / ctn	
800VS-SH-205-PSS	SUS304	PSS	20 pcs / ctn	
800VS-SH-201-MB	SUS304	Matt Black	20 pcs / ctn	
800VS-SH-202-MB	SUS304	Matt Black	20 pcs / ctn	
800VS-SH-203-MB	SUS304	Matt Black	20 pcs / ctn	
800VS-SH-204-MB	SUS304	Matt Black	20 pcs / ctn	
800VS-SH-205-MB	SUS304	Matt Black	20 pcs / ctn	

800VS-SS-901


Shower Mounting Connector



SIZE	A	B	C
800VS-SS-901	∅ 19	37.5	40
800VS-SS-901S	∅ 19	25	32

800VS-SS-902


Shower T-Connector



SIZE	A	B	C
800VS-SS-902	∅ 19	26	55

800VS-SS-903


Shower Glass Clip



SIZE	A	B	C
800VS-SS-903	∅ 19	27	62
800VS-SS-903-S	∅ 19	26	53

800VS-SS-904


Shower Connector



SIZE	A	B	C
800VS-SS-904	∅ 19	26	60

800VS-SS-905


Shower Glass Clip



SIZE	A	B	C
800VS-SS-905-19	∅ 19	26	53

800VS-SS-906

Shower Adjustable Connector




SIZE	A	B	C
800VS-SS-906	∅ 19	96	27.6
800VS-SS-906-S	∅ 19	89	25

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SS-901	Zinc Alloy	CP	100 pcs / ctn	
800VS-SS-901S-MB	Brass	Matt Black	100 pcs / ctn	
800VS-SS-901S	Brass	CP	100 pcs / ctn	
800VS-SS-902	Brass	CP	100 pcs / ctn	
800VS-SS-902S-MB	Brass	Matt Black	100 pcs / ctn	
800VS-SS-903	Zinc Alloy	CP	100 pcs / ctn	
800VS-SS-903S-MB	Brass	Matt Black	100 pcs / ctn	
800VS-SS-903S	Brass	CP	100 pcs / ctn	
800VS-SS-904	Brass	CP	100 pcs / ctn	
800VS-SS-905	Brass	CP	100 pcs / ctn	
800VS-SS-906	Zinc Alloy	CP	100 pcs / ctn	
800VS-SS-906S-MB	Brass	Matt Black	100 pcs / ctn	
800VS-SS-906S	Brass	CP	100 pcs / ctn	


08

800VS-SS-907
Shower Stopper




SIZE	A	B	C
800VS-SS-907-19	Ø 19	26	53

800VS-SS-908
Shower 135° Stopper




SIZE	A	B	C
800VS-SS-908-19	Ø 19	28	53

800VS-S/STEEL ROUND TUBE




SIZE	3m / 6.1m (Length)
------	--------------------


800VS-GC-09
U-Glass Clip 10mm - 12mm



800VS-GC-08
U-Glass Clip 10mm - 12mm



800VS-GC-11
U-Glass Clip 10mm



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SS-907	-	Brass	CP	100 pcs / ctn	
800VS-SS-908	-	Brass	CP	100 pcs / ctn	
800VS-S/Steel Round Tube	6.1m	SUS304	CP	20 pcs / ctn	
800VS-S/Steel Round Tube	3m	SUS304	Matt Black	20 pcs / ctn	
800VS-GC-08	25 x 25	Zinc Alloy	CP	300 pcs / ctn	
	25 x 25	Brass	CP	300 pcs / ctn	
	25 x 25	Zinc Alloy	Matt Black	300 pcs / ctn	
	25 x 25	SUS304	PSS	200 pcs / ctn	
800VS-GC-09	25 x 50	Zinc Alloy	CP	150 pcs / ctn	
	25 x 50	Zinc Alloy	Matt Black	150 pcs / ctn	
800VS-GC-11	48 x 45	Zinc Alloy	CP	100 pcs / ctn	

800VS-HEADER ROUND GROOVE




SIZE 3.6m / 6m (Length)

800VS-HEADER SQUARE GROOVE




SIZE 3.6m / 6m (Length)

800VS-HEADER U CHANNEL




SIZE 1.8m (Length)

800VS-HEADER ADJUSTABLE BRACKET



800VS-FIXED ANGLE




800VS-HEADER ROUND GROOVE

CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-Header Round Groove	3.6m	Aluminium	Chrome	10 pcs / ctn	
	6m	Aluminium	Chrome	10 pcs / ctn	
800VS-Header Square Groove	3.6m	Aluminium	Chrome	10 pcs / ctn	
	6m	Aluminium	Chrome	10 pcs / ctn	
800VS-Header U Channel	1.8m	Aluminium	Chrome	100 pcs / ctn	
800VS-Header Round Groove (MB)	3.6m	Aluminium	Matt Black	10 pcs / ctn	
800VS-Header Square Groove (MB)	3.6m	Aluminium	Matt Black	10 pcs / ctn	
800VS-Header U Channel (MB)	1.8m	Aluminium	Matt Black	100 pcs / ctn	
800VS-Header Adjustable Bracket	-	Mix Steel	SS	1000 pcs / ctn	
800VS-Fixed Angle	-	Mix Steel	SS	2000 pcs / ctn	

08

800VS-ALUMINIUM U CHANNEL



SIZE	3m (Length)	6m (Length)
------	-------------	-------------

800VS-STAINLESS STEEL U CHANNEL



SIZE	2.4m (Length)
------	---------------


800VS-SH-703-180°

SES Glass to Glass Shower Hinge



800VS-SH-704-90°

SES Glass to Wall Shower Hinge



800VS-SA-83G-04

Glass Connector



Adjustable 8mm

800VS-WALL PLUG 83G-04

Set Anchor M12x100




800VS-SA-83-T

Installation Tool




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-Aluminium U Channel	3m	Aluminium	Chrome	20 pcs / ctn	
800VS-Aluminium U Channel	6m	Aluminium	Chrome	10 pcs / ctn	
800VS-Aluminium U Channel	3m	Aluminium	Matt Black	20 pcs / ctn	
800VS-Aluminium U Channel	6m	Aluminium	Matt Black	10 pcs / ctn	
800VS-Stainless Steel U Channel	2.4m	SUS304	PSS	10 pcs / ctn	
800VS-SH-703-PSS	N/A	SUS304	PSS	20 pcs / ctn	
800VS-SH-704-PSS	N/A	SUS304	PSS	20 pcs / ctn	
800VS-SH-703-Matt Black	N/A	SUS304	Matt Black	20 pcs / ctn	
800VS-SH-704-Matt Black	N/A	SUS304	Matt Black	20 pcs / ctn	
800VS-SA-83G-04	28	SUS304	SS	100 pcs / ctn	
800VS-Wall Plug 83G-04	M12 x 100	Steel	Galvanize	100 pcs / ctn	
800VS-SA-83-T	N/A	SUS304	SS	10 pcs / ctn	


800VS-WS-01




800VS-WS-02




800VS-WS-03




800VS-WS-05



800VS-WS-06



800VS-WS-08




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-WS-01	10mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-02	10mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-03	10mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-05	10mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-06	10mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-08	10mm	PVC	Transparent	50 pair / ctn	
800VS-WS-01	10mm	PVC	Matt Black	200 pcs / ctn	
800VS-WS-02	10mm	PVC	Matt Black	200 pcs / ctn	
800VS-WS-03	10mm	PVC	Matt Black	200 pcs / ctn	
800VS-WS-05	10mm	PVC	Matt Black	200 pcs / ctn	
800VS-WS-06	10mm	PVC	Matt Black	200 pcs / ctn	
800VS-WS-08	10mm	PVC	Matt Black	50 pair / ctn	
800VS-WS-01	12mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-02	12mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-03	12mm	PVC	Transparent	200 pcs / ctn	
800VS-WS-05	12mm	PVC	Transparent	200 pcs / ctn	

08


800VS-GC-171

Glass Clip (L-Shape)




800VS-GC-172

Glass Clip (H-Shape)




800VS-GC-175

Glass Clip (T-Shape)




800VS-GC-176

Glass Clip (Cross Shape)




800VS-GC-177

L-Reinforcement Corner Guard Glass Clip



800VS-GC-178

T-Reinforcement Corner Guard Glass Clip



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-GC-171	Aluminium	Matt Black	200 pcs / ctn	
800VS-GC-172	Aluminium	Matt Black	200 pcs / ctn	
800VS-GC-175	Aluminium	Matt Black	200 pcs / ctn	
800VS-GC-176	Aluminium	Matt Black	200 pcs / ctn	
800VS-GC-177	Aluminium	Matt Black	100 pcs / ctn	
800VS-GC-178	Aluminium	Matt Black	100 pcs / ctn	

800VS-DL-01

Swing & Sliding G to G Single / Double Key




800VS-DL-01-A

Swing & Sliding G to W Single / Double Key




800VS-DL-02

Swing Door G to G Thumbturn



800VS-DL-02-A

Swing Door G to W Thumbturn



800VS-DL-03

Swing & Sliding G to G Single / Thumbturn



800VS-DL-03-A

Swing & Sliding G to W Single / Thumbturn



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-DL-01-Single	8-10mm	SUS304	SS	20 pcs / ctn	
800VS-DL-01-A-Single	8-10mm	SUS304	SS	20 pcs / ctn	
800VS-DL-01-Double	8-10mm	SUS304	SS	20 pcs / ctn	
800VS-DL-01-A-Double	8-10mm	SUS304	SS	20 pcs / ctn	
800VS-DL-02	8-10mm	SS / Zinc Alloy	PSS	40 pcs / ctn	
800VS-DL-02-A	8-10mm	SS / Zinc Alloy	PSS	40 pcs / ctn	
800VS-DL-02	8-10mm	SS / Zinc Alloy	MB	40 pcs / ctn	
800VS-DL-02-A	8-10mm	SS / Zinc Alloy	MB	40 pcs / ctn	
800VS-DL-03-Single	8-10mm	SUS304	PSS	20 pcs / ctn	
800VS-DL-03-A-Single	8-10mm	SUS304	PSS	20 pcs / ctn	
800VS-DL-03-A-Double	8-10mm	SUS304	PSS	20 pcs / ctn	

08

800VS-DL-04-GR

Swing & Sliding G to G Door Latch



800VS-DL-04A-WR

Swing & Sliding G to W Door Latch




800VS-DL-05-GS

Swing Door Latch G to G



800VS-DL-05A-WS

Swing Door Latch G to W




800VS-VSP-014K

Swing & Sliding Door G to G Thumbturn




800VS-VSP-014

Swing & Sliding Door G to W Thumbturn




CODE	MATERIAL	SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-DL-04-GR	Brass	8-12mm	CP	50 pcs / ctn	
800VS-DL-04A-WR	Brass	8-12mm	CP	50 pcs / ctn	
800VS-DL-05-GS	SUS304	8-10mm	PSS	50 pcs / ctn	
800VS-DL-05A-WS	SUS304	8-10mm	PSS	50 pcs / ctn	
800VS-VSP-014	Brass	8-12mm	CP	20 pcs / ctn	
800VS-VSP-014K	Brass	8-12mm	CP	20 pcs / ctn	
800VS-VSP-014	Brass	8-12mm	Matt Black	20 pcs / ctn	
800VS-VSP-014K	Brass	8-12mm	Matt Black	20 pcs / ctn	

800VS-DK-01
Door Knob




Hole Size $\varnothing 12$

800VS-DK-03
Door Knob




Hole Size $\varnothing 12$

800VS-DK-04
Door Knob




Hole Size $\varnothing 12$

800VS-DK-06
Door Knob



Hole Size $\varnothing 12$

800VS-DK-05
Door Knob




Hole Size $\varnothing 10$




CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-DK-01	8-12mm	Aluminium	Black	100 pcs / ctn	
800VS-DK-03	8-12mm	Aluminium	Black	100 pcs / ctn	
800VS-DK-04	8-12mm	Aluminium	Black	100 pcs / ctn	
800VS-DK-06	8-12mm	Aluminium	Black	100 pcs / ctn	
800VS-DK-05	8-12mm	Brass	Black	100 pcs / ctn	

08


800VS-SA-83A-5A
Bottom Guide




800VS-SA-86A-7
Sliding Door Handle




800VS-SA-86A-9S
Sliding Door Handle with Hole




800VS-A-17
Sliding Door Handle



800VS-AGD-1002
Adjustable Floor Guard




800VS-AGD-3050
Adjustable Floor Guard




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SA-83A-5A	SUS304	SS	200 pcs / ctn	
800VS-SA-86A-7	SUS304	SS	50 sets / ctn	
800VS-SA-86A-9S	SUS304	SS	100 sets / ctn	
800VS-A-17	SUS304	SS	50 sets / ctn	
800VS-A-17	SUS304	Black	50 sets / ctn	
800VS-AGD-1002	Nylon	White / Black	320 pcs / ctn	
800VS-AGD-3050	Aluminium / Nylon	Silver	240 pcs / ctn	


800VS-LQ-05
Hollow Handrail



800VS-LQ-07
Solid Bar Handrail



800VS-H800-A
Double Side Connector (180°)




Hole Size $\varnothing 13$

800VS-H800-B
Single Side Connector




Hole Size $\varnothing 13$

800VS-H800-C
Double Side Connector (90°)




Hole Size $\varnothing 13$

800VS-M8 X 25
Glass Connector (Solid)



Hole Size $\varnothing 12$




CODE	STANDARD HEIGHT (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-LQ-05	1050	SUS304	SS	10 pcs / ctn	
800VS-LQ-07	1050	SUS304	SS	10 pcs / ctn	
800VS-H800-A	220	SUS304	SS	50 pcs / ctn	
800VS-H800-B	125	SUS304	SS	50 pcs / ctn	
800VS-H800-C	140	SUS304	SS	50 pcs / ctn	
800VS-M8 x 25	8-12mm	SUS304	SS	100 pcs / ctn	

08


800VS-H1805

Adjustable Handrail with Round Plate




800VS-H1810

Adjustable Handrail with Flat Plate




800VS-H1802

Fixed Handrail with Round Plate




800VS-H1814

Fixed Handrail with Flat Plate



800VS-H1512


Fixed Handrail with Round Plate



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-H1805	SUS304	SS	48 pcs / ctn	
800VS-H1810	SUS304	SS	24 pcs / ctn	
800VS-H1802	SUS304	SS	50 pcs / ctn	
800VS-H1814	SUS304	SS	50 pcs / ctn	
800VS-H1512	SUS304	SS	60 pcs / ctn	


800VS-BS-R-160

Glass Fencing Spigots - Non Open Hole (Round)






800VS-BS-S-160

Glass Fencing Spigots - Non Open Hole (Square)



800VS-LQ-03

Hollow Fixed Glass Handrail





CODE	STANDARD HEIGHT (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-BS-R-160	160	SUS304	PSS	8 pcs / ctn	
800VS-BS-S-160	160	SUS304	PSS	8 pcs / ctn	
800VS-BS-R-160	160	SUS304	Matt Black	8 pcs / ctn	
800VS-BS-S-160	160	SUS304	Matt Black	8 pcs / ctn	
800VS-LQ-03 (H)	750	SUS304	SS	2 pcs / ctn	
800VS-LQ-03 (C)	750	SUS304	SS	2 pcs / ctn	
800VS-LQ-03 (E)	750	SUS304	SS	2 pcs / ctn	
800VS-LQ-03 (H)	750	SUS304	Matt Black	2 pcs / ctn	
800VS-LQ-03 (C)	750	SUS304	Matt Black	2 pcs / ctn	
800VS-LQ-03 (E)	750	SUS304	Matt Black	2 pcs / ctn	

08





800VS-VSP-SUCKING-1
Single Sucker Lifter 30kg

800VS-VSP-SUCKING-2
2 Way Sucker Lifter 90kg



800VS-VSP-SUCKING-3
3 Way Sucker Lifter 210kg

800VS-VSP-SUCKING-3
3 Way Sucker Lifter 145kg



CODE	MAX LIFTING CAPACITY	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-VSP-Sucking-1	30 kg	Zinc Alloy	Black	18 pcs / ctn	
800VS-VSP-Sucking-2	90 kg	Zinc Alloy	SN	10 pcs / ctn	
800VS-VSP-Sucking-3	210 kg	Zinc Alloy	Black	10 pcs / ctn	
800VS-VSP-Sucking-3	145 kg	Zinc Alloy	SN	10 pcs / ctn	



REFERENCE DESIGN LOAD OF SPIDER FITTINGS


MODEL	DESIGN AXIAL LOAD CAPABILITY OF SINGLE ARM (N) (NEGATIVE WINDLOAD)	DESIGN RADIAL LOAD CAPABILITY OF SINGLE ARM (N) (DEAD LOAD)
S200-4	2000	1200

- Point-fixed glass wall
- Typical finish for stainless steel spider fittings
- Instruction to the material of point-fixed glass wall fittings
- The material of spider is stainless steel grade, the material of routel is stainless steel 304
- The base of connectors is made of steel Q235
- Suspension clamps and embedded parts for glass wall are made of steel ZG230-450-H


TYPE	Flat Cap	Countersunk
MODEL	TF-15	TF-11
DESIGN AXIAL LOAD CAPABILITY OF SINGLE ARM (N) (NEGATIVE WINDLOAD)	4500	4500
DESIGN RADIAL LOAD CAPABILITY OF SINGLE ARM (N) (DEAD LOAD)	2000	2000
L	60	64

Spider glass building are a whole system of metal connector and fastener to between glass and spider fitting of modular building structure.

SUITABLE FOR : TC15



SUITABLE FOR : TC11



08

800VS-S200-1

Spider Fitting (Short Leg)



A	B	D	T
100	52	50	12

800VS-S200-1A

Spider Fitting (Long Leg)



A	B	D	T
156	52	50	12

800VS-S200-2


Spider Fitting



A	B	D	T
200	52	50	12

800VS-S200-2A


Spider Fitting



A	B	D	T
200	50	45	12

800VS-S200-3


Spider Fitting



A	B	D	T
200	52	50	12

800VS-S200-4


Spider Fitting




A	B	D	T
200	52	50	12

CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-S200-1	SUS304	SS	46 pcs / ctn	
800VS-S200-1A	SUS304	SS	46 pcs / ctn	
800VS-S200-2	SUS304	SS	35 pcs / ctn	
800VS-S200-2A	SUS304	SS	20 pcs / ctn	
800VS-S200-3	SUS304	SS	8 pcs / ctn	
800VS-S200-4	SUS304	SS	10 pcs / ctn	


800VS-F200-4F
Spider Fitting




800VS-F200-2F
Spider Fitting



800VS-TC-11
Routel (Countersunk)



800VS-TC-15
Routel (Flat Cap)



800VS-Z-14
Connector



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-F200-4F	SUS304	SS	10 pcs / ctn	
800VS-F200-2F	SUS304	SS	10 pcs / ctn	
800VS-TC-11	SUS304	SS	24 pcs / ctn	
800VS-TC-15	SUS304	SS	40 pcs / ctn	
800VS-Z-14	SUS304	SS	36 pcs / ctn	



800VS-SA-87C-1

Top Track

08



PRODUCT NAME	Movable Glass Partition System
MATERIAL	Aluminium
GLASS THICKNESS	10 - 12mm
FINISHED	Satin
APPLICATION	For Exterior or Interior Used (Balcony, Patio, Sunroom)
MAX DOOR WEIGHT	60kg / Panel
MAX DOOR HEIGHT	2500mm / Panel
MAX DOOR WIDTH	800mm / Panel




800VS-SA-85H-7


Glass To Glass Hinge

800VS-SA-85H-8


Glass To Wall Hinge



800VS-SA-87B-1
Folding Door Top Roller




800VS-SA-7060
Corner Lock



800VS-SA-7123
Glass Door Bolt




800VS-87C-1
Top Track



800VS-SA-86A-13A + 13B
Glass To Glass Sliding Hock Lock




800VS-SA-86A-13A + 13C
Glass To Wall Sliding Hock Lock



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SA-85H-7	SUS304	SS	10 pcs / ctn	
800VS-SA-85H-8	SUS304	SS	10 pcs / ctn	
800VS-SA-87B-1	SUS304	SS	10 pcs / ctn	
800VS-SA-7060	SUS304	SS	10 pcs / ctn	
800VS-SA-7123	SUS304	SS	10 pcs / ctn	
800VS-87C-1	SUS304	SS	10 pcs / ctn	
800VS-SA-86A-13A + 800VS-SA-86A-13C	SUS304 / Zinc Alloy	SS	10 sets / ctn	
800VS-SA-86A-13A + 800VS-SA-86A-13B	SUS304 / Zinc Alloy	SS	10 sets / ctn	


SET 21A1-SA

800VS-21A1




800VS-HR-4500

Aluminium Top Track



800VS-A-17

Sliding Glass Door Handle



Hole Size Ø46mm



800VS-HR-4503

Side Cover



800VS-HR-4501

Track Cover




800VS-HR-4502

Bracket



800VS-SA-83A-5A


Sliding Glass Door Guide



CODE	SIZE	NECESSARY ACC. NO.				(RM) / UNIT
800VS-21A1-SA Set (80kg)	2 m	21A1-SA x 1	HR-4501 x 1 HR-4503 x 1	HR-4500 x 1 SA-83A-5A x 1	HR-4502 x 5	
800VS-21A1-SA Set (80kg)	3 m	21A1-SA x 1	HR-4501 x 1 HR-4503 x 1	HR-4500 x 1 SA-83A-5A x 1	HR-4502 x 7	
800VS-21A1-SA Set (80kg)	4 m	21A1-SA x 2	HR-4501 x 1 HR-4503 x 2	HR-4500 x 1 SA-83A-5A x 2	HR-4502 x 10	
800VS-21A1-TA Set (80kg)	2 m	21A1-TA x 1	HR-4500 x 1	HR-4503 x 1	SA-83A-5A x 1	
800VS-21A1-TA Set (80kg)	3 m	21A1-TA x 1	HR-4500 x 1	HR-4503 x 1	SA-83A-5A x 1	
800VS-21A1-TA Set (80kg)	4 m	21A1-TA x 2	HR-4500 x 1	HR-4503 x 2	SA-83A-5A x 2	


800VS-HRF-4080

Aluminium Hanging Door Roller - 80kg




800VS-HRG-5080 (8-10MM)

Glass Hanging Door Roller - 80kg




800VS-HRG-6080 (10-12MM)

Glass Hanging Door Roller - 80kg




800VS-HR-4501

Track Cover




800VS-HR-4500

Aluminium Track



800VS-HR-4503

Side Cover



800VS-HR-4502

Bracket



800VS-HR-4504

Stopper




800VS-HR-4005

Bottom Guide - Frame



800VS-SA-83A-5A


Bottom Guide - Frameless



					HRF-4080	HRG-5080	HRG-6080
SIZE	NECESSARY ACC. NO.				(RM) / UNIT	(RM) / UNIT	(RM) / UNIT
2 m	Roller x 1 HR-4503 x 1	HR-4501 x 1 HR-4504 x 1	HR-4500 x 1 Bottom Guide x 1	HR-4502 x 5	RM800.00	RM900.00	
3 m	Roller x 1 HR-4503 x 1	HR-4501 x 1 HR-4504 x 1	HR-4500 x 1 Bottom Guide x 1	HR-4502 x 7	RM880.00	RM1060.00	
4 m	Roller x 2 HR-4503 x 2	HR-4501 x 1 HR-4504 x 2	HR-4500 x 1 Bottom Guide x 1	HR-4502 x 10	RM1320.00	RM1490.00	


CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-HR-4500 (AP-239.76) + HR-4501 (AP-302.04) (2 meter)	Aluminium	Silver	10 pcs / ctn	
800VS-HR-4500 (AP-239.76) + HR-4501 (AP-302.04) (3 meter)	Aluminium	Silver	10 pcs / ctn	
800VS-HR-4500 (AP-239.76) + HR-4501 (AP-302.04) (4 meter)	Aluminium	Silver	10 pcs / ctn	

08



30 x 10 Installation of square pipe with jumping-proof pillar.

- 800VS-A002-1-2**
Top Roller
- 800VS-A002-2-2**
Hollow Locator
- 800VS-A002-5-2**
Stopper
- 800VS-A001-3-1**
Connector
- 800VS-A002-4-2**
Fix Connector



- 800VS-A002-3-2**
Glass Locator
- 800VS-A002-8-1**
S.Steel Hollow (2.5m/1.8m)
- 800VS-SA-83A-5A**
Sliding Door Guide
- 800VS-A-17**
Door Handle





Hole Size Ø46mm

CODE	ACCESSORIES NOS.			MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-AS001-90° set (60kg)	A002-1-2 x 4pcs A001-3-1 x 1pcs SA-83A-5A x 2pcs	A002-2-2 x 4pcs A002-4-2 x 2pcs A17 x 2pcs	A002-5-2 x 4pcs A002-3-2 x 4pcs A002-8-1 (2.5m) x 1pcs	SUS304	PSS	5 sets / ctn	
800VS-AS002-180° set (60kg)	A002-1-2 x 2pcs A002-4-2 x 2pcs A17 x 1pcs	A002-2-2 x 2pcs A002-3-2 x 2pcs A002-8-1 (1.8m) x 1pcs	A002-5-2 x 2pcs SA-83A-5A x 1pcs	SUS304	PSS	10 sets / ctn	
	800VS-A002-8-1 (1.8m)			SUS304	PSS	10 pcs / ctn	
	800VS-A002-8-1 (2.5m)						



08



800VS-ASD-100

Aluminium Top Track



800VS-ASD-101

Connector



800VS-ASD-102

Stopper R/L



800VS-ASD-103

Top Roller



800VS-ASD-104

Bracket



800VS-ASD-105

Bottom Guide






CODE	ACCESSORIES NOS.	MATERIAL / SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-SD-200 90° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (4pcs) ASD-103 x (4pcs)	2 mtr	CP	10 sets / ctn	
	ASD-104 x (2pcs) ASD-105 x (2pcs) ASD-101 x (1pcs)	3 mtr			
800VS-SD-100 180° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (2pcs) ASD-103 x (2pcs)	2 mtr	CP	10 sets / ctn	
	ASD-104 x (2pcs) ASD-105 x (1pcs)	3 mtr			
800VS-SD-200 90° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (4pcs) ASD-103 x (4pcs)	2 mtr	Matt Black	10 sets / ctn	
	ASD-104 x (2pcs) ASD-105 x (2pcs) ASD-101 x (1pcs)	3 mtr			
800VS-SD-100 180° Set (50kg)	ASD-100 x (1pcs) ASD-102 x (2pcs) ASD-103 x (2pcs)	2 mtr	Matt Black	10 sets / ctn	
	ASD-104 x (2pcs) ASD-105 x (1pcs)	3 mtr			
	800VS-ASD-100 x (2 meter)	Aluminium	CP / Matt Black	6 pcs / ctn	
	800VS-ASD-100 x (3 meter)	Aluminium	CP / Matt Black	6 pcs / ctn	

08

800VS-ST5-90

Slide To Side Shower Glass Door







MATERIAL

SUS304



SPECIFICATION

Hollow : 30MM X 10MM X 1.5MM
 Width : $W \leq D$ (Door Width \leq Depth)
 Weight : 45KG/Panel
 Roller Notching : 18MM
 Glass Thickness : 10MM



Single panel slide shower glass door is a stylish and functional solution for modern bathrooms, particularly those with limited space. It is ideal for small bathroom as it doesn't require extra space to swing open. Offers a sleek, contemporary look with clear, frosted or colours glass option. Durable rollers with smooth sliding mechanism allows easy entry and exit. Stainless steel track and fittings resists corrosion. It also combines elements of both fit to glass and wall. Single panel sliding shower doors combine functionality with a modern aesthetic, making them a popular choice for contemporary bathroom designs.

800VS-ST5-90TR

Top Roller



800VS-ST5-90WB

Wall Bracket



800VS-ST5-90CB

Corner Bracket



800VS-ST5-90GC

Glass Clamp



800VS-ST5-90ST

Stopper



800VS-ST5-90DS

Decorative Strips (2.1m)



800VS-ST5-90BT

Bottom Track (2.5m)



Bottom Track

800VS-A002-8-1

S/Steel Hollow Track (2.5m)



800VS-ST5-90GB




Glass to Glass Connector Bracket



CODE	ACCESSORIES NOS.	MATERIAL / SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-ST5-90	STS-90TR x (2pcs)	2.5 mtr	Matt Black	10 sets / ctn	
	STS-90GC x (1pc)		PSS		
	STS-90WB x (2pcs)				
	STS-90ST x (1pc)				
	A002-8-1 x (1pc)				
	STS-90DS x (2pcs)				
	STS-90BT x (1pc)				
	STS-90GB x (1pc)				

800VS-ST5-180

Slide Two Side Shower Glass Door



08

Dual-way sliding glass doors, also known as bi-parting sliding doors, offer several features and advantages that make them a popular choice for both residential and commercial properties.

The features of the sliding mechanism are both panels of the door slide along tracks, allowing entry from either side of the shower. They do not require additional space for door swing, making them ideal for small bathrooms.

Typically made from tempered glass for safety and durability. Options for clear, frosted, or patterned glass are available. Frameless double sliding tub door pushes and pulls smoothly, bringing a comfortable and unbreakable safety experience. The combination of double-sided easy-to-clean glass and elegant hardware accessories make your shower room more elegant and decorative. Double sliding bypass configuration allows easy entry to the shower from left or right side. Designed to keep water within the shower, reducing the chance of leaks and easy cleaning. It is ideal for compact bathrooms where swinging doors are impractical, offers a sleek, modern look that can enhance the bathroom's overall design. Suitable for both bathtub and standalone shower enclosures. Easier to use for people with mobility issues as they do not have to maneuver around a swinging door.

Can be custom in various sizes, glass types, and top frame finishes to match any bathroom decor. High-quality materials and construction ensure long-lasting performance. Increased Light, clear or lightly frosted glass can make a bathroom appear brighter and more spacious. Reduced splashing, effectively at containing water, keeping the rest of the bathroom dry.

Dual-way sliding shower doors are a practical and stylish choice for many bathrooms, offering both functionality and aesthetic benefits.

STANDARD FINISH

Matt Black
PSS

MATERIAL

SUS304

SPECIFICATION

Hollow : 50MM X 10MM X 1.9MM
Width : 900MM/Panel
Weight : 45KG/Panel
Roller Notching : 19MM
Glass Thickness : 8MM - 10MM

800VS-ST5-180HT (1.8M)

Track



800VS-ST5-180TR

Roller



800VS-ST5-180CB

Connector



800VS-ST5-180ST

Stopper



800VS-ST5-180GD

Guide



800VS-A-17

Handle




CODE	ACCESSORIES NOS.	MATERIAL / SIZE	FINISHING	PACKING	(RM) / UNIT
800VS-ST5-180	ST5-180HT x (1pc) ST5-180TR x (8pcs)	ST5-180CB x (2pcs) ST5-180ST x (2pcs)	ST5-180GD x (1pc) A-17 x (2pcs)	1.8 mtr	Matt Black 10 sets / ctn

800VS-SH-45 HYDRAULIC


08



PRODUCT NAME	Shower Hydraulic Hinge
MATERIAL	S.Steel SUS304
GLASS THICKNESS	10mm
FINISHED	Chrome / Matt Black
APPLICATION	For Interior Used (Shower)
MAX DOOR WEIGHT	50kg / Panel
MAX DOOR HEIGHT	2100mm / Panel
MAX DOOR WIDTH	700mm / Panel



GLASS TO GLASS




GLASS TO WALL



HYDRAULIC GLASS DOOR HINGE

- ☑ The first hinge with automatic and adjustable closing, and constant speed braking control.
- ☑ For all door opening angles up to 170°, with automatic closing from 90° to 0°.
- ☑ 1 way opening.
- ☑ It prevents unhooking through a shock absorber and has an over-pressure device that avoids breaking in accidental shoving scenarios.
- ☑ Hydraulic hinge glass-to-wall and glass-to-glass for doors with a stop.
- ☑ Adjustable closing speed and constant braking control.
- ☑ The door opens up to 170°. Stop at +90° + 170°.




CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-SH-45 Hydraulic	SUS304	Matt Black	10 pair / ctn	
800VS-SH-45 Hydraulic	SUS304	PSS	10 pair / ctn	

800VS-SSD SPOOKY DOOR ACCESSORIES




800VS-FRAME PROFILE



800VS-HANGING ROLLER




800VS-FIXED WHEEL



800VS-DAMPER



800VS-BOTTOM WHEEL




800VS-BOTTOM GUIDE



800VS-FRAME END CAP



800VS-SCREWS SET



CODE	800VS-Spooky Door Accessories (Set) Including Aluminium Track
MAX WEIGHT	80kg
GLASS THICKNESS	8mm
HEIGHT ADJUSTMENT	±2mm
MAX DOOR WIDTH	800mm - 1000mm
MAX DOOR HEIGHT	≤ 2500mm
FEATURES	<ul style="list-style-type: none"> - Concealed the wheels and accessories - With two-way damping functions - Easy installation, smooth and quiet operation
PRICE	

800VS-SSD SLIM SWING DOOR ACCESSORIES




800VS-SSL-01

Slim Swing Lever Lock w/o Key



800VS-SSL-02

Slim Swing Lever Lock w/o Key



800VS-SSB-03

Corner Bracket




800VS-SSH-05


Door Hinge



800VS-S.E N1 INNER



800VS-S.E 04 SIDE JAMB



* Corner bracket included SSB-04.

CODE	800VS-SSD Slim Swing Door Accessories
MAX WEIGHT	80kg
GLASS THICKNESS	8mm
HEIGHT ADJUSTMENT	±2mm
MAX DOOR WIDTH	750mm - 1200mm
MAX DOOR HEIGHT	≤ 2800mm
FEATURES	<ul style="list-style-type: none"> - Minimalist design, sleek and modern. - Slim framed with maximized glass area. - Durable & heavy duty hinge. - Easy installation, smooth and quiet operation.
PRICE	

800VS-S.E 4516 SLIM SLIDING DOOR

08




SLIM PROFILE SLIDING DOORS OFFER SEVERAL ADVANTAGES AND FEATURES:

- ✓ **Space-saving Design:** Slim profiles maximize usable space by reducing the amount of frame material, allowing for larger glass panels and more natural light.
- ✓ **Enhanced Aesthetics:** Their sleek and minimalist design can add a modern touch to any space, creating a seamless transition between indoor and outdoor areas.
- ✓ **Improved Energy Efficiency:** Many slim profile sliding doors feature advanced insulation and high-quality seals, helping to minimize heat transfer and improve energy efficiency.
- ✓ **Smooth Operation:** Quality sliding door systems are designed for smooth and effortless operation, making them easy to open and close even with large panels.
- ✓ **Versatility:** Slim profile sliding doors are available in various configurations, including pocket, corner, and multi-panel designs, offering flexibility to suit different architectural styles and space requirements.
- ✓ **Durability:** Constructed from durable materials like aluminum, steel, or fiberglass, slim profile sliding doors are built to withstand harsh weather conditions and provide long-lasting performance.

Overall, these doors combine functionality, aesthetics, and efficiency to create a stylish and practical solution for modern living spaces.


SPECIFICATIONS: Door Width : 750mm - 1500mm
 Door Weight : < 80kgs
 Glass Thickness : 6mm ~ 8mm

800VS-N1-S.E INNER




AP 135.77mm

800VS-N3-S.E INNER HOOK




AP 165.4mm

800VS-N2-S.E INNER TOP / BOTTOM




AP 206.29mm

800VS-T4-S.E TOP COVER




AP 170.5mm

800VS-T1-S.E SINGLE TOP TRACK




AP 396mm

800VS-T2-S.E DOUBLE TOP TRACK




AP 645mm

800VS-T3-S.E TRIPLE TOP TRACK




AP 954mm

800VS-O1-S.E SINGLE OUTER




AP 322.08mm

800VS-O2-S.E DOUBLE OUTER




AP 694mm


800VS-O3-S.E TRIPLE OUTER




AP 559mm




1.S.E 4516 SLIDING DOOR 1+0




2.S.E 4516 SLIDING DOOR 1+1




3.S.E 4516 SLIDING DOOR 2+0




4.S.E 4516 SLIDING DOOR 2+1




5.S.E 4516 SLIDING DOOR 2+2



6.S.E 4516 SLIDING DOOR 3+0



7.S.E 4516 SLIDING DOOR 3+1



8.S.E 4516 SLIDING DOOR 3+3

800VS-KD GLASS T-CUTTER



LENGTH	MAX. CUTTING WIDTH	CUTTING THICKNESS
600mm-T-60	60 (24")	6 - 12
1200mm-T-120	120 (48")	6 - 12

800VS-KD GLASS CIRCLE CUTTER



LENGTH	MAX. CUTTING WIDTH	CUTTING THICKNESS
300mm-60A	Ø10 - 60	6 - 12


800VS-BP-11

Guide Roller Seat for T-Cutter



800VS-BP-12

KD Cutter Plate 6mm - 12mm



800VS-BP-13

Oil Tank for T-Cutter



800VS-BP-18

Suction Plate Assembly for Circle Cutter



800VS-BP-20

Oil Tank for Circle Cutter C/W Head Cutter



800VS-TOYO GLASS CUTTER

Japan



CODE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-T-Cutter 600mm	Aluminium	Silver	6 pcs / ctn	
800VS-T-Cutter 1200mm	Aluminium	Silver	6 pcs / ctn	
800VS-T-Circle Cutter 300mm	Aluminium	Silver	6 pcs / ctn	
800VS-BP-11 Guide Roller	Nylon	Black	60 pcs / ctn	
800VS-BP-12 KD Cutter Plate	Stainless Steel	Silver	12 pcs / ctn	
800VS-BP-13 Oil Cutting	Zinc Alloy	SS	5 pcs / ctn	
800VS-BP-18 Sucking	Nylon	SS	5 pcs / ctn	
800VS-BP-20- Oil Cutting	Zinc Alloy	SS	5 pcs / ctn	
800VS-TOYO Glass Cutter (Japan)	Brass	-	6 pcs / box	

800VS-YL-845

800VS-BX-4


08



DIA	A	B	FULL
18mm	5mm	25mm	30mm
18mm	5mm	30mm	35mm
25mm	5mm	25mm	30mm
25mm	5mm	45mm	50mm
25mm	5mm	50mm	55mm
25mm	5mm	70mm	75mm
25mm	5mm	100mm	105mm
25mm	5mm	150mm	155mm



CODE	SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
800VS-YL-845	18 x 30mm (F)	SUS304	Hairline	12 pcs / ctn	
	18 x 35mm (F)			12 pcs / ctn	
	25 x 30mm (F)			12 pcs / ctn	
	25 x 50mm (F)			12 pcs / ctn	
	25 x 55mm (F)			12 pcs / ctn	
	25 x 75mm (F)			12 pcs / ctn	
	25 x 105mm (F)			12 pcs / ctn	
	25 x 155mm (F)			12 pcs / ctn	
800VS-BX-4	6mm	Mix Steel	SS	-	
	8mm				
	10mm				
	12mm				
	16mm				
	20mm				
	25mm				
	32mm				
	35mm				
	38mm				
	40mm				
	50mm				
	60mm				
	75mm				
100mm					
130mm					





PULL HANDLE

Handles are suitable for use on timber doors, aluminium doors and glass doors. They are commonly used on hinged doors, pivot doors and sliding doors making them the ideal choice for your commercial or residential project.

Advantage

- ✓ The used of quality manufacturing materials.
- ✓ Suitable for most doors.
- ✓ Elegant and style.
- ✓ Ergonomic design.
- ✓ Easy to install.
- ✓ Corrosion resistance.
- ✓ Great strength and durability.




09

900VS-81-D (Round)
Thumbturn And Key

900VS-82-D1 (Round)
Thumbturn And Key

900VS-WD-85
Wooden Door Accessories

900VS-648 (Square)
Thumbturn And Key




Overall Dimension 1500mm

Overall Dimension 2100mm



SQUATING IS NOT REQUIRED FOR LARGER HANDLES TO OPEN THE GLASS DOOR.

900VS-DUST SOCKET FOR V81D / V81D1 / V648



CODE	SIZE (MM)	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-81-D (Round)	35 x 2100	SUS304	SS	4 sets / ctn	
	35 x 2100		Matt Black	4 sets / ctn	
900VS-82-D1 (Round)	35 x 1500	SUS304	SS	5 sets / ctn	
	35 x 1500		Matt Black	5 sets / ctn	
900VS-648 (Square)	25 x 38 x 1500	SUS304	SS	5 sets / ctn	
900VS-WD-85	85 x 176	Brass	Gold	50 sets / ctn	
900VS-Dust Socket for V81D / V81D1 / V648	34 x 60	SUS304	SS	-	

900VS-4010
RHS H-Handle



900VS-711-B
CHS H-Handle



900VS-711-H
CHS H-Handle



900VS-711-J
CHS Offset-Handle



09

CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT	
900VS-4010	40 x 10	600	275	75	Ø15	SUS304	SS	10 sets / ctn		
	40 x 10	900	600	75	Ø15			10 sets / ctn		
	40 x 10	1200	900	75	Ø15			10 sets / ctn		
	900VS-711-B	38 x 600	600	275	75	Ø15	Stainless Steel 201	PSS	20 sets / ctn	
			600	400	75	Ø15			20 sets / ctn	
			900	600	75	Ø15			10 sets / ctn	
1200	900	75	Ø15	10 sets / ctn						
1500	1200	80	Ø15	10 sets / ctn						
1800	1500	80	Ø15	10 sets / ctn						
900VS-711-H	32 x 600	600	275	75	Ø15	SUS304	SS	20 sets / ctn		
		900	600	75	Ø15			10 sets / ctn		
		1200	900	75	Ø15			10 sets / ctn		
900VS-711-J	38 x 600	600	275	95	Ø15	SUS304	SS	10 sets / ctn		
		900	600	95	Ø15			10 sets / ctn		
		1200	900	95	Ø15			10 sets / ctn		
		1500	1200	95	Ø15			10 sets / ctn		





09

900VS-713-SS
RHS C-Handle

900VS-713-MB
RHS C-Handle

900VS-4020-D-SS
RHS C-Handle

900VS-4020-D-MB
RHS C-Handle









CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-713	25 x 38	600	562	73	Ø15	SUS304	SS	10 sets / ctn	
	25 x 38	900	862	73	Ø15			10 sets / ctn	
	25 x 38	1200	1162	73	Ø15			10 sets / ctn	
	25 x 38	1500	1462	73	Ø15			6 sets / ctn	
	25 x 38	600	562	73	Ø15	SUS304	Matt Black	10 sets / ctn	
	25 x 38	900	862	73	Ø15			10 sets / ctn	
	25 x 38	1200	1162	73	Ø15			10 sets / ctn	
	25 x 38	1500	1462	73	Ø15			6 sets / ctn	
900VS-4020-D	40 x 20	600	580	65	Ø15	SUS304	SS	10 sets / ctn	
	40 x 20	900	880	65	Ø15			10 sets / ctn	
	40 x 20	1200	1180	65	Ø15			10 sets / ctn	
	40 x 20	600	580	65	Ø15	SUS304	Matt Black	10 sets / ctn	
	40 x 20	900	880	65	Ø15			10 sets / ctn	
	40 x 20	1200	1180	65	Ø15			10 sets / ctn	

900VS-714-SS
RHS N-Handle

900VS-714-MB
RHS N-Handle

900VS-3015-C-SS
RHS N-Handle

900VS-3015-C-MB
RHS N-Handle




09


CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-714	25 x 38	600	575	90	Ø15	SUS304	SS	10 sets / ctn	
	25 x 38	900	875	90	Ø15			10 sets / ctn	
	25 x 38	1200	1175	90	Ø15			10 sets / ctn	
	25 x 38	600	575	90	Ø15	SUS304	Matt Black	10 sets / ctn	
	25 x 38	900	875	90	Ø15			10 sets / ctn	
	25 x 38	1200	1175	90	Ø15			10 sets / ctn	
900VS-3015-C	15 x 30	630	600	85	Ø15	SUS304	SS	10 sets / ctn	
	15 x 30	930	900	85	Ø15			10 sets / ctn	
	15 x 30	630	600	85	Ø15	SUS304	Matt Black	10 sets / ctn	
	15 x 30	930	900	85	Ø15			10 sets / ctn	

09


900VS-2513-S
RHS L-Shower Handle



900VS-2513-I
RHS I-Shower Handle



900VS-712-S
CHS L-Shower Handle



900VS-712-I
CHS I-Shower Handle



900VS-FDS-80
Framed Door Screw




900VS-FK-35
Pull Handle Flat Knob




CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-2513-S	25 x 13 x 300 x 450	275	425	55	Ø15	SUS304	PSS	20 sets / ctn	
	25 x 13 x 300 x 450	275	425	55	Ø15		SS	20 sets / ctn	
	25 x 13 x 300 x 450	275	425	55	Ø15		Matt Black	20 sets / ctn	
900VS-2513-I	25 x 13	500	475	55	Ø15	SUS304	PSS	20 sets / ctn	
		450	425						
	25 x 13	500	475	55	Ø15		SS	20 sets / ctn	
		450	425						
	25 x 13	500	475	55	Ø15		Matt Black	20 sets / ctn	
		450	425						
900VS-712-S	25 x 300 x 450	275	425	70	Ø15	SUS304	PSS	20 sets / ctn	
	25 x 300 x 450	275	425	70	Ø15		SS	20 sets / ctn	
	25 x 300 x 450	275	425	70	Ø15		Matt Black	20 sets / ctn	
	25 x 300 x 500	275	475	70	Ø15		PSS	20 sets / ctn	
900VS-712-S	25 x 300 x 450	275	425	70	Ø15	Stainless Steel 201	PSS	20 sets / ctn	
900VS-712-I	25	450	425	70	Ø15	SUS304	PSS	30 sets / ctn	
	25	450	425	70	Ø15		Matt Black	30 sets / ctn	
900VS-FDS-80	8 x 80	80	12	8	Ø15	Stainless Steel 201	PSS	500 nos / ctn	
900VS-FK-35	14 x 35	35	14	24	Ø15	SUS304	PSS	-	


900VS-AD-711B-900mm
CHS Adjustable H-Handle




900VS-712
CHS C-Handle




900VS-712-N
CHS N-Handle




900VS-788-C
RHS C-Handle



900VS-712-D
CHS C-Handle



900VS-712-C1
CHS C-Handle




CODE	SIZE	A	B	C	HOLE SIZE	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-AD-711-B	32 x 900	900	ADJ	32	Ø15	Stainless Steel 201	PSS	20 sets / ctn	
900VS-712	25 x 300	300	275	70	Ø15	Stainless Steel 201	PSS	60 sets / ctn	
900VS-712	25 x 300	300	275	70	Ø15	Stainless Steel 201	Matt Black	20 sets / ctn	
900VS-712-N	25 x 300	300	275	70	Ø15	Stainless Steel 201	PSS	20 sets / ctn	
	25 x 600	600	575	70	Ø15			20 sets / ctn	
900VS-788-C	30 x 15	325	300	50	Ø15	SUS304	PSS	10 sets / ctn	
900VS-712-D	25 x 300	300	275	63	Ø15	Stainless Steel 201	PSS	50 sets / ctn	
900VS-712-C1	25 x 300	300	275	70	Ø15	Stainless Steel 201	PSS	20 sets / ctn	

09



900VS-A-13

Aluminium Pull Handle




900VS-A-1819

Push & Pull Handle




900VS-SPH-100

RHS N-Handle



900VS-SLSC-100

Luxurious Aluminium CNC Handle



CODE	SIZE	A	B	C	D	MATERIAL	FINISHING	PACKING	(RM) / UNIT
900VS-A-13	35 x 300	310	135	65	35	Aluminium	Black	50 sets / ctn	
	35 x 300	310	135	65	35		Silver	50 sets / ctn	
	35 x 300	310	135	65	35		White	50 sets / ctn	
900VS-A-1819	80 x 300	300	150	100	1.0	SUS304	SS	20 sets / ctn	
		300	-	100	1.0		Black	20 sets / ctn	
900VS-SPH-100	25 x 13	300	275	70	Ø15	SUS304	SS	20 sets / ctn	
	25 x 13	300	275	70	Ø15		Black	20 sets / ctn	
900VS-SLSC-100	35 x 39	600	530	35	Ø15	Aluminium	Silver	10 sets / ctn	
	35 x 39	600	530	35	Ø15		Black	10 sets / ctn	

HARDWARE & TOOLS



Professional Solutions &
Professional Element



Fastening Tools



Measurement Tools



Hand Tools



Hammering Tools



Power Tools

1000VS-VT-251
9" Professional Revolving Gun



- For 310ml capacity
- Carbon steel plunger rod with ladder hook
- 12 pcs / ctn

1000VS-VT-252
11" Standard Caulking Gun



- For 400ml capacity
- 24 pcs / ctn

1000VS-VT-253
11" Standard Caulking Gun



- For 400ml capacity
- 24 pcs / ctn

1000VS- VT-258
15" Standard Caulking Gun



- 15" Caulking gun
- 12 pcs / ctn

1000VS-VSP-SAUSAGE GUN
Heavy Duty



- 15" Caulking gun
- 12 pcs / ctn

1000VS-WONDERTAPE
Masking Tape



- 19mm x 15meter (192 rolls / ctn)
- 25mm x 15 meter (144 rolls / ctn)
- 38mm x 15meter (96 rolls / ctn)
- Cut to size

1000VS-BACKER ROD
Square Shape



- Custom

1000VS-BACKER ROD
Round Shape



- Custom

1000VS-FOAM TAPE
Single / Double Side



- Custom
- Single & Double Side Glue

CODE	RM / UNIT
1000VS-VT-251 9" Pro. Revolving Gun	
1000VS-VT-252 11" Std. Caulking Gun	
1000VS-VT-253 11" Std. Caulking Gun	
1000VS-VT-258 15" Std. Caulking Gun	
1000VS-VSP-15" Sausage Gun (HD)	
1000VS-Wondertape® Masking Tape 19mm (15 mtr)	

CODE	RM / UNIT
1000VS-Wondertape® Masking Tape 25mm (15 mtr)	
1000VS-Wondertape® Masking Tape 38mm (15 mtr)	
1000VS-Backer Rod - Squire Shape	
1000VS-Backer Rod - Round Shape	
1000VS-Foam Tape (Single Side)	
1000VS-Foam Tape (Double Side)	

1000VS-C80 / C120
Grinding Disc



• 10 pcs / ctn

1000VS-C220
Grinding Disc



• 10 pcs / ctn

1000VS-GSTONE
Grinding Stone



• 50 pcs / ctn

1000VS-FLAT DUCK PLIER RUNNING THICKNESS : 2-15mm



• 60 pcs / ctn

1000VS-PARTITION PLIER



• 60 pcs / ctn

1000VS-LOBSTER HAND RIVETER



• 40 pcs / ctn

1000VS-SAISHO SETTING BLOCK CUTTER



• 120 pcs / ctn

1000VS-PRUNING SHEARS 6"
720 Setting Block Cutter



• 120 pcs / ctn

1000VS-PRUNING SHEARS 7 1/2"
730 Setting Block Cutter



• 120 pcs / ctn

CODE	RM / UNIT
1000VS-C80 Grinding Disc	
1000VS-C120 Grinding Disc	
1000VS-C220 Grinding Disc	
1000VS-GStone Grinding Stone	
1000VS-Flat Duck Plier	

CODE	RM / UNIT
1000VS-Partition Plier	
1000VS-Lobster Hand Riveter	
1000VS-Saisho Setting Block Cutter	
1000VS-720 Pruning Shears 6"	
1000VS-730 Pruning Shears 7 1/2"	

10

1000VS-PAPER CUTTER
RX235



• 10 pcs / box

1000VS-A100
Paper Cutter Refill Blades



• 10 pcs / box

1000VS-T-SHAPE ALLEN KEY



• Size : 2.0mm / 2.5mm / 3.0mm /
4.0mm / 5.0mm / 6.0mm /
8.0mm / 10.0mm
• 10 pcs / box, 120 / ctn

1000VS-DIGITAL CALIPER



• 20 pcs / ctn

**1000VS-HANDHELD ALUMINIUM
HARDNESS TESTER W-20**



• 1 pcs / ctn

**1000VS-DIGITAL COATING
THICKNESS GAUGE**



• 1 pcs / ctn

**1000VS-STAINLESS STEEL
VERIFICATION POTION REAGENT KIT**



• 50ml
• 12 pcs / box

1000VS-FREUD
Size : 10" / 12"



• 10 pcs / ctn

1000VS-TSURUGI
Size : 12" / 16"



• 10 pcs / ctn

CODE	RM / UNIT	CODE	RM / UNIT
1000VS-Paper Cutter RX235		1000VS-Stainless Steel Verification Potion Reagent Kit	
1000VS-A100 Paper Cutter (Refill Blades)		1000VS-Freud - 10"	
1000VS-T-Allen Key (Various Sizes)		1000VS-Freud - 12"	
1000VS-Digital Caliper		1000VS-Tsurugi - 12"	
1000VS-Handheld Aluminium Hardness Tester		1000VS-Tsurugi - 16"	
1000VS-Digital Coating Thickness Gauge			

1000VS-NIKEE BLIND RIVETS



CODE	SIZE	COLOR	(RM) / BOX
1000VS-NIKEE Blind Rivets (1000pcs / box)	1/8" x 1/2"	NA / MB / BLK	
	1/8" x 1/4"	NA / BLK / WH	
	1/8" x 3/4"	NA	
	1/8" x 3/8"	NA / BLK / WH	
	1/8" x 5/16"	NA / MB	
	5/32" x 1/2"	NA / BLK / MB	
	5/32" x 3/8"	NA / BLK	
1000VS-NIKEE Blind Rivets (500pcs / box)	3/16" x 1/2"	NA	
	3/16" x 3/8"	NA	

1000VS-ACE CONCRETE STEEL NAILS



CODE	SIZE	PACKING	(RM) / BOX
1000VS-ACE Concrete Steel Nails	#16 x 2mm	60 box / ctn	
	#20 x 2mm	60 box / ctn	
	#20 x 2.5mm	60 box / ctn	

1000VS-SCREW BOLT / CHIPBOARD SCREWS



DS-H0 Screw Bolt

Chipboard Screws



CODE	SIZE	PACKING	(RM) / BOX
1000VS-DH-H0 Screw Bolt	# 10 x 1	250 pcs / box	
	# 10 x 3/4	250 pcs / box	
1000VS-Chipboard Screws	# M4 x 25mm	1000 pcs / box	
	# M4 x 32mm	1000 pcs / box	
	# M4 x 38mm	1000 pcs / box	

10

1000VS-SELF TAPPING SCREWS



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Tapping Screws (FH)	# 6 X 1"	1000 pcs / box	
	# 6 X 1/2"	1000 pcs / box	
	# 6 X 1 1/4"	1000 pcs / box	
	# 6 X 1 1/2"	1000 pcs / box	
	# 6 X 2"	500 pcs / box	
	# 6 X 2 1/2"	500 pcs / box	
	# 6 X 3/8"	1000 pcs / box	
	# 8 X 1"	1000 pcs / box	
	# 8 X 1/2"	1000 pcs / box	
	# 8 X 5/8"	1000 pcs / box	
	# 8 X 1 1/2"	1000 pcs / box	
	# 8 X 1 1/4"	1000 pcs / box	
	# 8 X 1 3/4"	500 pcs / box	
	# 8 X 2"	500 pcs / box	
	# 8 X 2 1/2"	500 pcs / box	
	# 8 X 3"	400 pcs / box	
	# 8 X 3/4"	1000 pcs / box	
# 8 X 3/8"	1000 pcs / box		
# 10 X 1"	500 pcs / box		
# 10 X 3"	500 pcs / box		
1000VS-Self Tapping Screws (PH)	# 6 X 1/2"	1000 pcs / box	
	# 6 X 1 1/2"	1000 pcs / box	
	# 6 X 3/8"	1000 pcs / box	
	# 8 X 1"	1000 pcs / box	
	# 8 X 1/2"	1000 pcs / box	

1000VS-SELF DRILLING SCREWS



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Drilling Screws (FH)	# 6 X 1/2"	1000 pcs / box	
	# 6 X 1 1/2"	1000 pcs / box	
	# 8 X 1/2"	1000 pcs / box	
	# 8 X 3/4"	1000 pcs / box	
1000VS-Self Drilling Screws (PH)	# 6 X 1/2"	1000 pcs / box	
	# 6 X 1 1/2"	1000 pcs / box	
	# 6 X 3/8"	1000 pcs / box	
	# 6 X 5/8"	1000 pcs / box	
	# 8 X 1"	1000 pcs / box	
	# 8 X 1/2"	1000 pcs / box	
	# 8 X 3/4"	1000 pcs / box	
	# 8 X 3/8"	1000 pcs / box	
	# 8 X 5/8"	1000 pcs / box	

1000VS-SELF TAPPING SCREWS (ET COAT)



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Tapping Screws (Flat)	# 8 x 1/2"	1000 pcs / box	
	# 8 x 3/4"	1000 pcs / box	
	# 8 x 2"	250 pcs / box	
1000VS-Self Drilling Screws (PH)	# 8 x 1/2"	1000 pcs / box	
	# 8 x 3/4"	1000 pcs / box	

1000VS-SELF TAPPING SCREWS SUS304



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Tapping Screws SUS304 (FH)	# 8 X 1"	1000 pcs / box	
	# 8 X 1/2"	1000 pcs / box	
	# 8 X 1 1/2"	1000 pcs / box	
	# 8 X 1 1/4"	1000 pcs / box	
	# 8 X 2"	500 pcs / box	
	# 8 X 2 1/2"	500 pcs / box	
	# 8 X 5/8"	1600 pcs / box	
	# 8 X 3/4"	1000 pcs / box	
1000VS-Self Tapping Screws SUS304 (PH)	# 8 X 1/2"	1000 pcs / box	

1000VS-SELF DRILLING SCREWS SUS304



CODE	SIZE	PACKING	(RM) / BOX
1000VS-Self Drilling Screws SUS304 (FH)	# 8 X 1/2"	1000 pcs / box	
	# 8 X 3/4"	1000 pcs / box	
1000VS-Self Drilling Screws SUS304 (PH)	# 6 X 1/2"	1000 pcs / box	
	# 6 X 1 1/2"	1000 pcs / box	
	# 8 X 1/2"	1000 pcs / box	
	# 8 X 3/4"	1000 pcs / box	

1000VS-PICTURE FRAME



CODE	COLOR	PACKING	(RM) / UNIT
1000VS-Picture Frame Set	CP	200 sets / ctn	
1000VS-MS-002 Alu. Frame	Gold	20 pcs / ctn	
1000VS-MS-002 Alu. Frame	Chrome	20 pcs / ctn	
1000VS-MS-002 Alu. Frame	Black	20 pcs / ctn	



GOLD 3.13m



CHROME 3.13m

Frames are not just there to protect and support the art work inside, the structure of the frame along with the design and the materials it is made from must enhance and compliment the art work that it is showcasing.

1000VS-J-TECH DOUBLE-ENDED DRIVER BIT



- 45mm / 110mm
- 2 pcs / pkt, 10 pkt / ctn

1000VS-SETTING BLOCK



- 6mm x 10mm x 1ft (100pcs / ctn)
- 10mm x 12mm x 1ft (50 pcs / ctn)
- 16mm x 20mm x 1ft (25 pcs / ctn)

1000VS-PVC 501 WALL PLUG



- Grey
- 1040 pcs / pkt, 24 pkt / ctn

1000VS-G.I STRIP



- With Hole
- 1000 pcs / pkt

1000VS-9" ALUMINIUM HANDLE



- SIL / MB
- 50 pairs / ctn

1000VS-GLASS HAND GLOVES



- Color : Orange
- 12 pairs / pkt

1000VS-JP ROLLER SHUTTER MIDDLE LOCK



- 50 pcs / ctn

1000VS-JP ROLLER SHUTTER LOCK



- 80 pcs / ctn

1000VS-JP GROUND LOCK



- 50 pcs / ctn

CODE	RM / UNIT
1000VS-J-Tech Double-Ended Driver Bits (45mm)	
1000VS-J-Tech Double-Ended Driver Bits (110mm)	
1000VS-Setting Block - 6mm x 10mm x 1ft	
1000VS-Setting Block - 10mm x 12mm x 1ft	
1000VS-Setting Block - 16mm x 20mm x 1ft	
1000VS-PVC 501 Wall Plug	

CODE	RM / UNIT
1000VS-G.I Strip (with hole)	
1000VS-Aluminium Handle 9" SIL / MB	
1000VS-Glass Hand Gloves	
1000VS-JP Roller Shutter Middle Lock	
1000VS-JP Roller Shutter Lock	
1000VS-JP Ground Lock (Small)	

1000VS-STRETCH FILM-500MM



- 500mm x 1900g
- Virgin Grade
- 6 rolls / ctn

1000VS-STRETCH FILM-100MM



- 100mm x 250g
- Virgin Grade
- 60 rolls / ctn

1000VS-HYDRAULIC CABINET HINGE



- 200 pcs / ctn

1000VS-TOP LOCK



- 41mm x 25mm x 22.5mm
- 100 pcs / ctn

1000VS-MOSQUITO HINGE



- 200 pcs / pkt, 5 pkt / ctn

1000VS-RUBBER STOPPER




- Size : Dia - 25mm x H - 12mm
- 50 pcs / pkt

1000VS-MOSQUITO BRACKET SLIDING




- 1000 pcs / ctn

1000VS-MOSQUITO BRACKET CASEMENT



- 1000 pcs / ctn

1000VS-GUIDE BUFFER



- Size : Dia - 9.5mm x H - 3.5mm
- 100 pcs / card

CODE	RM / UNIT	CODE	RM / UNIT
1000VS-Stretch Film 500mm x 1900g		1000VS-Rubber Stopper	
1000VS-Stretch Film 100mm x 250g		1000VS-Mosquito Bracket Sliding	
1000VS-Hydraulic Cabinet Hinge		1000VS-Mosquito Bracket Casement	
1000VS-Top Lock		1000VS-Guide Buffer	
1000VS-Mosquito Hinge			

OTHER TOOLS & PVC BRACKET

10

1000VS-J HOOK



• 2000 pcs / ctn

1000VS-L HOOK



• 2000 pcs / ctn

000 1" x 1" HOLLOW BRACKET



• 500 pcs / pkt
• Color : Black

001 3/8" PLUG



• 1000 pcs / pkt
• Color : Black / Grey / White / Matt Black

002 1 1/2" SKID



• 1000 pcs / pkt
• Color : Black / White

003 STOPPER



• 100 pcs / pkt
• Color : Black / White

004 GRILLE BRACKET



• 1000 pcs / pkt
• Color : Black

005 GRILLE INNER CORNER BRACKET



• 100 pcs / pkt
• Color : Black

008 1" x 1 1/2" HOLLOW BRACKET



• 100 pcs / pkt
• Color : Black

009 SUB FRAME CORNER BRACKET



• 100 pcs / pkt
• Color : Black

011 INSERT SCREEN BUTTON H



• 1000 pcs / pkt
• Color : White / Matt Black

012 INSERT SCREEN BUTTON L



• 1000 pcs / pkt
• Color : White / Matt Black

014 HANDLE BRACKET



• 100 pcs / pkt
• Color : Black / Grey / White / Silver

015 1" x 1" INNER CORNER BRACKET



• 100 pcs / pkt
• Color : Black

015R 1" x 1" OUTER CORNER BRACKET



• 100 pcs / pkt
• Color : Black / Grey / White / Silver

016 3/4" x 1 1/2" INNER CORNER BRACKET



• 100 pcs / pkt
• Color : Black

016R 3/4" x 1 1/2" OUTER CORNER BRACKET



• 100 pcs / pkt
• Color : Black / Grey / White / Silver

017 3/4" x 1 1/2" INNER CORNER BRACKET



• 100 pcs / pkt
• Color : Black

017R 3/4" x 1 1/2" OUTER CORNER BRACKET



• 100 pcs / pkt
• Color : Black / Grey / White / Silver

018 3/4" x 1 1/2" INNER CORNER BRACKET



• 100 pcs / pkt
• Color : Black

018R 3/4" x 1 1/2" OUTER CORNER BRACKET



• 100 pcs / pkt
• Color : Black / Grey / White / Silver

019 1" x 1 1/2" INNER CORNER BRACKET



• 100 pcs / pkt
• Color : Black

020 1 x 3 HOLLOW BRACKET



• 100 pcs / pkt
• Color : Black

022 1" x 2 1/2" HOLLOW BRACKET



• 100 pcs / pkt
• Color : Black

023 1" x 2" HOLLOW BRACKET



• 100 pcs / pkt
• Color : Black

024 1" x 1 1/2" OUTER CORNER BRACKET (L)



- 80 pcs / pkt
- Color : Black / Grey / White / Silver

024R 1" x 1 1/2" OUTER CORNER BRACKET



- 80 pcs / pkt
- Color : Black / Grey / White / Silver

025 1" x 2" OUTER CORNER BRACKET (L)



- 60 pcs / pkt
- Color : Black / Grey / White / Silver

025R 1" x 2" OUTER CORNER BRACKET



- 60 pcs / pkt
- Color : Black / Grey / White / Silver

026 1" x 2 1/2" OUTER CORNER BRACKET (L)



- 48 pcs / pkt
- Color : Black / Grey / White / Silver

026R 1" x 2 1/2" OUTER CORNER BRACKET



- 48 pcs / pkt
- Color : Black / Grey / White / Silver

027 1" X 3" OUTER CORNER BRACKET (L)



- 40 pcs / pkt
- Color : Black / Grey / White / Silver

027R 1" X 3" OUTER CORNER BRACKET



- 40 pcs / pkt
- Color : Black / Grey / White / Silver

028 / 028S INNER CASEMENT BRACKET



- 500 pcs / pkt
- Color : Black

029 CASEMENT H BRACKET



- 1000 pcs / pkt
- Color : Black

030 3/4" x 1 1/4" HOLLOW BRACKET



- 100 pcs / pkt
- Color : Black

033 INSERT SCREEN CORNER BRACKET



- 200 pcs / pkt
- Color : Black / Grey / White / Silver

036 JAPAN GRILLE CORNER BRACKET W ROLLER



- 100 pcs / pkt
- Color : Black

037 JAPAN GRILLE CORNER BRACKET WT ROLLER



- 100 pcs / pkt
- Color : Black

038 BASIN CABINET DR CORNER BRACKET



- 100 pcs / pkt
- Color : Black

040 28MM GRILL OUTER FRAME CORNER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

041 26MM GRILL OUTER FRAME CORNER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

042 23MM GRILL OUTER FRAME CORNER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

045 BASIN CABINET DOOR CORNER BRACKET



- 40 pcs / pkt
- Color : Black

046 BASIN CABINET DOOR CORNER BRACKET



- 40 pcs / pkt
- Color : Black

047 CASEMENT INNER BRACKET (29.50MM X18.70MM)



- 100 pcs / pkt
- Color : Black

048 SWING DOOR BRACKET (30MM X 37.50MM)



- 40 pcs / pkt
- Color : Black

050 1 1/4" x 2 1/2" CASEMENT OUTER BRACKET



- 100 pcs / pkt
- Color : Black

051 CABINET INNER CORNER BRACKET (L) (11MM X 37.40MM)



- 100 pcs / pkt
- Color : Black

052 NEW BASIN CABINET DOOR CORNER BRACKET



- 60 pcs / pkt
- Color : White / Grey / Silver / Matt Black

054 LB CABINET BRACKET



- 100 pcs / pkt
- Color : Black

055 CABINET (L) BRACKET (5.80MM X 42MM)



- 100 pcs / pkt
- Color : Black

056 CABINET OUTER CORNER BRACKET



- 60 pcs / pkt
- Color : White / Grey / Silver / Matt Black

057 1" X 2" INNER CORNET BRACKET



- 60 pcs / pkt
- Color : Black

058 1" X 2 1/2" INNER CORNET BRACKET



- 50 pcs / pkt
- Color : Black

059 1" X 3" INNER CORNET BRACKET




- 40 pcs / pkt
- Color : Black

280 INNER CORNER BRACKET (L) (9MM X 13.50MM)



- 500 pcs / pkt
- Color : Black / White

340 1" X 1" 3 WAY BRACKET



- 60 pcs / pkt
- Color : Black / Grey / White / Silver

340R 1" X 1" 3 WAY BRACKET



- 60 pcs / pkt
- Color : Black / Grey / White / Silver

341 1" X 1" 4 WAY BRACKET



- 50 pcs / pkt
- Color : Black / Grey / White / Silver

340R 1" X 1" 4 WAY BRACKET



- 50 pcs / pkt
- Color : Black / Grey / White / Silver

350 GRILLE WITH SWING DOOR CORNER BRACKET



- 20 pcs / pkt
- Color : Black

351 GRILLE OUTER CORNER BRACKET



- 200 pcs / pkt
- Color : Black / Grey / White / Silver

380 SUPER CABINET BRACKET



- 100 pcs / pkt
- Color : Black / White

450 CABINET INNER CORNER BRACKET (10.50MM X 36.30MM)



- 100 pcs / pkt
- Color : Black

V001 CABINET BOARD INSERT BRACKET (23.50MM X 17.50MM)



- 100 pcs / pkt
- Color : Black

V002 CABINET INNER CORNER BRACKET (11.80MM X 13.10MM)



- 500 pcs / pkt
- Color : Black

V003 INNER CORNER BRACKET (2MM X 15.15MM)



- 500 pcs / pkt
- Color : Black

V004 CABINET INNER CORNER BRACKET (11.30MM X 40.00MM)



- 100 pcs / pkt
- Color : Black

V006 CABINET INNER CORNER BRACKET (9.40MM X 40.70MM)



- 100 pcs / pkt
- Color : Black

V007 CASEMENT CENTER BRACKET (33.50MM X 35.50MM)



- 200 pcs / pkt
- Color : Black

V008 CABINET INNER CORNER BRACKET (11.20MM X 41.00MM)



- 100 pcs / pkt
- Color : Black

V009 1" X 2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V010 1" X 2 1/2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V011 1" X 3" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V012 1 1/2" X 4" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V013 1 1/2" X 3" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V014 1" X 4" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V015 1" X 1" COVER BRACKET



- 200 pcs / pkt
- Color : Black / Grey / White / Silver

V016 2" X 4" COVER BRACKET



- 50 pcs / pkt
- Color : Black / Grey / White / Silver

V017 2" X 2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V018 1" X 1 1/2" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V019 3/4" X 2" HOLLOW BRACKET



- 100 pcs / pkt
- Color : Black

V020 3/4" X 4" COVER BRACKET



- 100 pcs / pkt
- Color : Black / Grey / White / Silver

V021 CABINET INNER CORNER BRACKET (17.20MM X 50.90MM)



- 60 pcs / pkt
- Color : Black

V022 1" X 2" INNER CORNER BRACKET



- 40 pcs / pkt
- Color : Black

V023 2" X 2" HOLLOW BRACKET



- 100 pcs / pkt
- Color : Black

V024 1/2" X 1" COVER BRACKET



- 200 pcs / pkt
- Color : Black / Grey / White / Silver

V025 1/2" X 1" HOLLOW BRACKET



- 200 pcs / pkt
- Color : Black

V026 1/2" X 1" INNER CORNER BRACKET



- 100 pcs / pkt
- Color : Black

V027 1/2" X 1" INNER CORNER BRACKET



- 100 pcs / pkt
- Color : Black

V028 NEW 280 BRACKET (14.20MM X 13.50MM)



- 200 pcs / pkt
- Color : Black

V029 CABINET INNER CORNER BRACKET (12.20MM X 42.80MM)



- 50 pcs / pkt
- Color : Black

V030 1 1/4" X 4" COVER BRACKET



- 50 pcs / pkt
- Color : Black

V060 CASEMENT INNER CORNER BRACKET (29.70MM X 28.20MM)



- 100 pcs / pkt
- Color : Black

072 PVC SPACER



- 100 pcs / pkt
- Color : Black / White / Silver
- H : 8mm

1000VS-PVC SPACE HOLDER



- 500 pcs / pkt
- Color : Black



1000VS-PVC CORNER PROTECTION



- 100 pcs / pkt
- Color : Black / White



Complying with
MS1017 : 2022



www.vsp.com.my



VIMAX TRADING SDN BHD (878086-A)

No.3 Jalan TPP 14, Taman Perindustrian Putra,
47130 Puchong, Selangor Darul Ehsan, Malaysia.

Tel : +603 8066 7587 / 6003 / 6880

Fax : +603 8066 9112

Email : enquiry@vsp.com.my

